

Index to Volume 35, January–June 2000

INDEX TO SUBJECTS*

A

Abdominal injuries

A comparison of teaching models for focused abdominal sonography for trauma (Salen et al). 2000;35:S39 (8th ICCE Abstracts)
Initial emergency department assessment with bedside ultrasound—is it useful for pediatric blunt trauma? (Robertson et al). 2000;35:S58 (8th ICCE Abstracts)

Abdominal pain

Diagnostic ultrasound utilization in patients with upper abdominal pain: an audit of practice in emergency department (Yung et al). 2000;35:S54-S55 (8th ICCE Abstracts)
Early analgesia for acute surgical abdomen: attitude of Hong Kong emergency physicians (Yuen and Lau). 2000;35:S48 (8th ICCE Abstracts)
EASED Study (Elimination of Abdominal Pain Safely in the Emergency Department) (Mahadevan and Graff). 2000;35:S19-S20 (8th ICCE Abstracts)
Observation improves CT scan utilization in abdominal pain evaluation for appendicitis (Graff et al). 2000;35:S31 (8th ICCE Abstracts)

Abstracts

Abstracts. 2000;35:102-7, 200-6, 317-24, 406-9, 515-18, 632-6 (8th ICCE Abstracts). 2000;35:S3-72

Accidental falls

A five-year study of high falls in Edinburgh (Beale et al). 2000;35:S20 (8th ICCE Abstracts)
Quantifying risk in elderly people attending accident and emergency departments with a fall: results from the Prevention of Falls in the Elderly Trial (PROFET) (Close et al). 2000;35:S21 (8th ICCE Abstracts)

Accidents

The ability of cause of accident to predict psychological outcome among male accident and emergency attenders (Mason et al). 2000;35:S4 (8th ICCE Abstracts)

Accidents, home

Poisoning accidents with children in the home setting: one-year experience in Campinas, Brazil (Paracat et al). 2000;35:S7 (8th ICCE Abstracts)

Accidents, traffic

Accident or crash? (Reichsman). 2000;35:198 (Letter)
Alcohol-related fatal crash rates for youth reach historic low: strategies for combating juvenile DUI (National Highway Traffic Safety Administration). 2000;35:192-3

Meeting abstracts are located in the following issue: May Supplement (8th ICCE Abstracts, pp. S1-S72).

*January, pp. 1-112; February, pp. 113-212; March, pp. 213-326; April, pp. 327-412; May, pp. 413-546; S1-S72; June, pp. 547-678.

Commentary: juvenile DUI—more work to be done (Jolly). 2000;35:193 (NHTSA Notes commentary)

Factors associated with head and neck injury in air bag-deployed crashes (Gregory et al). 2000;35:S38 (8th ICCE Abstracts)

Inadequate hospital reimbursement for victims of motor vehicle crashes due to health reform legislation (Henry et al). 2000;35:277-82

Maxillofacial and globe injuries in motor vehicle crashes (Brookes and Wang). 2000;35:S21 (8th ICCE Abstracts)

Motor vehicle crash characteristics and medical outcomes among older drivers in Utah, 1992-1995 (Cook et al). 2000;35:585-91

Pattern of injuries in helmeted motorcyclists in Singapore (Tham et al). 2000;35:S64 (8th ICCE Abstracts)

Spinal immobilization after motor vehicle crash in patients who are ambulatory at the scene: is it justified? (Levy et al). 2000;35:S11 (8th ICCE Abstracts)

Acetaminophen

Prospective evaluation of mild to moderate pediatric acetaminophen exposures (Mohler et al). 2000;35:239-44

Acetaminophen, poisoning

Characteristics and clinical course of patients who ingest repeated supratherapeutic doses of acetaminophen (O'Malley et al). 2000;35:S15 (8th ICCE Abstracts)

Efficacy of gastric decontamination in paracetamol (acetaminophen) overdose (Gupta et al). 2000;35:S23 (8th ICCE Abstracts)

Gastric lavage for liquid poisons (Grierson et al). 2000;35:435-9

Paracetamol overdose—the severity, management, and complications (Lam et al). 2000;35:S70 (8th ICCE Abstracts)

Shorter duration of oral N-acetylcysteine therapy for acute acetaminophen overdose (Woo et al). 2000;35:363-8

Adenosine

Arterial serum adenosine levels in patients undergoing coronary artery angioplasty (Dickson et al). 2000;35:S53 (8th ICCE Abstracts)

Conversion rhythms from adenosine in treating supraventricular tachycardia (Ooi and Cgaa). 2000;35:S35 (8th ICCE Abstracts)

Reentrant supraventricular tachycardia in the emergency department: a prospective study of clinical presentation and sequential therapy (Martin et al). 2000;35:S40 (8th ICCE Abstracts)

Adolescence

Adolescent injury in the emergency department: opportunity for alcohol interventions? (Maio et al). 2000;35:252-7

Alcohol-related fatal crash rates for youth reach historic low: strategies for combating juvenile DUI (National Highway Traffic Safety Administration). 2000;35:192-3

Commentary: juvenile DUI—more work to be done (Jolly). 2000;35:193 (NHTSA Notes commentary)

Inpatient and outpatient hospital costs of young victims of interpersonal violence (Zun). 2000;35:S34 (8th ICCE Abstracts)

Psychosocial needs of young persons who are victims of interpersonal violence (Zun and Rosen). 2000;35:S29 (8th ICCE Abstracts)

Adrenergic beta-agonists

Ipratropium bromide in emergency management of acute asthma exacerbation (Silverman) (Letter) (Aaron and Dales) (Reply). 2000;35:197-8

Advance directives

Communication of preexisting advanced directives: impact on patient care in the emergency department (Hurwitz et al). 2000;35:S54 (8th ICCE Abstracts)

Developing a new model for transmitting advance directives from long-term care facilities to emergency departments (Pauls et al). 2000;35:S12 (8th ICCE Abstracts)

Aerospace medicine

Management of medical emergencies aboard the International Space Station using telemedicine (Otto et al). 2000;35:S19 (8th ICCE Abstracts)

Age factors

A prospective, age-based comparison of behavioral reactions occurring in children following ketamine sedation (Hostetler and Davis). 2000;35:S32-S33 (8th ICCE Abstracts)

Aged

Acute pulmonary edema in the emergency department: clinical and echocardiographic survey in an aged population (Bentancur et al). 2000;35:S57 (8th ICCE Abstracts)

Motor vehicle crash characteristics and medical outcomes among older drivers in Utah, 1992-1995 (Cook et al). 2000;35:585-91

Outcomes of the elderly presenting with nonspecific chief complaints in the emergency department (Austgarden). 2000;35:S17-S18 (8th ICCE Abstracts)

Pulmonary embolism diagnosis strategies in the emergency department (Fournier et al). 2000;35:S47-S48 (8th ICCE Abstracts)

Quantifying risk in elderly people attending accident and emergency departments with a fall: results from the Prevention of Falls in the Elderly Trial (PROFET) (Close et al). 2000;35:S21 (8th ICCE Abstracts)

The role of on-line medical control in elderly patients who initially refuse medical transport (Richmond et al). 2000;35:S41 (8th ICCE Abstracts)

Agglutination tests

A negative SimpliRED D-dimer assay result does not exclude the diagnosis of deep vein thrombosis or pulmonary embolism in emergency department patients (Farrell et al). 2000;35:121-5

Air bags

Factors associated with head and neck injury in air bag-deployed crashes (Gregory et al). 2000;35:S38 (8th ICEM Abstracts)

Knowledge of child car seat safety in a tricultural southern California emergency department (Vaca et al). 2000;35:S56-S57 (8th ICEM Abstracts)

Maxillofacial and globe injuries in motor vehicle crashes (Brookes and Wang). 2000;35:S21 (8th ICEM Abstracts)

Airway obstruction

Emergency airway management in penetrating neck injury (Mandavia et al). 2000;35:221-5

Successful cricothyrotomy after thrombolytic therapy for acute myocardial infarction: a report of two cases (Walls and Pollack). 2000;35:188-91 (Case rep.)

Trauma airway management: a comparison of indications, success rates, complications, and cricothyrotomy rate by specialty (Kulkarni et al). 2000;35:S33 (8th ICEM Abstracts)

Trauma airway management in the emergency department: indications, methods, and success rates (Gurr et al). 2000;35:S33 (8th ICEM Abstracts)

Airway obstruction; see also Asthma; Intubation;

Intubation, intratracheal

Albuterol, therapeutic use

Consecutive doses of levalbuterol and racemic albuterol result in comparable safety and efficacy: a pharmacokinetic and pharmacodynamic study in mild-moderate asthmatics (Gumbhir-Shah et al). 2000;35:S30 (8th ICEM Abstracts)

A randomized double-blind placebo controlled trial to evaluate the efficiency of intravenous salbutamol and inhaled ipratropium bromide in acute severe asthma in the emergency department (Browne et al). 2000;35:S6 (8th ICEM Abstracts)

Role of nebulized ipratropium in acute bronchial asthma (Aggarwal et al). 2000;35:S34-S35 (8th ICEM Abstracts)

Alcohol drinking

Adolescent injury in the emergency department: opportunity for alcohol interventions? (Maio et al). 2000;35:252-7

Alcohol-related fatal crash rates for youth reach historic low: strategies for combating juvenile DUI (National Highway Traffic Safety Administration). 2000;35:192-3

Commentary: juvenile DUI—more work to be done (Jolly). 2000;35:193 (NHTSA Notes commentary)

Marijuana and alcohol combined severely impede driving performance (National Highway Traffic Safety Administration). 2000;35:398-400

NHTSA Notes commentary: drugged driving—different spin on an old problem (Jolly). 2000;35:399-400

Alcoholic intoxication, drug therapy

The alcohol wake-up study: a randomized controlled trial evaluating an infusion of potassium, insulin, and glucose as a treatment for reversing the effects of intoxication with alcohol (Poncia et al). 2000;35:S25 (8th ICEM Abstracts)

Algorithms

The impact of technetium 99m sestamibi imaging on clinical management algorithms (Knott et al). 2000;35:S29 (8th ICEM Abstracts)

Implementation of five-level triage at two university hospitals (Wuerz et al). 2000;35:S49-S50 (8th ICEM Abstracts)

The project of establishing the algorithm to manage special circumstance process in the emergency department (Chiu and Sang). 2000;35:S8 (8th ICEM Abstracts)

Algorithms; see also Clinical protocols; Critical pathways

Alternative medicine

Use of alternative therapies among emergency department patients (Gulla and Singer). 2000;35:226-8

Ambulances

Analysis of repeated ambulance use in a developing emer-

gency medical service system (Chi et al). 2000;35:S13 (8th ICEM Abstracts)

Do lights and sirens reduce ambulance response times? (Brown et al). 2000;35:S39 (8th ICEM Abstracts)

Does transportation by ambulance decrease time to gastrointestinal decontamination after overdose? (Wolsey and McKinney). 2000;35:579-84

Modes of transport used by patients visiting emergency departments in Karachi, Pakistan (Razzak et al). 2000;35:S47 (8th ICEM Abstracts)

A survey on patients leaving against medical advice (AMA) who required secondary transfer to the emergency department (Siu et al). 2000;35:S57 (8th ICEM Abstracts)

Ambulatory care

Community-acquired pneumonia: implementation of a prediction rule to guide selection for outpatient treatment (Chan et al). 2000;35:S55 (8th ICEM Abstracts)

Efficacy and tolerance of inpatient versus outpatient management of acute uncomplicated pyelonephritis. Preliminary results in 502 patients randomized in 16 emergency departments (Elkharat et al). 2000;35:S15-S16 (8th ICEM Abstracts)

Inpatient and outpatient hospital costs of young victims of interpersonal violence (Zun). 2000;35:S34 (8th ICEM Abstracts)

Amiodarone, therapeutic use

Prehospital treatment of the arrhythmias—the role of amiodarone (Bradic and Jancic). 2000;35:S69-S70 (8th ICEM Abstracts)

Analgesia

Early analgesia for acute surgical abdomen: attitude of Hong Kong emergency physicians (Yuen and Lau). 2000;35:S48 (8th ICEM Abstracts)

EASED Study (Elimination of Abdominal Pain Safely in the Emergency Department) (Mahadevan and Graff). 2000;35:S19-S20 (8th ICEM Abstracts)

The effects of prehospital nalbuphine on emergency department analgesia. (Volans). 2000;35:S5-S6 (8th ICEM Abstracts)

Ethnicity and analgesic practice: an editorial (Martin). 2000;35:77-9 (Editorial)

Ethnicity and analgesic practice (Todd et al). 2000;35:11-16

Nausea and opioid use in an emergency medicine setting (Gossman et al). 2000;35:S35 (8th ICEM Abstracts)

Oligoanalgesia in emergency department patients with fractures can be corrected (Sucov et al). 2000;35:S53 (8th ICEM Abstracts)

Racially and ethnically selective oligoanalgesia: is this racism? (Goldfrank and Knopp). 2000;35:79-82 (Editorial)

Safety and efficacy of diclofenac ophthalmic solution in the treatment of corneal abrasions (Szucs et al). 2000;35:131-7

Analgesia; see also Anesthesia

Androstenedione

Priapism after androstenedione intake for athletic performance enhancement (Kachhi and Henderson). 2000;35:391-3 (Case rep.)

Anesthesia

Atomized lidocaine as topical anesthesia for nasogastric tube placement: a randomized, double-blind, placebo-controlled trial (Wolfe et al). 2000;35:420-5

Does adjunctive midazolam reduce recovery agitation after ketamine sedation for pediatric procedures? A randomized double-blind, placebo-controlled trial (Sherwin et al). 2000;35:229-38

Midazolam with ketamine: who benefits? (Kennedy and McAllister). 2000;35:297-9 (Editorial)

Predictors of adverse events with intramuscular ketamine sedation in children (Green et al). 2000;35:35-42

A prospective, age-based comparison of behavioral reactions occurring in children following ketamine sedation (Hostetler and Davis). 2000;35:S32-S33 (8th ICEM Abstracts)

Angina, unstable

Clinical policy: critical issues in the evaluation and management of adult patients presenting with suspected acute myocardial infarction or unstable angina (American College of Emergency Physicians). 2000;35:521-44 (Clinical policy)

Angioplasty

Arterial serum adenosine levels in patients undergoing coronary artery angioplasty (Dickson et al). 2000;35:S53 (8th ICEM Abstracts)

Outcomes in acute myocardial infarction patients transferred for acute angioplasty (Silva et al). 2000;35:S68 (8th ICEM Abstracts)

Ankle injuries, radiography

Evaluation of the Ottawa Ankle Rules for the use of radiography in acute ankle and midfoot injuries in children (Machin et al). 2000;35:S24 (8th ICEM Abstracts)

The Ottawa Ankle Rules: how confident are our patients? (Rosenbaum et al). 2000;35:S42 (8th ICEM Abstracts)

Annals of Emergency Medicine

State of the journal (Waeckerle and Callahan). 2000;35:1-2

Anticholinergics; see Cholinergic antagonists

Anticoagulants

Early aspirin effectiveness as compared by route and time (Christopher et al). 2000;35:S39-S40 (8th ICEM Abstracts)

Sonoclot coagulation analysis of in vitro dilution of whole blood with colloid and crystalloid solutions (Brazil and Coats). 2000;35:S3-S4 (8th ICEM Abstracts)

Antipyretics

A comparison of antipyretic medications in pediatric patients (Mace). 2000;35:S61 (8th ICEM Abstracts)

Antivenins

Delayed antivenom treatment for a patient after envenomation by *Crotalus atrox* (Rosen et al). 2000;35:86-8 (Case rep.)

Neutralization of *Latrodectus hesperus* venom by antivenom raised against *Latrodectus hasselti* in a murine model (Daly et al). 2000;35:S57-S58 (8th ICEM Abstracts)

Appendicitis

EASED Study (Elimination of Abdominal Pain Safely in the Emergency Department) (Mahadevan and Graff). 2000;35:S19-S20 (8th ICEM Abstracts)

Observation improves CT scan utilization in abdominal pain evaluation for appendicitis (Graff et al). 2000;35:S31 (8th ICEM Abstracts)

Appointments and schedules

The implementation of a forward-rotating template schedule and the effects on physician wellness (Veser et al). 2000;35:S50 (8th ICEM Abstracts)

Arrhythmia

Prehospital treatment of the arrhythmias—the role of amiodarone (Bradic and Jancic). 2000;35:S69-S70 (8th ICEM Abstracts)

Arsenic poisoning

Wood preservative poisoning (Emile et al). 2000;35:S26 (8th ICEM Abstracts)

Aspirin

Early aspirin effectiveness as compared by route and time (Christopher et al). 2000;35:S39-S40 (8th ICEM Abstracts)

Asthma

Assessment of asthma management before and after the introduction of guidelines in an accident and emergency department in Hong Kong (Tsui et al). 2000;35:S38 (8th ICEM Abstracts)

Asthma airway management: the prevalence of ketamine use as an induction agent for rapid sequence intubation (Worrall et al). 2000;35:S29 (8th ICEM Abstracts)

Body mass index and acute asthma severity among adult emergency department patients (Kenney et al). 2000;35:S62 (8th ICEM Abstracts)

Consecutive doses of levalbuterol and racemic albuterol result in comparable safety and efficacy: a pharmacokinetic and pharmacodynamic study in mild-moderate asthmatics (Gumbhir-Shah et al). 2000;35:S30 (8th ICEM Abstracts)

Does implementation of an asthma pathway improve the quality of care in a high-volume emergency department? (Cuculino et al). 2000;35:S43 (8th ICEM Abstracts)

Ipratropium bromide in emergency management of acute asthma exacerbation (Silverman) (Letter); (Aaron and Dales) (Reply). 2000;35:197-8

Lack of asthma self-management knowledge among emergency department patients not taking inhaled steroids (Radeos et al). 2000;35:S62 (8th ICEM Abstracts)

Prospective study of sudden-onset asthma exacerbations in children (Sedik et al). 2000;35:S17 (8th ICEM Abstracts)

A randomised double-blind placebo controlled trial to evaluate the efficiency of intravenous salbutamol and inhaled ipratropium bromide in acute severe asthma in the emergency department (Browne et al). 2000;35:S6 (8th ICEM Abstracts)

Role of nebulized ipratropium in acute bronchial asthma (Aggarwal et al). 2000;35:S34-S35 (8th ICEM Abstracts)

Telephone follow-up after the emergency department visit: experience with acute asthma (Boudreaux et al). 2000;35:555-63

Zafirlukast improves emergency department outcomes after an acute asthma episode (Silverman et al). 2000;35:S10 (8th ICEM Abstracts)

Astronauts

Management of medical emergencies aboard the International Space Station using telemedicine (Otto et al). 2000;35:S19 (8th ICEM Abstracts)

Athletic injuries

The efficacy of cyanoacrylate-derived surgical adhesive in the repair of lacerations during competitive athletics (Perron et al). 2000;35:S27 (8th ICEM Abstracts)

Sports injuries in the western region of Saudi Arabia (Ansari). 2000;35:S20 (8th ICEM Abstracts)

The Waterford prognostic scoring system for soft tissue sports injury to the knee joint (a pilot study) (McCann). 2000;35:S24 (8th ICEM Abstracts)

Attitude of health personnel

Are we, as physicians, entitled to our frame of reference? (Proppi). 2000;35:509-10 (Change of shift)

Early analgesia for acute surgical abdomen: attitude of Hong Kong emergency physicians (Yuen and Lau). 2000;35:S48 (8th ICEM Abstracts)

Australasia

Development of the Australasian National Trauma Registry (Richardson). 2000;35:S42 (8th ICEM Abstracts)

How do nurses train for the role of triage in Australasia? (Kelly and Richardson). 2000;35:S37 (8th ICEM Abstracts)

Automobile driving

Marijuana and alcohol combined severely impede driving performance (National Highway Traffic Safety Administration). 2000;35:398-400

NHTSA Notes commentary: drugged driving—different spin on an old problem (Jolly). 2000;35:399-400

B

Behavior

Continuing medical education in emergency medicine: detailing to the process of change: does it impact on changing physician behavior? (McCauley and Gelula). 2000;35:S9 (8th ICEM Abstracts)

Health risk behaviors by domestic violence status in a random

emergency department sample (Larkin and Hyman). 2000;35:S28 (8th ICEM Abstracts)

How do emergency medicine residents learn compared with non-emergency medicine residents? A novel assessment of behavior and learning styles (Ramalanjaona and Calabro). 2000;35:S27 (8th ICEM Abstracts)

Benzodiazepines

A comparison of physostigmine and benzodiazepines for the treatment of anticholinergic poisoning (Burns et al). 2000;35:374-81

Bicycling

Universal bicycle helmet use (American College of Emergency Physicians). 2000;35:111 (Policy statement)

Use of bicycle helmets by children presenting to a paediatric accident and emergency department with a bicycle-related injury: implications for injury prevention strategies (Leonard et al). 2000;35:S23 (8th ICEM Abstracts)

Biological markers

Prediction of short-term outcome in patients with suspected myocardial infarction (Porela et al). 2000;35:413-20

The utility of serum markers of muscle degradation in detecting ectopic pregnancy (Birkahn et al). 2000;35:S46 (8th ICEM Abstracts)

Biological warfare

Emergency medicine resident preparedness for the threat of weapons of mass destruction: results of a national residency program director survey (Bonucci et al). 2000;35:S38 (8th ICEM Abstracts)

Bites and stings

Delayed antivenom treatment for a patient after envenomation by *Crotalus atrox* (Rosen et al). 2000;35:86-8 (Case rep.)

The epidemiology of Weaver Fish sting (Volans). 2000;35:S26 (8th ICEM Abstracts)

Neutralization of *Latrodectus hesperus* venom by antivenom raised against *Latrodectus hasselti* in a murine model (Daly et al). 2000;35:S57-S58 (8th ICEM Abstracts)

Blacks

Ethnicity and analgesic practice: an editorial (Martin). 2000;35:77-9 (Editorial)

Ethnicity and analgesic practice (Todd et al). 2000;35:11-6

Racially and ethnically selective oligoanalgesia: is this racism? (Goldfrank and Knopp). 2000;35:79-82 (Editorial)

Blood

Blood and body fluid exposures: where does follow-up begin? (Howarth). 2000;35:82-3 (Editorial)

Emergency department management of blood and body fluid exposures (Moran). 2000;35:47-62 (State of the art)

Blood cell count

Appropriateness of blood count and serum electrolytes prescribed in an emergency department (Elkharat et al). 2000;35:S16 (8th ICEM Abstracts)

Blood cell count, white; see Leukocyte count

Blood pressure

Transient blood pressure elevation in patients attending the emergency department (Lit et al). 2000;35:S16-S17 (8th ICEM Abstracts)

Blood sedimentation

The analysis of erythrocyte sedimentation rate, C-reactive protein, white blood cell count, and temperature in the diagnosis of acute endocarditis (Chuang et al). 2000;35:S34 (8th ICEM Abstracts)

Blunt injuries; see Wounds, nonpenetrating

Body fluids

Blood and body fluid exposures: where does follow-up begin? (Howarth). 2000;35:82-3 (Editorial)

Emergency department management of blood and body fluid exposures (Moran). 2000;35:47-62 (State of the art)

Body mass index

Body mass index and acute asthma severity among adult emergency department patients (Kenney et al). 2000;35:S62 (8th ICEM Abstracts)

Body temperature

The analysis of erythrocyte sedimentation rate, C-reactive protein, white blood cell count, and temperature in the diagnosis of acute endocarditis (Chuang et al). 2000;35:S34 (8th ICEM Abstracts)

Supra lingual versus tympanic thermometry in the detection of rectal fever in children (Reese et al). 2000;35:S47 (8th ICEM Abstracts)

Bone, radiography

Accuracy of day 4 bone scans and efficacy of clinical findings in the assessment of patients with clinical scaphoid fractures (Woolfrey et al). 2000;35:S29 (8th ICEM Abstracts)

Book reviews

Book reviews. 2000;35:108-9, 207-8, 325-6, 410-11, 519-20, 638-9

Bupropion

Cardiotoxicity associated with bupropion overdose (Shrier et al). 2000;35:100 (Letter)

4-Butyrolactone

Pentobarbital for control of acute delirium due to γ -butyrolactone withdrawal (Sivillotti et al). 2000;35:S52-S53 (8th ICEM Abstracts)

C

C-reactive protein

The analysis of erythrocyte sedimentation rate, C-reactive protein, white blood cell count, and temperature in the diagnosis of acute endocarditis (Chuang et al). 2000;35:S34 (8th ICEM Abstracts)

Calcium

Accidental hypothermia: the effects of rewarming on plasma pH, ionized calcium, ionized magnesium, and serum parathyroid hormone (McInerney et al). 2000;35:S24 (8th ICEM Abstracts)

Calpain

Direct comparison of calpain and caspase activity in postischemic brain (Mills et al). 2000;35:S31-S32 (8th ICEM Abstracts)

Cannabis

Marijuana and alcohol combined severely impede driving performance (National Highway Traffic Safety Administration). 2000;35:398-400

NHTSA Notes commentary: drugged driving—different spin on an old problem (Jolly). 2000;35:399-400

Capnography

The new PEP respiratory monitor in the A&E—the latest answer to a long-existing problem (Murali et al). 2000;35:S5 (8th ICEM Abstracts)

Car seats; see Infant equipment

Carbon monoxide poisoning

Carbon monoxide poisoning: how about more precise analytic and preanalytic techniques? (Watine) (Letter); (Dietchman et al) (Reply). 2000;35:629-31

The neuroprotective effects of dimethyl sulfoxide on memory following acute carbon monoxide poisoning in mice (Tomaszewski et al). 2000;35:S69 (8th ICEM Abstracts)

Cardiopulmonary arrest; see Heart arrest

Cardiopulmonary bypass

Resuscitation from prolonged ventricular and induction of selective brain hypothermia via extracorporeal bypass (Mori et al). 2000;35:S8 (8th ICEM Abstracts)

Cardiopulmonary resuscitation

Cardiac arrest and the role of thrombolytic agents (Newman et al). 2000;35:472-80 (Concepts)

The hemodynamic study of mechanical CPR with and without

active decompression and interposed abdominal compression (Yuan et al). 2000;35:59 (8th ICEM Abstracts)

Oxygen dose response in open-chest ACLS in swine after a 25-minute cardiopulmonary arrest (VanMeter et al). 2000;35:534 (8th ICEM Abstracts)

Prehospital resuscitation of out-of-hospital cardiac arrest in Hong Kong (Leung et al). 2000;35:538 (8th ICEM Abstracts)

Response to repeated equal doses of epinephrine during cardiopulmonary resuscitation in dogs (Gad et al). 2000;35:10

Cardiopulmonary resuscitation, education

Public training in cardiopulmonary resuscitation and public access defibrillation (American College of Emergency Physicians). 2000;35:640-1 (Policy statement)

Teaching patients' relatives and citizens to perform adult cardiopulmonary resuscitation: a two-year report (Lam et al). 2000;35:548-549 (8th ICEM Abstracts)

Cardiopulmonary resuscitation; see also Resuscitation Cardiovascular diseases

Emergency department screening for cardiovascular risk factors (Razzak et al). 2000;35:559 (8th ICEM Abstracts)

Case reports

Case reports. 2000;35:86-8, 188-91, 300-3, 391-3, 502-5, 618-22

Caspases

Direct comparison of calpain and caspase activity in postischemic brain (Mills et al). 2000;35:531-532 (8th ICEM Abstracts)

Cause of death

The facts of death (Gilligan et al). 2000;35:522 (8th ICEM Abstracts)

Cellulitis, diagnosis

When the clinical impression is deep vein thrombosis versus cellulitis: do patient characteristics predict the duplex diagnosis? (Rabuka et al). 2000;35:537 (8th ICEM Abstracts)

Cerebral ischemia

Direct comparison of calpain and caspase activity in postischemic brain (Mills et al). 2000;35:531-532 (8th ICEM Abstracts)

Cerebrovascular accident

The incidence, treatment and outcome of hemorrhagic cerebrovascular accident patients treated in the emergency department (Bunney et al). 2000;35:568-569 (8th ICEM Abstracts)

Seeking medical attention after stroke symptoms: impact on delays in arriving at an emergency department (Morris et al). 2000;35:563 (8th ICEM Abstracts)

Use of the National Institutes of Health Stroke Scale in the emergency department setting (Yaeger et al). 2000;35:628-9 (Letter)

Change

Continuing medical education in emergency medicine: detailing to the process of change: does it impact on changing physician behavior? (McCauley and Gelula). 2000;35:59 (8th ICEM Abstracts)

Change of shift

Change of shift. 2000;35:96-7, 194-5, 311-12, 401-2, 509-10, 626-7

Charcoal

Efficacy of gastric decontamination in paracetamol (acetaminophen) overdose (Gupta et al). 2000;35:523 (8th ICEM Abstracts)

Chemical warfare

Emergency medicine resident preparedness for the threat of weapons of mass destruction: results of a national residency program director survey (Bonucci et al). 2000;35:538 (8th ICEM Abstracts)

Chest pain

Arterial serum adenosine levels in patients undergoing coronary artery angioplasty (Dickson et al). 2000;35:553 (8th ICEM Abstracts)

Association between prepayment systems and emergency medical services use among patients with acute chest discomfort syndrome (Siepmann et al). 2000;35:573-8

Chest pain centers: diagnosis of acute coronary syndromes (Storow and Gibler). 2000;35:449-60 (State of the art)

Coronary triage unit in an indigent county population (Henderson et al). 2000;35:551-552 (8th ICEM Abstracts)

The cost-effectiveness of electron beam computed tomography in the evaluation of chest pain in emergency department observation units (Laudon et al). 2000;35:532 (8th ICEM Abstracts)

Demographics, descriptions, diagnosis, and disposition of 1,677 chest pain patients in an inner-city acute care hospital (Henderson et al). 2000;35:552 (8th ICEM Abstracts)

An economic analysis of an aggressive diagnostic strategy with single photon emission computed tomography myocardial perfusion imaging and early exercise stress testing in emergency department patients who present with chest pain but nondiagnostic electrocardiograms: results from a randomized trial (Stowers et al). 2000;35:17-25

Electrocardiographic ST-segment elevation: correct identification of AMI and non-AMI syndromes by emergency physicians—preliminary results (Brady et al). 2000;35:527-528 (8th ICEM Abstracts)

Etiology and outcome of patients with a final diagnosis of noncardiac chest pain admitted from the emergency department under suspicion of acute coronary syndrome (High et al). 2000;35:530 (8th ICEM Abstracts)

The impact of technetium 99m sestamibi imaging on clinical management algorithms (Knott et al). 2000;35:529 (8th ICEM Abstracts)

Improved outcomes chest pain evaluation with implementation observation units in a multisite network (Graff et al). 2000;35:531 (8th ICEM Abstracts)

A multicenter study of adult patients with nontraumatic chest pain in Australian emergency departments (Holsworth et al). 2000;35:513 (8th ICEM Abstracts)

National Heart Attack Alert Program position paper: chest pain centers and programs for the evaluation of acute cardiac ischemia (Zalenski et al). 2000;35:462-71 (Concepts)

Prediction of short-term outcome in patients with suspected myocardial infarction (Porela et al). 2000;35:413-20

Prognostic utility of troponin I and troponin T in evaluating patients with chest pain and concomitant renal insufficiency (Kazmierczak and Allison). 2000;35:556 (8th ICEM Abstracts)

Unusual cause of chest pain in a 60-year-old woman (Harbick et al). 2000;35:382-90

Child

A comparison of antipyretic medications in pediatric patients (Mace). 2000;35:561 (8th ICEM Abstracts)

A comparison of pediatric versus adult observation medicine patients (Mace). 2000;35:561 (8th ICEM Abstracts)

A comparison of SteriStrips versus glue for the closure of lacerations in a pediatric accident and emergency department (Mattick et al). 2000;35:524 (8th ICEM Abstracts)

Curriculum for a pediatric disaster life support course (Aghababian et al). 2000;35:550 (8th ICEM Abstracts)

Does adjunctive midazolam reduce recovery agitation after ketamine sedation for pediatric procedures? A randomized double-blind, placebo-controlled trial (Sherwin et al). 2000;35:229-38

Hypoglycemia and the ABC's (sugar) of pediatric resuscitation (Losek). 2000;35:43-6

Initial emergency department assessment with bedside ultrasound—is it useful for pediatric blunt trauma? (Robertson et al). 2000;35:558 (8th ICEM Abstracts)

Injury prevention and emergency medical services for children in a managed care environment (Moody-Williams et al). 2000;35:245-51 (Concepts)

Isolated extradural hematoma and nonaccidental injuries in children (Browne et al). 2000;35:56-57 (8th ICEM Abstracts)

Knowledge of child car seat safety in a tricultural southern California emergency department (Vaca et al). 2000;35:556-557 (8th ICEM Abstracts)

Lack of correlation between parent and child visual analog scale pain scores: a challenge for pediatric pain and analgesia research? (Kelly et al). 2000;35:58 (8th ICEM Abstracts)

Midazolam with ketamine: who benefits? (Kennedy and McAllister). 2000;35:297-9 (Editorial)

Mooki and Ben (Doherty). 2000;35:311-12 (Change of shift)

Poisoning accidents with children in the home setting: one-year experience in Campinas, Brazil (Barakat et al). 2000;35:57 (8th ICEM Abstracts)

Polymerase chain reaction diagnosis of enterovirus in children with aseptic meningitis (Silverman). 2000;35:541 (8th ICEM Abstracts)

Predictors of adverse events with intramuscular ketamine sedation in children (Green et al). 2000;35:35-42

A prospective, age-based comparison of behavioral reactions occurring in children following ketamine sedation (Hostettler and Davis). 2000;35:532-533 (8th ICEM Abstracts)

Prospective evaluation of mild to moderate pediatric acetaminophen exposures (Mohler et al). 2000;35:239-44

Prospective study of sudden-onset asthma exacerbations in children (Sedik et al). 2000;35:517 (8th ICEM Abstracts)

Psychosocial needs of young persons who are victims of interpersonal violence (Zun and Rosen). 2000;35:529 (8th ICEM Abstracts)

A randomised double-blind placebo controlled trial to evaluate the efficiency of intravenous salbutamol and inhaled ipratropium bromide in acute severe asthma in the emergency department (Browne et al). 2000;35:56 (8th ICEM Abstracts)

The role of emergency physicians in the care of the child in school (Abrunzo et al). 2000;35:155-61 (Concepts)

Supralingual versus tympanic thermometry in the detection of rectal fever in children (Reese et al). 2000;35:547 (8th ICEM Abstracts)

Telephone triage (Rutenberg) (Letter); (Schmitt) (Letter); (Sapient and Brillman) (Reply). 2000;35:98-100

Thank you, Melissa (Layne). 2000;35:401-2 (Change of shift)

Tissue plasminogen activator in pediatric myocardial infarction (Krendel et al). 2000;35:502-5 (Case rep.)

Toxicologic problems at the pediatric emergency department of the "Dr. Gaudencio Gonzalez Garza" Hospital at the "La Raza" National Medical Center, Mexican Social Security Institute (Loria-Castellanos et al). 2000;35:547 (8th ICEM Abstracts)

Ultrasound imaging of forearm fractures in children (Williamson). 2000;35:56 (8th ICEM Abstracts)

Use of bicycle helmets by children presenting to a paediatric accident and emergency department with a bicycle-related injury: implications for injury prevention strategies (Leonard et al). 2000;35:523 (8th ICEM Abstracts)

The use of herbal medications among pediatric population at a large urban community hospital (McRae et al). 2000;35:535-536 (8th ICEM Abstracts)

The use of ultrasonography for pediatric patients with hip pain in emergency department (Siu et al). 2000;35:528 (8th ICEM Abstracts)

Viral myocarditis presenting with seizure and electrocardiographic findings of acute myocardial infarction in a 14-month-old child (Cunningham et al). 2000;35:618-22 (Case rep.)

What is the minimum clinically significant change in visual analog scale pain score for children? (Powell et al). 2000;35:S37-S38 (8th ICEM Abstracts)

Child abuse, prevention and control

Part 8 reviews—do we ever learn? (Gosnold). 2000;35:S4 (8th ICEM Abstracts)

Child safety seats; see Infant equipment

China

The management of mass casualties of serious earthquake in China (Chen). 2000;35:S58-S59 (8th ICEM Abstracts)

Chinese herbal drugs; see Drugs, Chinese herbal

Chinese medicine, traditional; see Medicine, Chinese traditional

Cholinergic antagonists, poisoning

A comparison of physostigmine and benzodiazepines for the treatment of anticholinergic poisoning (Burns et al). 2000;35:374-81

Chromium, poisoning

Wood preservative poisoning (Emile et al). 2000;35:S26 (8th ICEM Abstracts)

Chronic obstructive pulmonary disease; see Lung diseases, obstructive

Clinical decision support systems; see Decision support systems, clinical

Clinical pathways

Does implementation of an asthma pathway improve the quality of care in a high-volume emergency department? (Cuculino et al). 2000;35:S43 (8th ICEM Abstracts)

Clinical policy

Clinical policy: critical issues in the evaluation and management of adult patients presenting with suspected acute myocardial infarction or unstable angina (American College of Emergency Physicians). 2000;35:S21-44 (Clinical policy)

Clinical protocols

Adherence index to protocols as a quality indicator of the emergency department center activities (Cosano et al). 2000;35:S71 (8th ICEM Abstracts)

Use of a protocol for the clinical clearance of cervical spine injury reduces the incidence of delayed diagnosis (Tinkoff et al). 2000;35:S43 (8th ICEM Abstracts)

Clinical protocols; see also Guidelines

Colic

Can patients with renal colic be safely discharged from the emergency department without an imaging procedure? (Lee and Dubinsky). 2000;35:S18 (8th ICEM Abstracts)

An evaluation of the clinical predictors for the presence of ureteral calculi on spiral computed tomography in patients with suspected renal colic (O'Connor et al). 2000;35:S43 (8th ICEM Abstracts)

Is spiral computed tomography the diagnostic imaging of choice for patients with renal colic? (Lee and Dubinsky). 2000;35:S18 (8th ICEM Abstracts)

Communicable diseases

Community-acquired pneumonia: implementation of a prediction rule to guide selection for outpatient treatment (Chan et al). 2000;35:S55 (8th ICEM Abstracts)

Epidemiology of infectious diseases in emergency medicine in Spain (Martinez and Gutierrez). 2000;35:S66 (8th ICEM Abstracts)

Incidence of foodborne illnesses: preliminary data from the Foodborne Diseases Active Surveillance Network (FoodNet) (Centers for Disease Control and Prevention). Commentary (Karras). 2000;35:92-5

A unique model of epidemic prevention and preparedness during a complex humanitarian emergency (Brennan and Raj). 2000;35:S69 (8th ICEM Abstracts)

Communicable diseases; see also Streptococcal infections

Communication

Communication of preexisting advanced directives: impact on patient care in the emergency department (Hurwitz et al). 2000;35:S54 (8th ICEM Abstracts)

Developing a new model for transmitting advance directives from long-term care facilities to emergency departments (Pauls et al). 2000;35:S12 (8th ICEM Abstracts)

Improving telephone contact rates of patients discharged from the emergency department (Tribodeau et al). 2000;35:S64-7

Telephone follow-up after the emergency department visit: experience with acute asthma (Boudreaux et al). 2000;35:S55-63

Community-acquired infections

Community-acquired pneumonia: implementation of a prediction rule to guide selection for outpatient treatment (Chan et al). 2000;35:S55 (8th ICEM Abstracts)

Use of pulsed-field gel electrophoresis for investigation of a cluster of invasive group A streptococcal illness (Centers for Disease Control and Prevention). Commentary (Talan and Moran). 2000;35:308-10

Community medicine

Emergency medicine as community medicine: nonurgent patients across 4 emergency departments in urban Indonesia (Bradshaw). 2000;35:S59 (8th ICEM Abstracts)

Complement activation

Evidence of myocardial complement activation following hemorrhagic shock and resuscitation (Craig et al). 2000;35:S33 (8th ICEM Abstracts)

Computer communication networks

Rural platform of the Project HECTOR, an aid for emergencies in isolated areas (Sanchez et al). 2000;35:S20 (8th ICEM Abstracts)

Computer systems

Computerization of a mobile intensive care unit. An experience with emergency telemedicine (Valverde and Cosano). 2000;35:S71 (8th ICEM Abstracts)

The emergency department system: computerization improved the quality of medical records (Lee et al). 2000;35:S64-S65 (8th ICEM Abstracts)

Concepts

Concepts. 2000;35:63-76, 155-61, 245-51, 462-80, 604-12

Conscious sedation

Bi-spectral index monitoring of the electroencephalogram correlates with sedation scales during emergency department conscious sedation (McHugh and Vissers). 2000;35:S49 (8th ICEM Abstracts)

Does adjunctive midazolam reduce recovery agitation after ketamine sedation for pediatric procedures? A randomized double-blind, placebo-controlled trial (Sherwin et al). 2000;35:229-38

Evaluation of an integrated conscious sedation curriculum (Newton et al). 2000;35:S51 (8th ICEM Abstracts)

Midazolam with ketamine: who benefits? (Kennedy and McAllister). 2000;35:297-9 (Editorial)

Predictors of adverse events with intramuscular ketamine sedation in children (Green et al). 2000;35:42

A prospective, age-based comparison of behavioral reactions occurring in children following ketamine sedation (Hostetler and Davis). 2000;35:S32-S33 (8th ICEM Abstracts)

Copper, poisoning

Wood preservative poisoning (Emile et al). 2000;35:S26 (8th ICEM Abstracts)

Cornes

Safety and efficacy of diclofenac ophthalmic solution in the treatment of corneal abrasions (Szucs et al). 2000;35:131-7

Coronary aneurysm

Tissue plasminogen activator in pediatric myocardial infarction (Krendel et al). 2000;35:502-5 (Case rep.)

Coronary disease

Chest pain centers: diagnosis of acute coronary syndromes (Storrow and Gibler). 2000;35:449-60 (State of the art)

Etiology and outcome of patients with a final diagnosis of noncardiac chest pain admitted from the emergency department under suspicion of acute coronary syndrome (High et al). 2000;35:S30 (8th ICEM Abstracts)

Prediction of short- and long-term outcomes by troponin T levels in low-risk patients evaluated for acute coronary syndromes (Peacock et al). 2000;35:213-20

Single triple-enzyme testing on presentation to the emergency department is insufficient evidence when sending acute coronary syndrome patients home: results from the RACE study (Bohan and Patel). 2000;35:S63 (8th ICEM Abstracts)

Coronary disease; see also Myocardial ischemia

Correspondence

Correspondence. 2000;35:98-101, 196-9, 313-6, 403-5, 511-4, 628-31

Cost-benefit analysis

Can single "first responder" units and priority-based dispatch produce a significant impact on the outcome of prehospital cardiopulmonary arrest: a cost-effectiveness analysis (Hassan et al). 2000;35:S4 (8th ICEM Abstracts)

The cost-effectiveness of electron beam computed tomography in the evaluation of chest pain in emergency department observation units (Laudon et al). 2000;35:S32 (8th ICEM Abstracts)

Experience with chest pain units in Australia (Hunter et al). 2000;35:S49 (8th ICEM Abstracts)

Cost-effectiveness; see Cost-benefit analysis

Costs and cost analysis

Application of the United Kingdom accident and emergency (A&E) casemix measure in the year 2000 (Brayley). 2000;35:S3 (8th ICEM Abstracts)

An economic analysis of an aggressive diagnostic strategy with single photon emission computed tomography myocardial perfusion imaging and early exercise stress testing in emergency department patients who present with chest pain but nondiagnostic electrocardiograms: results from a randomized trial (Stowers et al). 2000;35:17-25

Craniofacial trauma

Factors associated with head and neck injury in air bag-deployed crashes (Gregory et al). 2000;35:S38 (8th ICEM Abstracts)

Pretreatment for endotracheal intubation in head injury: a prospective observational survey (Filbin et al). 2000;35:S66 (8th ICEM Abstracts)

Craniotomy

Decisionmaking in the urgent management of the adult hypotensive blunt trauma patient: torso operation or head CT scan? (Macken et al). 2000;35:S14 (8th ICEM Abstracts)

Creatine kinase

Trouble with troponin I in initial screening for acute myocardial infarction (Milzman et al). 2000;35:S50 (8th ICEM Abstracts)

The utility of serum markers of muscle degradation in detecting ectopic pregnancy (Birkhahn et al). 2000;35:S46 (8th ICEM Abstracts)

Cricoid cartilage

Successful cricothyrotomy after thrombolytic therapy for acute myocardial infarction: a report of two cases (Walls and Pollack). 2000;35:188-91 (Case rep.)

Trauma airway management: a comparison of indications, success rates, complications, and cricothyrotomy rate by specialty (Kulkarni et al). 2000;35:S33 (8th ICEM Abstracts)

Crime victims

Health risk behaviors by domestic violence status in a random emergency department sample (Larkin and Hyman). 2000;35:S28 (8th ICEM Abstracts)

Inpatient and outpatient hospital costs of young victims of interpersonal violence (Zun). 2000;35:S34 (8th ICEM Abstracts)

Psychosocial needs of young persons who are victims of interpersonal violence (Zun and Rosen). 2000;35:S29 (8th ICEM Abstracts)

A retrospective study on the management of spousal battery patients in the emergency department (Tong et al). 2000;35:S20 (8th ICEM Abstracts)

Critical illness

Critically ill late presenters to an emergency department (Rodríguez et al). 2000;35:S17 (8th ICEM Abstracts)

Critical pathways

A diagnostic care pathway for the management of suspected deep vein thrombosis (Henderson and Cowde). 2000;35:S23 (8th ICEM Abstracts)

Critical pathways; see also Algorithms; Clinical protocols

Crotalids

Delayed antivenom treatment for a patient after envenomation by *Crotalus atrox* (Rosen et al). 2000;35:86-8 (Case rep.)

Crowding

Association between social deprivation and trauma in Scotland (Corfield et al). 2000;35:S22-S23 (8th ICEM Abstracts)

Interventions to decrease emergency department overcrowding: impact on emergency department return visits and hospital readmissions (Alfaro et al). 2000;35:S12 (8th ICEM Abstracts)

Overcrowding in the nation's emergency departments: complex causes and disturbing effects (Derlet and Richards). 2000;35:63-8 (Concepts)

Cultural deprivation

Association between social deprivation and trauma in Scotland (Corfield et al). 2000;35:S22-S23 (8th ICEM Abstracts)

Culture

Knowledge of child car seat safety in a tricultural southern California emergency department (Vaca et al). 2000;35:S56-S57 (8th ICEM Abstracts)

Curriculum

Curriculum for a pediatric disaster life support course (Aghababian et al). 2000;35:S50 (8th ICEM Abstracts)

Disaster medical education for all physicians and physician extenders (Rega) (Letter); (Pesik and Keim) (Reply). 2000;35:314-6

Evaluation of an integrated conscious sedation curriculum (Newton et al). 2000;35:S51 (8th ICEM Abstracts)

Meeting the SAEM ultrasound guidelines (Mandavia). 2000;35:513-14 (Letter)

Cyanoacrylates

The efficacy of cyanoacrylate-derived surgical adhesive in the repair of lacerations during competitive athletics (Perron et al). 2000;35:S27 (8th ICEM Abstracts)

D

Data collection

Harmonization of data collection on poisonings (Ruse et al). 2000;35:512-3 (Letter)

Linking data for injury control research (Runge). 2000;35:613-5 (Editorial)

Databases

Development of the Australasian National Trauma Registry (Richardson). 2000;35:S42 (8th ICEM Abstracts)

Injury control/trauma data banks (American College of Emergency Physicians). 2000;35:211 (Policy statement)

Linking data for injury control research (Runge). 2000;35:613-5 (Editorial)

Poisoning mortality in the United States: comparison of national mortality statistics and poison control center reports (Hoppe-Roberts et al). 2000;35:440-8

Death

The facts of death (Gilligan et al). 2000;35:S22 (8th ICEM Abstracts)

Mooki and Ben (Doherty). 2000;35:311-2 (Change of shift)

Selective omission (Stephens). 2000;35:36-7 (Change of shift)

Decision support systems, clinical

Emergency medicine can play a leadership role in enterprise-wide clinical information systems (Feied et al). 2000;35:162-7

Decantamination

Does transportation by ambulance decrease time to gastrointestinal decontamination after overdose? (Wolsey and McKinney). 2000;35:579-84

Gastric lavage for liquid poisons (Grierson et al). 2000;35:435-9

Ultrarapid opiate detoxification (Bulthuis and Diaz). 2000;35:100-1 (Letter)

Deep vein thrombosis; see Venous thrombosis

Defibrillation

Automated external defibrillator use and the effect of provider exposure to cardiac arrest (O'Connor et al). 2000;35:S44 (8th ICEM Abstracts)

Performance analysis of semiautomatic defibrillators used in the out-of-hospital setting (MacDonald et al). 2000;35:S35 (8th ICEM Abstracts)

Public training in cardiopulmonary resuscitation and public access defibrillation (American College of Emergency Physicians). 2000;35:640-1 (Policy statement)

Survival after failed out-of-hospital resuscitation for cardiac arrest by automated external defibrillator-equipped paramedics (Ali and Verbeek). 2000;35:S11 (8th ICEM Abstracts)

Time to recurrent ventricular fibrillation or ventricular tachycardia after defibrillation (Blouin and Moore). 2000;35:S48 (8th ICEM Abstracts)

Delirium

Pentobarbital for control of acute delirium due to γ -butyrolactone withdrawal (Sivillotti et al). 2000;35:S52-S53 (8th ICEM Abstracts)

Demography

Demographics, descriptions, diagnosis, and disposition of 1,677 chest pain patients in an inner-city acute care hospital (Henderson et al). 2000;35:S52 (8th ICEM Abstracts)

Geographic variation in penicillin resistance in *Streptococcus pneumoniae*: selected sites, United States, 1997 (Centers for Disease Control and Prevention); Commentary (Paterick and Pollack). 2000;35:506-9

Knowledge of child car seat safety in a tricultural southern California emergency department (Vaca et al). 2000;35:S56-S57 (8th ICEM Abstracts)

Denmark

Danish prehospital trauma course: introducing the emergency medical technician paramedic concept of semi-independent prehospital care provider to the Danish prehospital emergency medical care system (Anderson et al). 2000;35:S65-S66 (8th ICEM Abstracts)

Detoxification, drug, metabolic; see Metabolic detoxification, drug

Diagnosis

Diagnostic odor recognition (Phan et al). 2000;35:S67 (8th ICEM Abstracts)

Method of evaluation "Mmexico" in emergency medicine (Garcia-Rosas et al). 2000;35:S72 (8th ICEM Abstracts)

Physical diagnosis in the emergency department: an innovative educational program for medical students (Crowley et al). 2000;35:S14-S15 (8th ICEM Abstracts)

Diagnostic error

The misdiagnosis of liver abscess in the emergency department (Chern et al). 2000;35:S36-S37 (8th ICEM Abstracts)

Diagnostic imaging

Can patients with renal colic be safely discharged from the emergency department without an imaging procedure? (Lee and Dubinsky). 2000;35:S18 (8th ICEM Abstracts)

Is spiral computed tomography the diagnostic imaging of choice for patients with renal colic? (Lee and Dubinsky). 2000;35:S18 (8th ICEM Abstracts)

Lung spiral computed tomographic scan versus lung perfusion scan for the diagnosis of pulmonary embolism: A more specific tool (Petrino et al). 2000;35:S71 (8th ICEM Abstracts)

Diagnostic techniques and procedures

New diagnostic tests for pulmonary embolism (Kline et al). 2000;35:168-80 (Review)

Diclofenac

A comparison of ketoprofen and diclofenac for acute musculoskeletal pain: a randomized clinical trial (Ng et al). 2000;35:S70 (8th ICEM Abstracts)

Safety and efficacy of diclofenac ophthalmic solution in the treatment of corneal abrasions (Szucs et al). 2000;35:131-7

Diet fads

Generalized seizures associated with low-calorie dieting (Marinella). 2000;35:405 (Letter)

Dimethyl sulfoxide

The neuroprotective effects of dimethyl sulfoxide on memory following acute carbon monoxide poisoning in mice (Tomaszewski et al). 2000;35:S69 (8th ICEM Abstracts)

Disabled persons

Mooki and Ben (Doherty). 2000;35:311-2 (Change of shift)

Disaster planning

Curriculum for a pediatric disaster life support course (Aghababian et al). 2000;35:S50 (8th ICEM Abstracts)

Disaster medical education for all physicians and physician extenders (Rega) (Letter); (Pesik and Keim) (Reply). 2000;35:314-6

Disaster medicine education in medical school curricula (Colombo et al). 2000;35:S45 (8th ICEM Abstracts)

Prehospital triage, treatment, and transport performance in an airport disaster drill (Cornia and Joyce). 2000;35:S69 (8th ICEM Abstracts)

Y2K emergency preparedness exercise: power drill loss (Allison et al). 2000;35:S41-S42 (8th ICEM Abstracts)

Disasters; see Natural disasters; Relief work

Disease outbreaks, prevention & control

A unique model of epidemic prevention and preparedness during a complex humanitarian emergency (Brennan and Raj). 2000;35:S69 (8th ICEM Abstracts)

Documentation

Communication of preexisting advanced directives: impact on patient care in the emergency department (Hurwitz et al). 2000;35:S54 (8th ICEM Abstracts)

Comparison of quality of medical documentation for findings related to sexual assault before and after the development of a sexual assault forensic examination program (Jackson et al). 2000;35:S13 (8th ICEM Abstracts)

Developing a new model for transmitting advance directives from long-term care facilities to emergency departments (Pauls et al). 2000;35:S12 (8th ICEM Abstracts)

Domestic violence

Health risk behaviors by domestic violence status in a random emergency department sample (Larkin and Hyman). 2000;35:S28 (8th ICEM Abstracts)

Mandatory reporting laws (Geiderman) (Letter); (Houry et al) (Reply). 2000;35:403-4

A retrospective study on the management of spousal battery patients in the emergency department (Tong et al). 2000;35:S20 (8th ICEM Abstracts)

Screening for women's health issues, including domestic violence, in the emergency department by college research associates (Sibley et al). 2000;35:S60 (8th ICEM Abstracts)

Doxylamine, poisoning

Rhabdomyolysis in doxylamine succinate overdose (Oh et al). 2000;35:S14 (8th ICCEM Abstracts)

Drugs, Chinese herbal

Ventricular tachycardia after Chinese herbal medication ingestion (So et al). 2000;35:S70 (8th ICCEM Abstracts)

E

Earthquakes; see Natural disasters

Echocardiography

Acute pulmonary edema in the emergency department: clinical and echocardiographic survey in an aged population (Bentancor et al). 2000;35:S57 (8th ICCEM Abstracts)

Gender differences of echocardiographic findings in acute cardiogenic pulmonary edema (Silverman et al). 2000;35:S39 (8th ICCEM Abstracts)

Education, medical

A comparison of teaching models for focused abdominal sonography for trauma (Salen et al). 2000;35:S39 (8th ICCEM Abstracts)

Disaster medical education for all physicians and physician extenders (Regal) (Letter); (Pesik and Keim) (Reply). 2000;35:314-6

Disaster medicine education in medical school curricula (Colombo et al). 2000;35:S45 (8th ICCEM Abstracts)

EMS Education Agenda for the Future: a vision for the future of EMS education (National Highway Traffic Safety Administration). 2000;35:623-4

EMS Education Agenda for the Future: Flexner revisited (King). 2000;35:624-5 (NHSTA Notes Commentary)

The 1999 study of the workforce in emergency medicine (Moorhead and Gallery). 2000;35:S44 (8th ICCEM Abstracts)

Physical diagnosis in the emergency department: an innovative educational program for medical students (Crowley et al). 2000;35:S14-S15 (8th ICCEM Abstracts)

Education, medical, continuing

Continuing medical education in emergency medicine: detailing to the process of change: does it impact on changing physician behavior? (McCauley and Gelula). 2000;35:S9 (8th ICCEM Abstracts)

Cross-sectional training of emergency medicine to health care providers in Guatemala (Aghababian et al). 2000;35:S54 (8th ICCEM Abstracts)

Curriculum for a pediatric disaster life support course (Aghababian et al). 2000;35:S50 (8th ICCEM Abstracts)

Establishment of emergency medicine continuing education centers in Central Europe (Randolph et al). 2000;35:S63 (8th ICCEM Abstracts)

International advanced resuscitation training in emergency medicine: the Guyana experience (Vizneg et al). 2000;35:S58 (8th ICCEM Abstracts)

Education, medical; see also Curriculum; Internship and residency

Education, nonprofessional

Public training in cardiopulmonary resuscitation and public access defibrillation (American College of Emergency Physicians). 2000;35:640-1 (Policy statement)

Teaching patients' relatives and citizens to perform adult cardiopulmonary resuscitation: a two-year report (Lam et al). 2000;35:S48-S49 (8th ICCEM Abstracts)

Education, nursing

Sexual assault nurse examiner programs in the United States (Ciancone et al). 2000;35:353-7

Education, patient; see Patient education

Efficiency

Improvement in efficiency with medical seniority (Richardson). 2000;35:S10-S11 (8th ICCEM Abstracts)

Elderly; see Aged

Electricity

Y2K emergency preparedness exercise: power drill loss (Allison et al). 2000;35:S41-S42 (8th ICCEM Abstracts)

Electrocardiography

Electrocardiographic ST-segment elevation: correct identification of AMI and non-AMI syndromes by emergency physicians—preliminary results (Brady et al). 2000;35:S27-S28 (8th ICCEM Abstracts)

Out-of-hospital 12-lead ECG (American College of Emergency Physicians). 2000;35:110-11 (Policy statement)

Prediction of short-term outcome in patients with suspected myocardial infarction (Porela et al). 2000;35:413-20

Prediction of the 12-lead ECG from 3 lead-vectors using factor analysis (Schreck et al). 2000;35:S62 (8th ICCEM Abstracts)

Electroencephalography

Bi-spectral index monitoring of the electroencephalogram correlates with sedation scales during emergency department conscious sedation (McHugh and Visser). 2000;35:S49 (8th ICCEM Abstracts)

Electrolytes

Appropriateness of blood count and serum electrolytes prescribed in an emergency department (Elkharat et al). 2000;35:S16 (8th ICCEM Abstracts)

Electron beam computed tomography; see Tomography, x-ray computed

Electrophoresis, gel, pulsed-field

Use of pulsed-field gel electrophoresis for investigation of a cluster of invasive group A streptococcal illness (Centers for Disease Control and Prevention); Commentary (Talan and Moran). 2000;35:308-10

Emergency medical service communication systems

Concordance between prehospital notification by EMS and actual patient presentation with relation to the allocation of hospital resources: pilot and stage II studies (Carlson et al). 2000;35:S41 (8th ICCEM Abstracts)

The role of on-line medical control in elderly patients who initially refuse medical transport (Richmond et al). 2000;35:S41 (8th ICCEM Abstracts)

Rural platform of the Project HECTOR: an aid for emergencies in isolated areas (Sanchez et al). 2000;35:S20 (8th ICCEM Abstracts)

Emergency medical services

Adherence index to protocols as a quality indicator of the emergency coordination center activities (Cosano et al). 2000;35:S71 (8th ICCEM Abstracts)

Association between prepayment systems and emergency medical services use among patients with acute chest discomfort syndrome (Siepmann et al). 2000;35:573-8

Campus-based emergency medical services: a Web survey by the National Collegiate Emergency Medical Services Foundation (Fisher et al). 2000;35:S66-S67 (8th ICCEM Abstracts)

A comprehensive emergency medicine partnership in Estonia (Smith et al). 2000;35:S64 (8th ICCEM Abstracts)

Danish prehospital trauma course: introducing the emergency medical technician paramedic concept of semi-independent prehospital care provider to the Danish prehospital emergency medical care system (Anderson et al). 2000;35:S65-S66 (8th ICCEM Abstracts)

Emergency medical care in Sri Lanka (Wickramasinghe et al). 2000;35:S61-S62 (8th ICCEM Abstracts)

Humanitarian support: designing, building, and equipping an emergency department in Kosovo (Hodgetts). 2000;35:S23 (8th ICCEM Abstracts)

Kosovar EMS: a postwar assessment (Vanier et al). 2000;35:S56 (8th ICCEM Abstracts)

Emergency medical services, manpower

Clinical exposure to life-threatening situations in emergency medicine during a Canadian family medicine residency pro-

gram (Carpentier et al). 2000;35:S9-S10 (8th ICCEM Abstracts)

Emergency department management of blood and body fluid exposures (Moran). 2000;35:47-62 (State of the art)

Family leave of absence (American College of Emergency Physicians). 2000;35:209-10 (Policy statement)

The 1999 study of the workforce in emergency medicine (Moorhead and Gallery). 2000;35:S44 (8th ICCEM Abstracts)

Emergency medical services, hospital; Emergency medical technicians; see also Emergency service

Emergency medical technicians

Automated external defibrillator use and the effect of provider exposure to cardiac arrest (O'Connor et al). 2000;35:S44 (8th ICCEM Abstracts)

Cardiac arrest witnessed by emergency medical services personnel: descriptive epidemiology, prodromal symptoms, and predictors of survival (De Maio et al). 2000;35:138-46

Danish prehospital trauma course: introducing the emergency medical technician paramedic concept of semi-independent prehospital care provider to the Danish prehospital emergency medical care system (Anderson et al). 2000;35:S65-S66 (8th ICCEM Abstracts)

Emergency medical services providers and violence in the field (Sayah et al). 2000;35:S46 (8th ICCEM Abstracts)

Out-of-hospital succinylcholine-assisted endotracheal intubation by paramedics (Pace and Fuller). 2000;35:568-72

A prospective evaluation of prehospital paramedic trauma intubation practice (Domeier et al). 2000;35:S46 (8th ICCEM Abstracts)

Successful introducer-aided intubation by paramedics in mannequins: clinical application for cervical spine injuries? (Reed et al). 2000;35:S32 (8th ICCEM Abstracts)

A survey of needlestick injuries in paramedics and technicians in the West Yorkshire Metropolitan Ambulance Service (Gaffney et al). 2000;35:S21-S22 (8th ICCEM Abstracts)

Survival after failed out-of-hospital resuscitation from cardiac arrest by automated external defibrillator-equipped paramedics (Ali and Verbeek). 2000;35:S11 (8th ICCEM Abstracts)

Emergency medicine

Emergency medicine in Mexico (Garcia-Rosas and Bush). 2000;35:S72 (8th ICCEM Abstracts)

Emergency medicine in southern Brazil (Tannebaum et al). 2000;35:S57 (8th ICCEM Abstracts)

Wide interresponder procedure variability suggests need for national standards in emergency medicine (Lotfipour et al). 2000;35:S17 (8th ICCEM Abstracts)

Emergency service, hospital

Application of the United Kingdom accident and emergency (A&E) casemix measure in the year 2000 (Brayley). 2000;35:S3 (8th ICCEM Abstracts)

Bricks and torture (Bradley et al). 2000;35:S21 (8th ICCEM Abstracts)

The changing workload patterns in the resuscitation room. (Paterson et al). 2000;35:S5 (8th ICCEM Abstracts)

Déjà vu (Kellermann). 2000;35:83-5 (Editorial)

Hospital, medical staff, and payer responsibility for emergency department patients (American College of Emergency Physicians). 2000;35:210-11 (Policy statement)

How to reduce the noise level in emergency department (Hung et al). 2000;35:S11 (8th ICCEM Abstracts)

Interventions to decrease emergency department overcrowding: impact on emergency department return visits and hospital readmissions (Afilalo et al). 2000;35:S12 (8th ICCEM Abstracts)

Just how safe and secure is your emergency department? (LaMar and Manthey). 2000;35:S46-S47 (8th ICCEM Abstracts)

National triage score versus waiting time: does anyone really

care what time it is? (Fatovich and Jacobs). 2000;35:S7-S8 (8th ICEM Abstracts)

Overcrowding in the nation's emergency departments: complex causes and disturbing effects (Derlet and Richards). 2000;35:63-8 (Concepts)

Patient complaints and the level of activity in the emergency department: is there a relationship? (Kovacs et al). 2000;35:S18-S19 (8th ICEM Abstracts)

Emergency service, hospital, manpower

Emergency department staff estimates of patient satisfaction: the squeaky wheel gets the grease (Boudreaux et al). 2000;35:S45 (8th ICEM Abstracts)

Emergency service, hospital, manpower; see also

Emergency medical services, manpower

Emergency service, hospital, organization & administration

Application of the United Kingdom accident and emergency (A&E) casemix measure in the year 2000 (Brayley). 2000;35:S3 (8th ICEM Abstracts)

Humanitarian support: designing, building, and equipping an emergency department in Kosovo (Hodgetts). 2000;35:S23 (8th ICEM Abstracts)

The project of establishing the algorithm to manage special circumstance process in the emergency department (Chiu and Sangl). 2000;35:S8 (8th ICEM Abstracts)

Emergency service, hospital, organization & administration; see also Hospital units

Emergency service, hospital, utilization

Assuring that managed care organizations provide appropriate instructions regarding use of emergency departments (Johnson and Lev). 2000;35:198-9 (Letter)

Critically ill late presenters to an emergency department (Rodriguez et al). 2000;35:S17 (8th ICEM Abstracts)

Emergency medicine as community medicine: nonurgent patients across 4 emergency departments in urban

Indonesia (Bradshaw). 2000;35:S59 (8th ICEM Abstracts)

The reason and possible solution for inappropriate emergency department utilization in Hong Kong (Ng and Cheung). 2000;35:S55-S56 (8th ICEM Abstracts)

Endocarditis, diagnosis

The analysis of erythrocyte sedimentation rate, C-reactive protein, white blood cell count, and temperature in the diagnosis of acute endocarditis (Chuang et al). 2000;35:S34 (8th ICEM Abstracts)

Endotracheal intubation; see Intubation, intratracheal

Enterovirus

Polymerase chain reaction diagnosis of enterovirus in children with aseptic meningitis (Silverman). 2000;35:S41 (8th ICEM Abstracts)

Enzyme tests

Single triple-enzyme testing on presentation to the emergency department is insufficient evidence when sending acute coronary syndrome patients home: results from the RACE study (Bohan and Patel). 2000;35:S63 (8th ICEM Abstracts)

Epidemics; see Disease outbreaks

Epinephrine, therapeutic use

Response to repeated equal doses of epinephrine during cardiopulmonary resuscitation in dogs (Gad et al). 2000;35:3-10

Epistaxis

Hypertension in patients presenting with epistaxis (Herkner et al). 2000;35:126-30

Esophagus

Evaluation of a computerized esophageal detector device (CEDD) in patients with morbid obesity and severe pulmonary failure (Wolfe et al). 2000;35:S32 (8th ICEM Abstracts)

Estonia

A comprehensive emergency medicine partnership in Estonia (Smith et al). 2000;35:S64 (8th ICEM Abstracts)

Ethnic groups

Ethnicity and analgesic practice: an editorial (Martin). 2000;35:77-9 (Editorial)

Ethnicity and analgesic practice (Todd et al). 2000;35:11-6

Racially and ethnically selective oligoanalgesia: is this racism? (Goldfrank and Knopp). 2000;35:79-82 (Editorial)

Europe, Eastern

Establishment of emergency medicine continuing education centers in Central Europe (Randolph et al). 2000;35:S63 (8th ICEM Abstracts)

Exercise test

An economic analysis of an aggressive diagnostic strategy with single photon emission computed tomography myocardial perfusion imaging and early exercise stress testing in emergency department patients who present with chest pain but nondiagnostic electrocardiograms: results from a randomized trial (Stowers et al). 2000;35:17-25

Extracorporeal circulation

Resuscitation from prolonged ventricular and induction of selective brain hypothermia via extracorporeal bypass (Mori et al). 2000;35:S8 (8th ICEM Abstracts)

Extremities

Nurse-initiated radiographs in distal limb injuries: a change of practice (Fry and Holdgate). 2000;35:S30-S31 (8th ICEM Abstracts)

F

Facial injuries

Maxillofacial and globe injuries in motor vehicle crashes (Brookes and Wang). 2000;35:S21 (8th ICEM Abstracts)

Factor analysis, statistical

Prediction of the 12-lead ECG from 3 lead-vectors using factor analysis (Schreck et al). 2000;35:S62 (8th ICEM Abstracts)

Falls, accidental; see Accidental falls

Family

The facts of death (Gilligan et al). 2000;35:S22 (8th ICEM Abstracts)

Selective omission (Stephens). 2000;35:96-7 (Change of shift)

Teaching patients' relatives and citizens to perform adult cardiopulmonary resuscitation: a two-year report (Lam et al). 2000;35:S48-S49 (8th ICEM Abstracts)

Family leave

Family leave of absence (American College of Emergency Physicians). 2000;35:209-10 (Policy statement)

Family practice

Clinical exposure to life-threatening situations in emergency medicine during a Canadian family medicine residency program (Carpentier et al). 2000;35:S9-S10 (8th ICEM Abstracts)

Fentanyl, poisoning

Potential for Duragesic patch abuse (Purucker and Swann). 2000;35:314 (Letter)

Fever

Supralingual versus tympanic thermometry in the detection of rectal fever in children (Reese et al). 2000;35:S47 (8th ICEM Abstracts)

Fibrinolytic agents

Cardiac arrest and the role of thrombolytic agents (Newman et al). 2000;35:472-80 (Concepts)

Prehospital administration of reteplase in patients with acute myocardial infarction (Rosenberg et al). 2000;35:7 (8th ICEM Abstracts)

Firearms

College research associates as screeners for firearms injury risk assessment in an urban community teaching hospital emergency department (Cordone et al). 2000;35:S59 (8th ICEM Abstracts)

Lethality of firearm-related injuries in the United States population (Beaman et al). 2000;35:258-66

Fishes, poisonous

Clinical analysis of puffer fish poisoning (Park et al). 2000;35:S12-S13 (8th ICEM Abstracts)

The epidemiology of Weaver Fish sting (Volans). 2000;35:S26 (8th ICEM Abstracts)

Florida

Managed care organization authorization denial: lack of patient knowledge and timely alternative ambulatory care (Viner et al). 2000;35:272-6

Fluorocarbons

Thermodynamic and initial laboratory evidence supporting the use of perfluorocarbon liquid ventilation in the treatment of hypothermia (Dickson et al). 2000;35:S53-S54 (8th ICEM Abstracts)

Treatment of hypothermia-induced ventricular fibrillation with warm lavage perfluorocarbon ventilation (Dickson et al). 2000;35:S54 (8th ICEM Abstracts)

Food poisoning

Clinical analysis of puffer fish poisoning (Park et al). 2000;35:S12-S13 (8th ICEM Abstracts)

Incidence of foodborne illnesses: preliminary data from the Foodborne Diseases Active Surveillance Network (FoodNet) (Centers for Disease Control and Prevention). Commentary (Karras). 2000;35:92-5

Foot injuries, radiography

Evaluation of the Ottawa Ankle Rules for the use of radiography in acute ankle and midfoot injuries in children (Machin et al). 2000;35:S24 (8th ICEM Abstracts)

Forearm injuries, ultrasonography

Ultrasound imaging of forearm fractures in children (Williamson). 2000;35:56 (8th ICEM Abstracts)

Forensic medicine

Comparison of quality of medical documentation for findings related to sexual assault before and after the development of a sexual assault forensic examination program (Jackson et al). 2000;35:S13 (8th ICEM Abstracts)

Sexual assault nurse examiner programs in the United States (Ciancone et al). 2000;35:353-7

Fractures

Accuracy of day 4 bone scans and efficacy of clinical findings in the assessment of patients with clinical scaphoid fractures (Woolfrey et al). 2000;35:S29 (8th ICEM Abstracts)

An audit of fracture clinic referrals in emergency department (Ng et al). 2000;35:S70-S71 (8th ICEM Abstracts)

Maxillofacial and globe injuries in motor vehicle crashes (Brookes and Wang). 2000;35:S21 (8th ICEM Abstracts)

Oligoanalgesia in emergency department patients with fractures can be corrected (Suvov et al). 2000;35:S53 (8th ICEM Abstracts)

Patient preferences regarding pain medication in the emergency department (Beel et al). 2000;35:S28 (8th ICEM Abstracts)

Ultrasound imaging of forearm fractures in children (Williamson). 2000;35:S6 (8th ICEM Abstracts)

Use of percussion as a screening tool in the diagnosis of occult hip fractures (Tiru et al). 2000;35:S28 (8th ICEM Abstracts)

Futility; see Medical futility

G

gamma-Butyrolactone; see 4-Butyrolactone

Gastric lavage

Efficacy of gastric decontamination in paracetamol (acetaminophen) overdose (Gupta et al). 2000;35:S23 (8th ICEM Abstracts)

Gastric lavage for liquid poisons (Grierson et al). 2000;35:435-9

Glucose

The alcohol wake-up study: a randomized controlled trial eval-

uating an infusion of potassium, insulin, and glucose as a treatment for reversing the effects of intoxication with alcohol (Poncia et al). 2000;35:S25 (8th ICEM Abstracts)

Great Britain

Application of the United Kingdom accident and emergency (A&E) casemix measure in the year 2000 (Brayley). 2000;35:S3 (8th ICEM Abstracts)

Guideline adherence

Adherence index to protocols as a quality indicator of the emergency coordination center activities (Cosano et al). 2000;35:S71 (8th ICEM Abstracts)

Guidelines

Assessment of asthma management before and after the introduction of guidelines in an accident and emergency department in Hong Kong (Tsui et al). 2000;35:S38 (8th ICEM Abstracts)

Assessment of clinical policy for the initial approach to patients presenting with acute toxic ingestion or dermal or inhalation exposure (Casavant) (Letter); (Kuffner) (Reply). 2000;35:196-7

Clinical policy: critical issues in the evaluation and management of adult patients presenting with suspected acute myocardial infarction or unstable angina (American College of Emergency Physicians). 2000;35:S21-44 (Clinical policy)

Community-acquired pneumonia: implementation of a prediction rule to guide selection for outpatient treatment (Chan et al). 2000;35:S55 (8th ICEM Abstracts)

Evaluation of the Ottawa Ankle Rules for the use of radiography in acute ankle and midfoot injuries in children (Machin et al). 2000;35:S24 (8th ICEM Abstracts)

Evaluation of the Ottawa Knee Rules in the accident and emergency department (Garrity et al). 2000;35:S22 (8th ICEM Abstracts)

Meeting the SAEM ultrasound guidelines (Mandavia). 2000;35:S13-4 (Letter)

The Ottawa Ankle Rules: how confident are our patients? (Rosenbaum et al). 2000;35:S42 (8th ICEM Abstracts)

Guidelines; see also Clinical protocols

H

Hand injuries

Accuracy of day 4 bone scans and efficacy of clinical findings in the assessment of patients with clinical scaphoid fractures (Woolfrey et al). 2000;35:S29 (8th ICEM Abstracts)

Hazardous substances

Handling of hazardous materials (American College of Emergency Physicians). 2000;35:110 (Policy statement)

Hazardous materials events at a New York City trauma center (Trutt and Oster). 2000;35:S40-S41 (8th ICEM Abstracts)

Head, radiography

Utility of pretest probability to assess the risk of abnormal head computed tomographic scans: can risk stratification be used to eliminate scanning in low-risk patients? (Leisley et al). 2000;35:S43 (8th ICEM Abstracts)

Head injuries; see Craniocerebral trauma

Head protective devices

Pattern of injuries in helmeted motorcyclists in Singapore (Tham et al). 2000;35:S64 (8th ICEM Abstracts)

Universal bicycle helmet use (American College of Emergency Physicians). 2000;35:111 (Policy statement)

Use of bicycle helmets by children presenting to a paediatric accident and emergency department with a bicycle-related injury: implications for injury prevention strategies (Leonard et al). 2000;35:S23 (8th ICEM Abstracts)

Headache

Headaches: can we improve our assessment and management? (Somers et al). 2000;35:S25 (8th ICEM Abstracts)

Rizatriptan for severe migraine in the emergency department (Derazon et al). 2000;35:S66 (8th ICEM Abstracts)

Health care reform

Inadequate hospital reimbursement for victims of motor vehicle crashes due to health reform legislation (Henry et al). 2000;35:277-82

The uninsured: emergency medicine's challenge to our political leaders (Knopp et al). 2000;35:295-7 (Editorial)

Health insurance; see Insurance, health, reimbursement; Insurance claims review

Health planning

Bricks and mortar (Bradley et al). 2000;35:S21 (8th ICEM Abstracts)

Professional development in Kosovo: issues in helping local Kosovar physicians create their own health care plan (Cranmer and Leaning). 2000;35:S53 (8th ICEM Abstracts)

Health policy report

Health policy report. 2000;35:304-7

Health services accessibility

The uninsured: emergency medicine's challenge to our political leaders (Knopp et al). 2000;35:295-7 (Editorial)

Heart

Cardiotoxicity associated with bupropion overdose (Shrier et al). 2000;35:100 (Letter)

Prediction of the 12-lead ECG from 3 lead-vectors using factor analysis (Schreck et al). 2000;35:S62 (8th ICEM Abstracts)

Heart arrest

Ability of laypersons to estimate short time intervals in cardiac arrest (Isaacs and Callahan). 2000;35:147-54

Automated external defibrillator use and the effect of provider exposure to cardiac arrest (O'Connor et al). 2000;35:S44 (8th ICEM Abstracts)

Can single "first responder" units and priority-based dispatch produce a significant impact on the outcome of prehospital cardiopulmonary arrest: a cost-effectiveness analysis (Hassan et al). 2000;35:S4 (8th ICEM Abstracts)

Cardiac arrest and the role of thrombolytic agents (Newman et al). 2000;35:472-80 (Concepts)

Cardiac arrest witnessed by emergency medical services personnel: descriptive epidemiology, prodromal symptoms, and predictors of survival (De Maio et al). 2000;35:138-46

National Heart Attack Alert Program position paper: chest pain centers and programs for the evaluation of acute cardiac ischemia (Zalenski et al). 2000;35:462-71 (Concepts)

Oxygen dose response in open-chest ACLS in swine after a 25-minute cardiopulmonary arrest (VanMeter et al). 2000;35:S34 (8th ICEM Abstracts)

Prehospital resuscitation of out-of-hospital cardiac arrest in Hong Kong (Leung et al). 2000;35:S38 (8th ICEM Abstracts)

Heart disease, diagnosis

Out-of-hospital 12-lead ECG (American College of Emergency Physicians). 2000;35:110-1 (Policy statement)

Heart failure, congestive

Identifying occult hypoperfusion with serum lactate improves care of acute heart failure patients (Milzman et al). 2000;35:S51 (8th ICEM Abstracts)

Impact of body habitus and nutritional adequacy on outcome in acute heart failure (Milzman et al). 2000;35:S50-S51 (8th ICEM Abstracts)

Heart injuries

Evidence of myocardial complement activation following hemorrhagic shock and resuscitation (Craig et al). 2000;35:S33 (8th ICEM Abstracts)

Heat stroke

An epidemic of heat stroke without a heat wave (How et al). 2000;35:S36 (8th ICEM Abstracts)

Helium

Cerebral arterial gas embolism by helium: an unusual case

successfully treated with hyperbaric oxygen and lidocaine (Mitchell et al). 2000;35:300-3 (Case rep.)

Heliox in severe exacerbation of chronic obstruction pulmonary disease (Gerbeaux et al). 2000;35:S27 (8th ICEM Abstracts)

Helmets; see Head protective devices

Hematoma, epidural

Isolated extradural hematoma and nonaccidental injuries in children (Browne et al). 2000;35:S6-S7 (8th ICEM Abstracts)

Hemodilution, methods

Sonoclot coagulation analysis of in vitro dilution of whole blood with colloid and crystalloid solutions (Brazil and Coats). 2000;35:S3-S4 (8th ICEM Abstracts)

Hemodynamics

The hemodynamic study of mechanical CPR with and without active decompression and interposed abdominal compression (Yuan et al). 2000;35:S9 (8th ICEM Abstracts)

Response to repeated equal doses of epinephrine during cardiopulmonary resuscitation in dogs (Gad et al). 2000;35:3-10

Herbal medicine; see Medicine, herbal

Heroin

A prospective study of opioid overdose (Daly et al). 2000;35:S30 (8th ICEM Abstracts)

Hip

The use of ultrasonography for pediatric patients with hip pain in emergency department (Siu et al). 2000;35:S28 (8th ICEM Abstracts)

Hip fractures

Use of percussion as a screening tool in the diagnosis of occult hip fractures (Tiru et al). 2000;35:S28 (8th ICEM Abstracts)

HIV infections, complications

New-onset generalized seizures in HIV-infected patients without AIDS presenting to an emergency department (Pesola and Westfall). 2000;35:S61 (8th ICEM Abstracts)

Home care services

Eighty-four percent of hypoglycemic patients stay at home after prehospital treatment in Copenhagen (Anderson et al). 2000;35:S65 (8th ICEM Abstracts)

Frequency of prehospital endotracheal intubation in a physician-based emergency medical services system (Hogskilde et al). 2000;35:S65 (8th ICEM Abstracts)

Honduras

Injury control in Honduras: a survey of injury mortality (Richman et al). 2000;35:S49 (8th ICEM Abstracts)

Hong Kong

The reason and possible solution for inappropriate emergency department utilization in Hong Kong (Ng and Cheung). 2000;35:S55-S56 (8th ICEM Abstracts)

Hospital costs

Inpatient and outpatient hospital costs of young victims of interpersonal violence (Zun). 2000;35:S34 (8th ICEM Abstracts)

Hospital costs; see also Cost-benefit analysis; Costs and cost analysis

Hospital units

Chest pain centers: diagnosis of acute coronary syndromes (Storror and Giber). 2000;35:449-60 (State of the art)

A comparison of pediatric versus adult observation medicine patients (Mace). 2000;35:S61 (8th ICEM Abstracts)

Coronary triage unit in an indigent county population (Henderson et al). 2000;35:S51-S52 (8th ICEM Abstracts)

Experience with chest pain units in Australia (Hunter et al). 2000;35:S49 (8th ICEM Abstracts)

Improved outcomes chest pain evaluation with implementation observation units in a multihospital network (Graff et al). 2000;35:S31 (8th ICEM Abstracts)

Minor injuries care in accident and emergency department

versus minor injuries unit (Sakr et al). 2000;35:S25 (8th ICM Abstracts)

National Heart Attack Alert Program position paper: chest pain centers and programs for the evaluation of acute cardiac ischemia (Zalenski et al). 2000;35:462-71 (Concepts)

Observation medicine in academic emergency departments (Mace and Jatin Shan). 2000;35:S60 (8th ICM Abstracts)

Hospitalization

Efficacy and tolerance of inpatient versus outpatient management of acute uncomplicated pyelonephritis. Preliminary results in 502 patients randomized in 16 emergency departments (Elkharrat et al). 2000;35:S15-S16 (8th ICM Abstracts)

Inpatient and outpatient hospital costs of young victims of interpersonal violence (Zun). 2000;35:S34 (8th ICM Abstracts)

Hospitals

Hospital, medical staff, and payer responsibility for emergency department patients (American College of Emergency Physicians). 2000;35:210-11 (Policy statement)

Hospitals, urban

Demographics, descriptions, diagnosis, and disposition of 1,677 chest pain patients in an inner-city acute care hospital (Henderson et al). 2000;35:S52 (8th ICM Abstracts)

Emergency medicine as community medicine: nonurgent patients across 4 emergency departments in urban Indonesia 2000;35:S59 (8th ICM Abstracts)

The presentation and pitfalls of malaria in an urban inner-city emergency department (Hoffner et al). 2000;35:S31 (8th ICM Abstracts)

The use of herbal medications among pediatric population at a large urban community hospital (McRae et al). 2000;35:S35-S36 (8th ICM Abstracts)

Hydrogen-ion concentration

Accidental hypothermia: the effects of rewarming on plasma pH, ionized calcium, ionized magnesium, and serum parathyroid hormone (McInerney et al). 2000;35:S24 (8th ICM Abstracts)

Hyperbaric oxygenation

Cerebral arterial gas embolism by helium: an unusual case successfully treated with hyperbaric oxygen and lidocaine (Mitchell et al). 2000;35:300-3 (Case rep.)

Oxygen dose response in open-chest ACLS in swine after a 25-minute cardiopulmonary arrest (VanMeter et al). 2000;35:S34 (8th ICM Abstracts)

Hypertension

Hypertension in patients presenting with epistaxis (Herkner et al). 2000;35:126-30

Transient blood pressure elevation in patients attending the emergency department (Lit et al). 2000;35:S16-S17 (8th ICM Abstracts)

Hypoglycemia

Eighty-four percent of hypoglycemic patients stay at home after prehospital treatment in Copenhagen (Anderson et al). 2000;35:S65 (8th ICM Abstracts)

Hypoglycemia and the ABC's (sugar) of pediatric resuscitation (Losek). 2000;35:43-6

Hypotension

Decisionmaking in the urgent management of the adult hypotensive blunt trauma patient: torso operation or head CT scan? (Macken et al). 2000;35:S14 (8th ICM Abstracts)

A randomized controlled trial of leixipafant, a platelet-activating factor (PAF) antagonist, on streptokinase-induced hypotension in acute myocardial infarction (AMI) (Taylor et al). 2000;35:S7 (8th ICM Abstracts)

Hypothermia

Accidental hypothermia: the effects of rewarming on plasma pH, ionized calcium, ionized magnesium, and serum

parathyroid hormone (McInerney et al). 2000;35:S24 (8th ICM Abstracts)

Resistive heating is more effective than metallic-foil insulation in an experimental model of accidental hypothermia: a randomized controlled trial (Greif et al). 2000;35:337-45

Thermodynamic and initial laboratory evidence supporting the use of perfluorocarbon liquid ventilation in the treatment of hypothermia (Dickson et al). 2000;35:S53-S54 (8th ICM Abstracts)

Treatment of hypothermia-induced ventricular fibrillation with warm lavage perfluorocarbon ventilation (Dickson et al). 2000;35:S54 (8th ICM Abstracts)

Hypothermia, induced

Resuscitation from prolonged ventricular and induction of selective brain hypothermia via extracorporeal bypass (Mori et al). 2000;35:S58 (8th ICM Abstracts)

Immobilization

Spinal immobilization after motor vehicle crash in patients who are ambulatory at the scene: is it justified? (Levy et al). 2000;35:S11 (8th ICM Abstracts)

Immunoglobulins

Long-term efficacy of an intervention to reduce unwarranted tetanus immunoglobulins prescribing in an emergency department (Elkharrat et al). 2000;35:S58 (8th ICM Abstracts)

Indigents; see Poverty

Infant

Two-thumb versus two-finger chest compression in an infant model of prolonged cardiopulmonary resuscitation (Dorfsman et al). 2000;35:S44-S45 (8th ICM Abstracts)

Infant equipment

Knowledge of child car seat safety in a tricultural southern California emergency department (Vaca et al). 2000;35:S56-S57 (8th ICM Abstracts)

Infectious diseases; see Communicable diseases

Information systems

Emergency medicine can play a leadership role in enterprise-wide clinical information systems (Feied et al). 2000;35:162-7

Injury Severity Score

The effect of variation in injury scale scoring between different personnel in the calculation of Injury Severity Score and the accuracy of using TRISS methodology (Ng et al). 2000;35:S18 (8th ICM Abstracts)

Observer variability in injury coding and its effect on subsequent trauma outcome analysis (Tam et al). 2000;35:S9 (8th ICM Abstracts)

The use of ISS and TRISS as measures of injury severity and as mortality predictors in the diaspirin cross-linked hemoglobin (DCLHb) traumatic hemorrhagic shock trial (Sloan and Koenigsberg). 2000;35:S68 (8th ICM Abstracts)

Insulin

The alcohol wake-up study: a randomized controlled trial evaluating an infusion of potassium, insulin, and glucose as a treatment for reversing the effects of intoxication with alcohol (Poncia et al). 2000;35:S25 (8th ICM Abstracts)

Insurance, health, reimbursement

Analysis of insurance payment denials using the prudent layperson standard (Tintinalli). 2000;35:291-4

Assuring that managed care organizations provide appropriate instructions regarding use of emergency departments (Johnson and Lev). 2000;35:198-9 (Letter)

Controversial company: the prudent layperson standard and the Patients' Bill of Rights (Asplin). 2000;35:304-7 (Health policy report)

Effect of a state definition of an "emergency medical condi-

tion" legislation on Medicaid managed care organization reimbursement (Irvin and Fox). 2000;35:283-6

Effect of state legislation prohibiting denial of emergency department patient claims (Seaberg et al). 2000;35:267-71

Hospital, medical staff, and payer responsibility for emergency department patients (American College of Emergency Physicians). 2000;35:210-11 (Policy statement)

Inadequate hospital reimbursement for victims of motor vehicle crashes due to health reform legislation (Henry et al). 2000;35:277-82

Managed care organization authorization denials: lack of patient knowledge and timely alternative ambulatory care (Viner et al). 2000;35:272-6

Reimbursement of Medicaid managed care organizations replacing standard Medicaid (Irvin and Fox). 2000;35:287-90

Insurance claims review

Analysis of insurance payment denials using the prudent layperson standard (Tintinalli). 2000;35:291-4

Effect of state legislation prohibiting denial of emergency department patient claims (Seaberg et al). 2000;35:267-71

Interleukin-6

Endogenous mediators in emergency department patients with presumed sepsis: are levels associated with progression to severe sepsis and death? (Terregino et al). 2000;35:26-34

Internship and residency

Clinical exposure to life-threatening situations in emergency medicine during a Canadian family medicine residency program (Carpentier et al). 2000;35:S9-S10 (8th ICM Abstracts)

Emergency medicine residency at the Hospital Municipal de Pronto Socorro, Porto Alegre, Brazil (Borges et al). 2000;35:S57 (8th ICM Abstracts)

Emergency medicine resident preparedness for the threat of weapons of mass destruction: results of a national residency program director survey (Bonucci et al). 2000;35:S38 (8th ICM Abstracts)

EMRA's 25 years (Bates). 2000;35:404-5 (Letter)

Evaluation of an integrated conscious sedation curriculum (Newton et al). 2000;35:S51 (8th ICM Abstracts)

How do emergency medicine residents learn compared with non-emergency medicine residents? A novel assessment of behavior and learning styles (Ramalanjaona and Calabro). 2000;35:S27 (8th ICM Abstracts)

Impact of a resident physicians strike on the emergency department outcomes at a teaching hospital in Barcelona (Salazar et al). 2000;35:S67-S68 (8th ICM Abstracts)

Report of the Task Force on Residency Training Information (1999-2000), American Board of Emergency Medicine (American Board of Emergency Medicine). 2000;35:481-98

Stressors experienced by emergency medicine residents (Boudreaux and Aryl). 2000;35:S45 (8th ICM Abstracts)

Wellness issues and the emergency medicine resident (Houry et al). 2000;35:394-7 (Residents' perspective)

Wide interresidency procedure variability suggests need for national standards in emergency medicine (Loripour et al). 2000;35:S17 (8th ICM Abstracts)

Intracranial embolism

Cerebral arterial gas embolism by helium: an unusual case successfully treated with hyperbaric oxygen and lidocaine (Mitchell et al). 2000;35:300-3 (Case rep.)

Intubation

Asthma airway management: the prevalence of ketamine use as an induction agent for rapid sequence intubation (Worrall et al). 2000;35:S29 (8th ICM Abstracts)

Evaluation of a computerized esophageal detector device (CEDD) in patients with morbid obesity and severe pul-

monary failure (Wolfe et al). 2000;35:S32 (8th ICEM Abstracts)

Factors involved in the selection of induction agent during emergency rapid sequence intubation (Sivilotti et al). 2000;35:S52 (8th ICEM Abstracts)

A prospective evaluation of prehospital paramedic trauma intubation practice (Domeier et al). 2000;35:S46 (8th ICEM Abstracts)

Rapid sequence intubation in accident and emergency departments in Scotland: preliminary results (Graham et al). 2000;35:S22 (8th ICEM Abstracts)

Successful introducer-aided intubation by paramedics in mannequins: clinical application for cervical spine injuries? (Reed et al). 2000;35:S32 (8th ICEM Abstracts)

Trauma airway management: a comparison of indications, success rates, complications, and cricothyrotomy rate by specialty (Kulkarni et al). 2000;35:S33 (8th ICEM Abstracts)

Trauma airway management in the emergency department: indications, methods, and success rates (Gurr et al). 2000;35:S33 (8th ICEM Abstracts)

2,392 emergency department intubations: first report of the ongoing National Emergency Airway Registry Study (NEAR 97) (Walls et al). 2000;35:S10 (8th ICEM Abstracts)

Use of the intubating laryngeal mask airway compared with laryngoscopic intubation among emergency medicine staff using both a mannequin and cadaver model (Lauder et al). 2000;35:S42 (8th ICEM Abstracts)

Intubation, gastrointestinal

Atomized lidocaine as topical anesthesia for nasogastric tube placement: a randomized, double-blind, placebo-controlled trial (Wolfe et al). 2000;35:420-5

Intubation, intratracheal

Comparison of insertion of the laryngeal mask and the intubating laryngeal mask by the naive intubator (Choyce et al). 2000;35:S22 (8th ICEM Abstracts)

Confirmation of endotracheal tube placement: analysis of 2,392 emergency department intubations (Walls et al). 2000;35:S10 (8th ICEM Abstracts)

Frequency of prehospital endotracheal intubation in a physician-based emergency medical services system (Hogskilde et al). 2000;35:S65 (8th ICEM Abstracts)

Out-of-hospital succinylcholine-assisted endotracheal intubation by paramedics (Pace and Fuller). 2000;35:568-72

Pretreatment for endotracheal intubation in head injury: a prospective observational survey (Filbin et al). 2000;35:S66 (8th ICEM Abstracts)

Ipratropium, therapeutic use

Ipratropium bromide in emergency management of acute asthma exacerbation (Silverman) (Letter); (Aaron and Dales) (Reply). 2000;35:197-8

A randomised double-blind placebo controlled trial to evaluate the efficiency of intravenous salbutamol and inhaled ipratropium bromide in acute severe asthma in the emergency department (Browne et al). 2000;35:S6 (8th ICEM Abstracts)

Role of nebulized ipratropium in acute bronchial asthma (Aggarwal et al). 2000;35:S34-S35 (8th ICEM Abstracts)

J

Jurisprudence

Controversial company: the prudent layperson standard and the Patients' Bill of Rights (Asplin). 2000;35:304-7 (Health policy report)

Effect of state legislation prohibiting denial of emergency department patient claims (Seaberg et al). 2000;35:267-71

Good samaritan protection (American College of Emergency Physicians). 2000;35:640 (Policy statement)

Inadequate hospital reimbursement for victims of motor vehi-

cle crashes due to health reform legislation (Henry et al). 2000;35:277-82

Mandatory reporting laws (Geiderman) (Letter); (Houry et al) (Reply). 2000;35:403-4

K

Kawasaki disease

Tissue plasminogen activator in pediatric myocardial infarction (Krendel et al). 2000;35:S02-5 (Case rep.)

Ketamine

Asthma airway management: the prevalence of ketamine use as an induction agent for rapid sequence intubation (Worrall et al). 2000;35:S29 (8th ICEM Abstracts)

Does adjunctive midazolam reduce recovery agitation after ketamine sedation for pediatric procedures? A randomized double-blind, placebo-controlled trial (Sherwin et al). 2000;35:229-38

Midazolam with ketamine: who benefits? (Kennedy and McAllister). 2000;35:297-9 (Editorial)

Predictors of adverse events with intramuscular ketamine sedation in children (Green et al). 2000;35:35-42

A prospective, age-based comparison of behavioral reactions occurring in children following ketamine sedation (Hostetler and Davis). 2000;35:S32-S33 (8th ICEM Abstracts)

Ketoprofen

A comparison of ketoprofen and diclofenac for acute musculoskeletal pain: a randomized clinical trial (Ng et al). 2000;35:S70 (8th ICEM Abstracts)

Kidney diseases

Can patients with renal colic be safely discharged from the emergency department without an imaging procedure? (Lee and Dubinsky). 2000;35:S18 (8th ICEM Abstracts)

An evaluation of the clinical predictors for the presence of ureteral calculi on spiral computed tomography in patients with suspected renal colic (O'Connor et al). 2000;35:S43 (8th ICEM Abstracts)

Is spiral computed tomography the diagnostic imaging of choice for patients with renal colic? (Lee and Dubinsky). 2000;35:S18 (8th ICEM Abstracts)

Kidney failure

Prognostic utility of troponin I and troponin T in evaluating patients with chest pain and concomitant renal insufficiency (Kazmierczak and Allison). 2000;35:S56 (8th ICEM Abstracts)

Knee injuries

Evaluation of the Ottawa Knee Rules in the accident and emergency department (Garrihy et al). 2000;35:S22 (8th ICEM Abstracts)

The Waterford prognostic scoring system for soft tissue sports injury to the knee joint (a pilot study) (McCann). 2000;35:S24 (8th ICEM Abstracts)

Knee joint

The Waterford prognostic scoring system for soft tissue sports injury to the knee joint (a pilot study) (McCann). 2000;35:S24 (8th ICEM Abstracts)

Knowledge

Knowledge of child car seat safety in a tricultural southern California emergency department (Vaca et al). 2000;35:S56-S57 (8th ICEM Abstracts)

Managed care organization authorization denials: lack of patient knowledge and timely alternative ambulatory care (Viner et al). 2000;35:272-6

L

Lacerations

A comparison of SteriStrips versus glue for the closure of lacerations in a pediatric accident and emergency department (Mattick et al). 2000;35:S24 (8th ICEM Abstracts)

The efficacy of cyanoacrylate-derived surgical adhesive in the repair of lacerations during competitive athletics (Perron et al). 2000;35:S27 (8th ICEM Abstracts)

Pretibial lacerations: mechanisms of injury and possible preventive measures (O'Donnell and Leonard). 2000;35:S25 (8th ICEM Abstracts)

Lactate; see Lactic acid

Lactic acid, blood

Identifying occult hypoperfusion with serum lactate improves care of acute heart failure patients (Milzman et al). 2000;35:S51 (8th ICEM Abstracts)

Laparotomy

Decisionmaking in the urgent management of the adult hypotensive blunt trauma patient: torso operation or head CT scan? (Macken et al). 2000;35:S14 (8th ICEM Abstracts)

Laryngeal masks

Comparison of insertion of the laryngeal mask and the intubating laryngeal mask by the naive intubator (Choyce et al). 2000;35:S22 (8th ICEM Abstracts)

Use of the intubating laryngeal mask airway compared with laryngoscopic intubation among emergency medicine staff using both a mannequin and cadaver model (Lauder et al). 2000;35:S42 (8th ICEM Abstracts)

Laryngoscopy

Use of the intubating laryngeal mask airway compared with laryngoscopic intubation among emergency medicine staff using both a mannequin and cadaver model (Lauder et al). 2000;35:S42 (8th ICEM Abstracts)

Law; see Jurisprudence

Learning

How do emergency medicine residents learn compared with non-emergency medicine residents? A novel assessment of behavior and learning styles (Ramalanjaona and Calabro). 2000;35:S27 (8th ICEM Abstracts)

Leg

Utility of lower extremity venous ultrasound scanning in the diagnosis and exclusion of pulmonary embolism (Daniel et al). 2000;35:547-54

Leg injuries

Pretibial lacerations: mechanisms of injury and possible preventive measures (O'Donnell and Leonard). 2000;35:S25 (8th ICEM Abstracts)

Leukocyte count

The analysis of erythrocyte sedimentation rate, C-reactive protein, white blood cell count, and temperature in the diagnosis of acute endocarditis (Chuang et al). 2000;35:S34 (8th ICEM Abstracts)

Levalbuterol; See Albuterol

Liability, legal

Good samaritan protection (American College of Emergency Physicians). 2000;35:640 (Policy statement)

Lidocaine

Atomized lidocaine as topical anesthesia for nasogastric tube placement: a randomized, double-blind, placebo-controlled trial (Wolfe et al). 2000;35:420-5

Cerebral arterial gas embolism by helium: an unusual case successfully treated with hyperbaric oxygen and lidocaine (Mitchell et al). 2000;35:300-3 (Case rep.)

Liver abscess, diagnosis

The misdiagnosis of liver abscess in the emergency department (Chern et al). 2000;35:S36-S37 (8th ICEM Abstracts)

Lung diseases

Evaluation of a computerized esophageal detector device (CEDD) in patients with morbid obesity and severe pulmonary failure (Wolfe et al). 2000;35:S32 (8th ICEM Abstracts)

Lung diseases, obstructive

Heliox in severe exacerbation of chronic obstruction pul-

monary disease (Gerbeaux et al). 2000;35:S27 (8th ICEM Abstracts)

Lung diseases; see also Pulmonary

M

Magnesium

Accidental hypothermia: the effects of rewarming on plasma pH, ionized calcium, ionized magnesium, and serum parathyroid hormone (McInerney et al). 2000;35:S24 (8th ICEM Abstracts)

Malaria

The presentation and pitfalls of malaria in an urban inner-city emergency department (Hoffner et al). 2000;35:S31 (8th ICEM Abstracts)

Malpractice

Are we, as physicians, entitled to our frame of reference? (Propp). 2000;35:509-10 (Change of shift)

Managed care programs

Assuring that managed care organizations provide appropriate instructions regarding use of emergency departments (Johnson and Lev). 2000;35:198-9 (Letter)

Controversial company: the prudent layperson standard and the Patients' Bill of Rights (Asplin). 2000;35:304-7 (Health policy report)

Effect of a state definition of an "emergency medical condition" legislation on Medicaid managed care organization reimbursement (Irvin and Fox). 2000;35:283-6

Injury prevention and emergency medical services for children in a managed care environment (Moody-Williams et al). 2000;35:245-51 (Concepts)

Managed care organization authorization denials: lack of patient knowledge and timely alternative ambulatory care (Viner et al). 2000;35:272-6

Reimbursement impact of Medicaid managed care organizations replacing standard Medicaid (Irvin and Fox). 2000;35:287-90

Mandatory reporting

Mandatory reporting laws (Geiderman) (Letter); (Hourly et al) (Reply). 2000;35:403-4

Manuscripts, medical

Medical Publishing 101 (Keyes). 2000;35:89-91 (Residents' perspective)

Marijuana; see Cannabis

Maxillofacial injuries

Maxillofacial and globe injuries in motor vehicle crashes (Brookes and Wang). 2000;35:S21 (8th ICEM Abstracts)

Medicaid

Effect of a state definition of an "emergency medical condition" legislation on Medicaid managed care organization reimbursement (Irvin and Fox). 2000;35:283-6

Reimbursement impact of Medicaid managed care organizations replacing standard Medicaid (Irvin and Fox). 2000;35:287-90

Medical care team; see Patient care team

Medical errors

Medical errors and adverse events in the emergency department (Viner). 2000;35:S18 (8th ICEM Abstracts)

Medical futility

Determination of "futility" in emergency medicine (Marco et al). 2000;35:604-12 (Concepts)

Futility—*futilis*—the leaky vessel (Schmidt). 2000;35:615-7 (Editorial)

Medical history taking

Parents as direct contributors to the medical record: validation of their electronic input (Porter et al). 2000;35:346-52

Medical records systems, computerized

The emergency department system: computerization improved the quality of medical records (Lee et al). 2000;35:S64-S65 (8th ICEM Abstracts)

Parents as direct contributors to the medical record: validation of their electronic input (Porter et al). 2000;35:346-52

Medically uninsured

The uninsured: emergency medicine's challenge to our political leaders (Knopp et al). 2000;35:295-7 (Editorial)

Medicine, Chinese traditional

Traditional Chinese medicine: an epidemiologic study of its usage in emergency department patients in Hong Kong (Tse and Lau). 2000;35:S40 (8th ICEM Abstracts)

Medicine, herbal

The use of herbal medications among pediatric population at a large urban community hospital (McRae et al). 2000;35:S35-S36 (8th ICEM Abstracts)

Memory

The neuroprotective effects of dimethyl sulfoxide on memory following acute carbon monoxide poisoning in mice (Tomaszewski et al). 2000;35:S69 (8th ICEM Abstracts)

Meningitis, viral

Polymerase chain reaction diagnosis of enterovirus in children with aseptic meningitis (Silverman). 2000;35:S41 (8th ICEM Abstracts)

Mental health disorders

The prevalence of mental health disorder in accident and emergency (Lewis et al). 2000;35:S23-S24 (8th ICEM Abstracts)

Mentally disabled persons

Caring for the patient with mental retardation in the emergency department (Grossman et al). 2000;35:69-76 (Concepts)

Metabolic detoxification, drug

Ultrarapid opiate detoxification (Bulthuis and Diaz). 2000;35:100-1 (Letter)

Methanol, poisoning

Methanol intoxication (Sivilotti). 2000;35:313-4 (Letter)

Methemoglobinemia

Failure of intravenous N-acetylcysteine to reduce methemoglobin produced by sodium nitrite in human volunteers: a randomized controlled trial (Tanen et al). 2000;35:369-73

Mexico

Emergency medicine in Mexico (Garcia-Rosas and Bush). 2000;35:S72 (8th ICEM Abstracts)

Michigan

Effect of a state definition of an "emergency medical condition" legislation on Medicaid managed care organization reimbursement (Irvin and Fox). 2000;35:283-6

Midazolam

Does adjunctive midazolam reduce recovery agitation after ketamine sedation for pediatric procedures? A randomized double-blind, placebo-controlled trial (Sherwin et al). 2000;35:229-38

Midazolam with ketamine: who benefits? (Kennedy and McAllister). 2000;35:297-9 (Editorial)

Migraine

Rizatriptan for severe migraine in the emergency department (Derazon et al). 2000;35:S66 (8th ICEM Abstracts)

Military medicine

Civil-military cooperation in the Kosovo crisis (Brad and Drummond). 2000;35:S52 (8th ICEM Abstracts)

Mobile health units

Computerization of a mobile intensive care unit. An experience with emergency telemedicine (Valverde and Cosano). 2000;35:S71 (8th ICEM Abstracts)

Eighty-four percent of hypoglycemic patients stay at home after prehospital treatment in Copenhagen (Anderson et al). 2000;35:S65 (8th ICEM Abstracts)

Frequency of prehospital endotracheal intubation in a physician-based emergency medical services system (Hogskilde et al). 2000;35:S65 (8th ICEM Abstracts)

Models, educational

A comparison of teaching models for focused abdominal sonography for trauma (Salen et al). 2000;35:S39 (8th ICEM Abstracts)

Monitoring

Bi-spectral index monitoring of the electroencephalogram correlates with sedation scales during emergency department conscious sedation (McHugh and Vissers). 2000;35:S49 (8th ICEM Abstracts)

Monitoring, respiratory

The new PEP respiratory monitor in the A&E—the latest answer to a long-existing problem (Murali et al). 2000;35:S5 (8th ICEM Abstracts)

Morphine

Nausea and opioid use in an emergency medicine setting (Gossman et al). 2000;35:S35 (8th ICEM Abstracts)

Mortality

Alcohol-related fatal crash rates for youth reach historic low: strategies for combating juvenile DUI (National Highway Traffic Safety Administration). 2000;35:192-3

Commentary: juvenile DUI—more work to be done (Jolly). 2000;35:193 (NHTSA Notes commentary)

Injury control in Honduras: a survey of injury mortality (Richman et al). 2000;35:S49 (8th ICEM Abstracts)

Lethality of firearm-related injuries in the United States population (Beaman et al). 2000;35:258-66

Poisoning mortality in the United States: comparison of national mortality statistics and poison control center reports (Hoppe-Roberts et al). 2000;35:440-8

Motor vehicles

Knowledge of child car seat safety in a tricultural southern California emergency department (Vaca et al). 2000;35:S56-S57 (8th ICEM Abstracts)

Motor vehicles; see also Accidents, traffic

Motorcycles

Pattern of injuries in helmeted motorcyclists in Singapore (Tham et al). 2000;35:S64 (8th ICEM Abstracts)

Multiple myeloma

Unusual cause of chest pain in a 60-year-old woman (Harbick et al). 2000;35:382-90

Multiple organ failure

Use of plasma DNA analysis in the derivation of early prediction rules for posttraumatic organ failure (Rainer et al). 2000;35:S15 (8th ICEM Abstracts)

Munchausen syndrome by proxy

Part 8 reviews—do we ever learn? (Gosnold). 2000;35:S4 (8th ICEM Abstracts)

Musculoskeletal system

A comparison of ketoprofen and diclofenac for acute musculoskeletal pain: a randomized clinical trial (Ng et al). 2000;35:S70 (8th ICEM Abstracts)

Mycobacterium tuberculosis

The efficacy of the amplified *Mycobacterium tuberculosis* direct test in screening for pulmonary tuberculosis in an emergency department population (Sullivan et al). 2000;35:S60 (8th ICEM Abstracts)

Myocardial infarction

Chest pain centers: diagnosis of acute coronary syndromes (Storrow and Gibler). 2000;35:449-60 (State of the art)

Clinical policy: critical issues in the evaluation and management of adult patients presenting with suspected acute myocardial infarction or unstable angina (American College of Emergency Physicians). 2000;35:521-44 (Clinical policy)

Diagnostic accuracy of myoglobin concentration for the early diagnosis of acute myocardial infarction (de Winter et al). 2000;35:113-20

Electrocardiographic ST-segment elevation: correct identification of AMI and non-AMI syndromes by emergency physicians—

- preliminary results (Brady et al). 2000;35:S27-S28 (8th ICEM Abstracts)
- National Heart Attack Alert Program position paper: chest pain centers and programs for the evaluation of acute cardiac ischemia (Zalenski et al). 2000;35:462-71 (Concepts)
- Outcomes in acute myocardial infarction patients transferred for acute angioplasty (Silva et al). 2000;35:S68 (8th ICEM Abstracts)
- Prediction of short-term outcome in patients with suspected myocardial infarction (Porela et al). 2000;35:413-20
- Prehospital administration of reteplase in patients with acute myocardial infarction (Rosenberg et al). 2000;35:S7 (8th ICEM Abstracts)
- A randomized controlled trial of leixipafant, a platelet-activating factor (PAF) antagonist, on streptokinase-induced hypotension in acute myocardial infarction (AMI) (Taylor et al). 2000;35:S7 (8th ICEM Abstracts)
- Successful cricothyrotomy after thrombolytic therapy for acute myocardial infarction: a report of two cases (Walls and Pollack). 2000;35:188-91 (Case rep.)
- Thrombolysis for acute myocardial infarction: those missed, and why. Strive for the ideal (Truesdale and Buchanan). 2000;35:S8 (8th ICEM Abstracts)
- Tissue plasminogen activator in pediatric myocardial infarction (Krendel et al). 2000;35:502-5 (Case rep.)
- Trouble with troponin I in initial screening for acute myocardial infarction (Milzman et al). 2000;35:S50 (8th ICEM Abstracts)
- Viral myocarditis presenting with seizure and electrocardiographic findings of acute myocardial infarction in a 14-month-old child (Cunningham et al). 2000;35:618-22 (Case rep.)
- Myocardial ischemia**
- Arterial serum adenosine levels in patients undergoing coronary artery angioplasty (Dickson et al). 2000;35:S53 (8th ICEM Abstracts)
- Chest pain centers: diagnosis of acute coronary syndromes (Storrow and Gibler). 2000;35:449-60 (State of the art)
- National Heart Attack Alert Program position paper: chest pain centers and programs for the evaluation of acute cardiac ischemia (Zalenski et al). 2000;35:462-71 (Concepts)
- Myocardial ischemia; see also Coronary disease;**
- Myocardial infarction**
- Myocarditis**
- Viral myocarditis presenting with seizure and electrocardiographic findings of acute myocardial infarction in a 14-month-old child (Cunningham et al). 2000;35:618-22 (Case rep.)
- Myoglobin**
- Diagnostic accuracy of myoglobin concentration for the early diagnosis of acute myocardial infarction (de Winter et al). 2000;35:113-20
- The utility of serum markers of muscle degradation in detecting ectopic pregnancy (Birkhahn et al). 2000;35:S46 (8th ICEM Abstracts)
- Myosin**
- The utility of serum markers of muscle degradation in detecting ectopic pregnancy (Birkhahn et al). 2000;35:S46 (8th ICEM Abstracts)
- N**
- N-acetylcysteine**
- Characteristics and clinical course of patients who ingest repeated supratherapeutic doses of acetaminophen (O'Malley et al). 2000;35:S15 (8th ICEM Abstracts)
- Failure of intravenous N-acetylcysteine to reduce methemoglobin produced by sodium nitrite in human volunteers: a randomized controlled trial (Tanen et al). 2000;35:369-73

- Shorter duration of oral N-acetylcysteine therapy for acute acetaminophen overdose (Woo et al). 2000;35:363-8
- Nalbuphine**
- The effects of prehospital nalbuphine on emergency department analgesia (Volans). 2000;35:S5-S6 (8th ICEM Abstracts)
- Narcotics**
- Nausea and opioid use in an emergency medicine setting (Gossman et al). 2000;35:S35 (8th ICEM Abstracts)
- Potential for Duragesic patch abuse (Purucker and Swann). 2000;35:314 (Letter)
- A prospective study of opioid overdose (Daly et al). 2000;35:S30 (8th ICEM Abstracts)
- Ultrarapid opiate detoxification (Bulthuis and Diaz). 2000;35:100-1 (Letter)
- National Center for Health Statistics**
- Poisoning mortality in the United States: comparison of national mortality statistics and poison control center reports (Hoppe-Roberts et al). 2000;35:440-8
- National health insurance, United States**
- The uninsured: emergency medicine's challenge to our political leaders (Knopp et al). 2000;35:295-7 (Editorial)
- National Institutes of Health**
- Use of the National Institutes of Health Stroke Scale in the emergency department setting (Yaeger et al). 2000;35:628-9 (Letter)
- Natural disasters**
- Emergency medical assistance team response following the Taiwan earthquake (Hsu et al). 2000;35:S14 (8th ICEM Abstracts)
- The management of mass casualties of serious earthquake in China (Chen). 2000;35:S58-S59 (8th ICEM Abstracts)
- Neck injuries**
- Emergency airway management in penetrating neck injury (Mandavia et al). 2000;35:221-5
- Factors associated with head and neck injury in air bag-deployed crashes (Gregory et al). 2000;35:S38 (8th ICEM Abstracts)
- Needlestick injuries**
- A survey of needlestick injuries in paramedics and technicians in the West Yorkshire Metropolitan Ambulance Service (Gaffney et al). 2000;35:S21-S22 (8th ICEM Abstracts)
- Needs assessment**
- Psychosocial needs of young persons who are victims of interpersonal violence (Zun and Rosen). 2000;35:S29 (8th ICEM Abstracts)
- New York**
- Inadequate hospital reimbursement for victims of motor vehicle crashes due to health reform legislation (Henry et al). 2000;35:277-82
- Nitric oxide**
- Endogenous mediators in emergency department patients with presumed sepsis: are levels associated with progression to severe sepsis and death? (Terregino et al). 2000;35:26-34
- Small-dose inhaled nitric oxide and pulmonary embolism (Tanus-Santos and Moreno) (Letter). (Schenk et al) (Reply). 2000;35:511-2
- Noise, prevention & control**
- How to reduce the noise level in emergency department (Hung et al). 2000;35:S11 (8th ICEM Abstracts)
- Nuclear warfare**
- Emergency medicine resident preparedness for the threat of weapons of mass destruction: results of a national residency program director survey (Bonucci et al). 2000;35:S38 (8th ICEM Abstracts)
- Nursing**
- Development of emergency nursing in the Sultanate of Oman

- (Smith and Randolph). 2000;35:S63-S64 (8th ICEM Abstracts)
- How do nurses train for the role of triage in Australasia? (Kelly and Richardson). 2000;35:S37 (8th ICEM Abstracts)
- Nurse-initiated radiographs in distal limb injuries: a change of practice (Fry and Holdgate). 2000;35:S30-S31 (8th ICEM Abstracts)
- Quality assurance of nurse triage: consistency of results over three years (Emile et al). 2000;35:S26-S27 (8th ICEM Abstracts)
- Sexual assault nurse examiner programs in the United States (Ciancone et al). 2000;35:353-7
- Telephone triage (Rutenberg) (Letter); (Schmitt) (Letter); (Sapient and Brillman) (Reply). 2000;35:98-100
- Thank you, Melissa (Layne). 2000;35:401-2 (Change of shift)
- Nutritional status**
- Impact of body habitus and nutritional adequacy on outcome in acute heart failure (Milzman et al). 2000;35:S50-S51 (8th ICEM Abstracts)

O

- Obesity**
- Body mass index and acute asthma severity among adult emergency department patients (Kenney et al). 2000;35:S62 (8th ICEM Abstracts)
- Obesity, morbid**
- Evaluation of a computerized esophageal detector device (CEDD) in patients with morbid obesity and severe pulmonary failure (Wolfe et al). 2000;35:S32 (8th ICEM Abstracts)
- Impact of body habitus and nutritional adequacy on outcome in acute heart failure (Milzman et al). 2000;35:S50-S51 (8th ICEM Abstracts)
- Observation**
- A comparison of pediatric versus adult observation medicine patients (Mace). 2000;35:S61 (8th ICEM Abstracts)
- Improved outcomes chest pain evaluation with implementation observation units in a multihospital network (Graff et al). 2000;35:S31 (8th ICEM Abstracts)
- Observation improves CT scan utilization in abdominal pain evaluation for appendicitis (Graff et al). 2000;35:S31 (8th ICEM Abstracts)
- Observation medicine in academic emergency departments (Mace and Jatin Shan). 2000;35:S60 (8th ICEM Abstracts)
- Observer variability in injury coding and its effect on subsequent trauma outcome analysis (Tam et al). 2000;35:S9 (8th ICEM Abstracts)
- Pretreatment for endotracheal intubation in head injury: a prospective observational survey (Filbin et al). 2000;35:S66 (8th ICEM Abstracts)
- Occupational exposure**
- Blood and body fluid exposures: where does follow-up begin? (Howarth). 2000;35:82-3 (Editorial)
- Clinical exposure to life-threatening situations in emergency medicine during a Canadian family medicine residency program (Carpenter et al). 2000;35:S9-S10 (8th ICEM Abstracts)
- Emergency department management of blood and body fluid exposures (Moran). 2000;35:47-62 (State of the art)
- A survey of needlestick injuries in paramedics and technicians in the West Yorkshire Metropolitan Ambulance Service (Gaffney et al). 2000;35:S21-S22 (8th ICEM Abstracts)
- Odors**
- Diagnostic odor recognition (Phan et al). 2000;35:S67 (8th ICEM Abstracts)
- Oman**
- Development of emergency nursing in the Sultanate of Oman (Smith and Randolph). 2000;35:S63-S64 (8th ICEM Abstracts)

Ophthalmic solutions

Safety and efficacy of diclofenac ophthalmic solution in the treatment of corneal abrasions (Szucs et al). 2000;35:131-7

Opioids; see Narcotics

Outpatient care; see Ambulatory care

Overdose

Accidental overdose among injecting drug users in Dublin (Cunningham et al). 2000;35:S21 (8th ICEM Abstracts)

Cardiotoxicity associated with bupropion overdose (Shrier et al). 2000;35:100 (Letter)

Characteristics and clinical course of patients who ingest repeated supratherapeutic doses of acetaminophen (O'Malley et al). 2000;35:S15 (8th ICEM Abstracts)

A comparison of physostigmine and benzodiazepines for the treatment of anticholinergic poisoning (Burns et al). 2000;35:374-81

Does transportation by ambulance decrease time to gastrointestinal decontamination after overdose? (Wolsey and McKinney). 2000;35:579-84

Efficacy of gastric decontamination in paracetamol (acetaminophen) overdose (Gupta et al). 2000;35:S23 (8th ICEM Abstracts)

Paracetamol overdose—the severity, management, and complications (Lam et al). 2000;35:S70 (8th ICEM Abstracts)

Potential for Duragesic patch abuse (Purucker and Swann). 2000;35:314 (Letter)

A prospective study of opioid overdose (Daly et al). 2000;35:S30 (8th ICEM Abstracts)

Rhabdomyolysis in doxylamine succinate overdose (Oh et al). 2000;35:S14 (8th ICEM Abstracts)

Shorter duration of oral N-acetylcysteine therapy for acute acetaminophen overdose (Woo et al). 2000;35:363-8

Ventricular tachycardia after Chinese herbal medication ingestion (So et al). 2000;35:S70 (8th ICEM Abstracts)

Overdose; see also Poisoning

Oxygen inhalation therapy

Heliox in severe exacerbation of chronic obstructive pulmonary disease (Gerbeaux et al). 2000;35:S27 (8th ICEM Abstracts)

Oxygenation, hyperbaric; see Hyperbaric oxygenation

P

Pain

Acute pain and pain control: state of the art (Ducharme). 2000;35:592-603 (State of the art)

A comparison of ketoprofen and diclofenac for acute musculoskeletal pain: a randomized clinical trial (Ng et al). 2000;35:S70 (8th ICEM Abstracts)

Pain measurement

Lack of correlation between parent and child visual analog scale pain scores: a challenge for pediatric pain and analgesia research? (Kelly et al). 2000;35:S8 (8th ICEM Abstracts)

Patient preferences regarding pain medication in the emergency department (Beel et al). 2000;35:S28 (8th ICEM Abstracts)

What is the minimum clinically significant change in visual analog scale pain score for children? (Powell et al). 2000;35:S37-S38 (8th ICEM Abstracts)

Pain; see also Abdominal pain; Chest pain

Paracetamol; see Acetaminophen

Paramedics; see Emergency medical technicians

Parathyroid hormones

Accidental hypothermia: the effects of rewarming on plasma pH, ionized calcium, ionized magnesium, and serum parathyroid hormone (McInerney et al). 2000;35:S24 (8th ICEM Abstracts)

Parents

Lack of correlation between parent and child visual analog scale pain scores: a challenge for pediatric pain and anal-

gesia research? (Kelly et al). 2000;35:S8 (8th ICEM Abstracts)

Letter from the lady on bed 3 (Geiderman). 2000;35:626-7 (Change of shift)

Parents as direct contributors to the medical record: validation of their electronic input (Porter et al). 2000;35:348-52

Selective omission (Stephens). 2000;35:96-7 (Change of shift)

Patient acceptance of health care

The role of on-line medical control in elderly patients who initially refuse medical transport (Richmond et al). 2000;35:S41 (8th ICEM Abstracts)

Patient admission

A comparison of medical admissions by an accident and emergency clinician and an on-call medical team (Murphy et al). 2000;35:S24-S25 (8th ICEM Abstracts)

Patient care team

A comparison of medical admissions by an accident and emergency clinician and an on-call medical team (Murphy et al). 2000;35:S24-S25 (8th ICEM Abstracts)

Patient discharge

Single triple-enzyme testing on presentation to the emergency department is insufficient evidence when sending acute coronary syndrome patients home: results from the RACE study (Bohan and Patel). 2000;35:S63 (8th ICEM Abstracts)

Patient education

Assuring that managed care organizations provide appropriate instructions regarding use of emergency departments (Johnson and Lev). 2000;35:198-9 (Letter)

Critically ill late presenters to an emergency department (Rodriguez et al). 2000;35:S17 (8th ICEM Abstracts)

Patient isolation

Implementation of an emergency department triage procedure for the detection and isolation of patients with active pulmonary tuberculosis (Sokolove et al). 2000;35:327-36

Patient readmission

A comprehensive assessment of avoidability of return visits in a population of emergency department discharged patients (Lang et al). 2000;35:S11-S12 (8th ICEM Abstracts)

Interventions to decrease emergency department overcrowding: impact on emergency department return visits and hospital readmissions (Afilalo et al). 2000;35:S12 (8th ICEM Abstracts)

Patient satisfaction

Breakthrough in Australia (Virtue et al). 2000;35:S42 (8th ICEM Abstracts)

Determinants of patient satisfaction and willingness to return with emergency care (Sun et al). 2000;35:426-34

Emergency department customer satisfaction: the point of view paradox (Schwab). 2000;35:499-501 (Editorial)

Emergency department staff estimates of patient satisfaction: the squeaky wheel gets the grease (Boudreaux et al). 2000;35:S45 (8th ICEM Abstracts)

Patient complaints and the level of activity in the emergency department: is there a relationship? (Kovacs et al). 2000;35:S18-S19 (8th ICEM Abstracts)

Patient preferences regarding pain medication in the emergency department (Beel et al). 2000;35:S28 (8th ICEM Abstracts)

Patient transfer

Outcomes in acute myocardial infarction patients transferred for acute angioplasty (Silva et al). 2000;35:S68 (8th ICEM Abstracts)

A survey on patients leaving against medical advice (AMA) who required secondary transfer to the emergency department (Siu et al). 2000;35:S57 (8th ICEM Abstracts)

Pediatric; see Child

Peer review

Medical Publishing 101 (Keyes). 2000;35:89-91 (Residents' perspective)

Penicillin resistance

Geographic variation in penicillin resistance in *Streptococcus pneumoniae*: selected sites, United States, 1997 (Centers for Disease Control and Prevention); Commentary (Paterick and Pollack). 2000;35:506-9

Pentobarbital

Pentobarbital for control of acute delirium due to γ -butyrolactone withdrawal (Sivilotti et al). 2000;35:S52-S53 (8th ICEM Abstracts)

Percussion

Use of percussion as a screening tool in the diagnosis of occult hip fractures (Tiru et al). 2000;35:S28 (8th ICEM Abstracts)

Perfluorocarbons; see Fluorocarbons

Pericardial effusion

Efficacy of porcine model for demonstrating pericardial effusion with real-time ultrasound (Epter et al). 2000;35:S67 (8th ICEM Abstracts)

pH; see Hydrogen-ion concentration

Phlebography

Utility of lower extremity venous ultrasound scanning in the diagnosis and exclusion of pulmonary embolism (Daniel et al). 2000;35:547-54

Physical examination

Physical diagnosis in the emergency department: an innovative educational program for medical students (Crowley et al). 2000;35:S14-S15 (8th ICEM Abstracts)

Physicians

Are we, as physicians, entitled to our frame of reference? (Propp). 2000;35:509-10 (Change of shift)

Continuing medical education in emergency medicine: detailing to the process of change: does it impact on changing physician behavior? (McCauley and Gelula). 2000;35:S9 (8th ICEM Abstracts)

Early analgesia for acute surgical abdomen: attitude of Hong Kong emergency physicians (Yuen and Lau). 2000;35:S48 (8th ICEM Abstracts)

Emergency physicians' patient care responsibilities outside of the emergency department (American College of Emergency Physicians). 2000;35:209 (Policy statement)

Family leave of absence (American College of Emergency Physicians). 2000;35:209-10 (Policy statement)

The implementation of a forward-rotating template schedule and the effects on physician wellness (Veser et al). 2000;35:S50 (8th ICEM Abstracts)

Improvement in efficiency with medical seniority (Richardson). 2000;35:S10-S11 (8th ICEM Abstracts)

Letter from the lady on bed 3 (Geiderman). 2000;35:626-7 (Change of shift)

Physostigmine

A comparison of physostigmine and benzodiazepines for the treatment of anticholinergic poisoning (Burns et al). 2000;35:374-81

Planning; see Health planning

Plant poisoning

Jatropha multifida plant intoxication (Yotam et al). 2000;35:S30 (8th ICEM Abstracts)

Platelet activating factor, antagonists & inhibitors

A randomized controlled trial of lexipafant, a platelet-activating factor (PAF) antagonist, on streptokinase-induced hypotension in acute myocardial infarction (AMI) (Taylor et al). 2000;35:S7 (8th ICEM Abstracts)

Pneumococcal infections

Geographic variation in penicillin resistance in *Streptococcus pneumoniae*: selected sites, United States, 1997 (Centers for Disease Control and Prevention); Commentary (Paterick and Pollack). 2000;35:506-9

Pneumonia

Community-acquired pneumonia: implementation of a predic-

tion rule to guide selection for outpatient treatment (Chan et al). 2000;35:S55 (8th ICeM Abstracts)

Poison control centers
Assessment of clinical policy for the initial approach to patients presenting with acute toxic ingestion or dermal or inhalation exposure (Casavant) (Letter); (Kuffner) (Reply). 2000;35:196-7
Harmonization of data collection on poisonings (Ruse et al). 2000;35:512-13 (Letter)

Poisoning mortality in the United States: comparison of national mortality statistics and poison control center reports (Hoppe-Roberts et al). 2000;35:440-8

Poisoning
Assessment of clinical policy for the initial approach to patients presenting with acute toxic ingestion or dermal or inhalation exposure (Casavant) (Letter); (Kuffner) (Reply). 2000;35:196-7
A comparison of physostigmine and benzodiazepines for the treatment of anticholinergic poisoning (Burns et al). 2000;35:374-81
Gastric lavage for liquid poisons (Grierson et al). 2000;35:435-9
Harmonization of data collection on poisonings (Ruse et al). 2000;35:512-13 (Letter)

Jatropha multifida plant intoxication (Yotam et al). 2000;35:S30 (8th ICeM Abstracts)

Methanol intoxication (Sivillotti). 2000;35:313-14 (Letter)

Neutralization of *Latrodectus hesperus* venom by antivenom raised against *Latrodectus hasselti* in a murine model (Daly et al). 2000;35:S57-S58 (8th ICeM Abstracts)

Poisoning accidents with children in the home setting: one-year experience in Campinas, Brazil (Baracat et al). 2000;35:S7 (8th ICeM Abstracts)

Poisoning mortality in the United States: comparison of national mortality statistics and poison control center reports (Hoppe-Roberts et al). 2000;35:440-8

Potential for Duragesic patch abuse (Purucker and Swann). 2000;35:314 (Letter)

Rhabdomyolysis in doxylamine succinate overdose (Oh et al). 2000;35:S14 (8th ICeM Abstracts)

Toxicologic problems at the pediatric emergency department of the "Dr. Gaudencio Gonzalez Garza" Hospital at the "La Raza" National Medical Center, Mexican Social Security Institute (Loria-Castellanos et al). 2000;35:S47 (8th ICeM Abstracts)

Wood preservative poisoning (Emile et al). 2000;35:S26 (8th ICeM Abstracts)

Poisoning; see also Acetaminophen, poisoning; Carbon monoxide poisoning; Fishes, poisonous; Food poisoning; Overdose

Policy statements
Emergency physicians' patient care responsibilities outside of the emergency department (American College of Emergency Physicians). 2000;35:209 (Policy statement)

Family leave of absence (American College of Emergency Physicians). 2000;35:209-10 (Policy statement)

Good samaritan protection (American College of Emergency Physicians). 2000;35:640 (Policy statement)

Handling of hazardous materials (American College of Emergency Physicians). 2000;35:110 (Policy statement)

Hospital, medical staff, and payer responsibility for emergency department patients (American College of Emergency Physicians). 2000;35:210-1 (Policy statement)

Injury control/trauma data banks (American College of Emergency Physicians). 2000;35:211 (Policy statement)

Out-of-hospital 12-lead ECG (American College of Emergency Physicians). 2000;35:110-1 (Policy statement)

Public training in cardiopulmonary resuscitation and public access defibrillation (American College of Emergency Physicians). 2000;35:640-1 (Policy statement)

Universal bicycle helmet use (American College of Emergency Physicians). 2000;35:111 (Policy statement)

Polymerase chain reaction
Polymerase chain reaction diagnosis of enterovirus in children with aseptic meningitis (Silverman). 2000;35:S41 (8th ICeM Abstracts)

Postoperative care
Implementing a postoperative wound care policy in the accident and emergency department (Steinman et al). 2000;35:S67 (8th ICeM Abstracts)

Potassium
The alcohol wake-up study: a randomized controlled trial evaluating an infusion of potassium, insulin, and glucose as a treatment for reversing the effects of intoxication with alcohol (Poncia et al). 2000;35:S25 (8th ICeM Abstracts)

Poverty
Association between social deprivation and trauma in Scotland (Corfield et al). 2000;35:S22-S23 (8th ICeM Abstracts)

Coronary triage unit in an indigent county population (Henderson et al). 2000;35:S51-S52 (8th ICeM Abstracts)

Demographics, descriptions, diagnosis, and disposition of 1,677 chest pain patients in an inner-city acute care hospital (Henderson et al). 2000;35:S52 (8th ICeM Abstracts)

Pregnancy, ectopic
The utility of serum markers of muscle degradation in detecting ectopic pregnancy (Birkhahn et al). 2000;35:S46 (8th ICeM Abstracts)

Prehospital emergency care; see Emergency medical services; Emergency medical technicians

Priapism
Priapism after androstenedione intake for athletic performance enhancement (Kachhi and Henderson). 2000;35:391-3 (Case rep.)

Prospective payment system
Association between prepayment systems and emergency medical services use among patients with acute chest discomfort syndrome (Siepmann et al). 2000;35:573-8

Psoriasis abscess
The clinical manifestations and diagnosis of psoriasis abscess in the emergency department (How et al). 2000;35:S36 (8th ICeM Abstracts)

Psychology
The ability of cause of accident to predict psychological outcome among male accident and emergency attenders (Mason et al). 2000;35:S4 (8th ICeM Abstracts)

Psychosocial needs of young persons who are victims of interpersonal violence (Zun and Rosen). 2000;35:S29 (8th ICeM Abstracts)

Public opinion
Are we, as physicians, entitled to our frame of reference? (Propp). 2000;35:509-10 (Change of shift)

The Ottawa Ankle Rules: how confident are our patients? (Rosenbaum et al). 2000;35:S42 (8th ICeM Abstracts)

Publishing
Medical Publishing 101 (Keyes). 2000;35:89-91 (Residents' perspective)

Pulmonary disease; see Lung diseases

Pulmonary edema
Acute pulmonary edema in the emergency department: clinical and echocardiographic survey in an aged population (Bentancur et al). 2000;35:S57 (8th ICeM Abstracts)

Gender differences of echocardiographic findings in acute cardiogenic pulmonary edema (Silverman et al). 2000;35:S39 (8th ICeM Abstracts)

Randomised controlled trial of CPAP versus conventional ther-

apy in acute pulmonary oedema (Mackay et al). 2000;35:S48 (8th ICeM Abstracts)

Pulmonary embolism
Clots in the lung (Gallagher). 2000;35:181-7 (Editorial)

Outcome of patients undergoing ventilation-perfusion lung scanning for suspected pulmonary thromboembolic disease (Mackay et al). 2000;35:S39 (8th ICeM Abstracts)

Small-dose inhaled nitric oxide and pulmonary embolism (Tanus-Santos and Moreno) (Letter); (Schenk et al) (Reply). 2000;35:511-2

Pulmonary embolism, diagnosis
Lung spiral computed tomographic scan versus lung perfusion scan for the diagnosis of pulmonary embolism. A more specific tool (Petrino et al). 2000;35:S71 (8th ICeM Abstracts)

A negative SimpliRED D-dimer assay result does not exclude the diagnosis of deep vein thrombosis or pulmonary embolism in emergency department patients (Farrell et al). 2000;35:121-5

New diagnostic tests for pulmonary embolism (Kline et al). 2000;35:168-80 (Review)

Pulmonary embolism diagnosis strategies in the emergency department (Fournier et al). 2000;35:S47-S48 (8th ICeM Abstracts)

Utility of lower extremity venous ultrasound scanning in the diagnosis and exclusion of pulmonary embolism (Daniel et al). 2000;35:S47-54

Pulmonary ventilation
Thermodynamic and initial laboratory evidence supporting the use of perfluorocarbon liquid ventilation in the treatment of hypothermia (Dickson et al). 2000;35:S53-S54 (8th ICeM Abstracts)

Outcome of patients undergoing ventilation-perfusion lung scanning for suspected pulmonary thromboembolic disease (Mackay et al). 2000;35:S39 (8th ICeM Abstracts)

Treatment of hypothermia-induced ventricular fibrillation with warm lavage perfluorocarbon ventilation (Dickson et al). 2000;35:S54 (8th ICeM Abstracts)

Pyelography; see Urography

Pylonephritis
Efficacy and tolerance of inpatient versus outpatient management of acute uncomplicated pyelonephritis. Preliminary results in 502 patients randomized in 16 emergency departments (Elkharrat et al). 2000;35:S15-S16 (8th ICeM Abstracts)

Q

Quality assurance, health care
Quality assurance of nurse triage: consistency of results over three years (Emile et al). 2000;35:S26-S27 (8th ICeM Abstracts)

Quality indicators, health care
Adherence index to protocols as a quality indicator of the emergency coordination center activities (Cosano et al). 2000;35:S71 (8th ICeM Abstracts)

Quality of health care
Breakthrough in Australia (Virtue et al). 2000;35:S42 (8th ICeM Abstracts)

Determinants of patient satisfaction and willingness to return with emergency care (Sun et al). 2000;35:426-34

Does implementation of an asthma pathway improve the quality of care in a high-volume emergency department? (Cuculino et al). 2000;35:S43 (8th ICeM Abstracts)

Emergency department customer satisfaction: the point of view paradox (Schwab). 2000;35:499-501 (Editorial)

R

Race; see Ethnic groups

Radiography
Nurse-initiated radiographs in distal limb injuries: a change of

practice (Fry and Holdgate). 2000;35:S30-S31 (8th ICEM Abstracts)

Radiography, instrumentation
Right first time—the use of an aluminum filter to improve visualization of the cervicothoracic junction on the lateral cervical spine x-ray (MacNamara et al). 2000;35:S4 (8th ICEM Abstracts)

Radionuclide imaging
The impact of technetium 99m sestamibi imaging on clinical management algorithms (Knott et al). 2000;35:S29 (8th ICEM Abstracts)

Recreation
Comparison of concert injuries: body surfing in the mosh pit versus standard in-seat audience patterns (Milzman et al). 2000;35:S51 (8th ICEM Abstracts)

Refugees
Civil-military cooperation in the Kosovo crisis (Bradt and Drummond). 2000;35:S52 (8th ICEM Abstracts)
A unique model of epidemic prevention and preparedness during a complex humanitarian emergency (Brennan and Raj). 2000;35:S69 (8th ICEM Abstracts)

Registries
Development of the Australasian National Trauma Registry (Richardson). 2000;35:S42 (8th ICEM Abstracts)

Relief work
Civil-military cooperation in the Kosovo crisis (Bradt and Drummond). 2000;35:S52 (8th ICEM Abstracts)
Humanitarian support: designing, building, and equipping an emergency department in Kosovo (Hodgetts). 2000;35:S23 (8th ICEM Abstracts)
Kosovar EMS: a postwar assessment (Vanier et al). 2000;35:S56 (8th ICEM Abstracts)
Professional development in Kosovo: issues in helping local Kosovar physicians create their own health care plan (Cranmer and Leaning). 2000;35:S53 (8th ICEM Abstracts)
A unique model of epidemic prevention and preparedness during a complex humanitarian emergency (Brennan and Raj). 2000;35:S69 (8th ICEM Abstracts)

Religion
Regular spiritual comfort for emergency patients (Huang and Yang). 2000;35:S44 (8th ICEM Abstracts)

Renal insufficiency; see Kidney failure

Research
Linking data for injury control research (Runge). 2000;35:613-5 (Editorial)

Research personnel
College research associates as screeners for firearms injury risk assessment in an urban community teaching hospital emergency department (Cordone et al). 2000;35:S59 (8th ICEM Abstracts)
Screening for women's health issues, including domestic violence, in the emergency department by college research associates (Sibley et al). 2000;35:S60 (8th ICEM Abstracts)

Residential facilities
Communication of preexisting advanced directives: impact on patient care in the emergency department (Hunwitt et al). 2000;35:S54 (8th ICEM Abstracts)
Developing a new model for transmitting advance directives from long-term care facilities to emergency departments (Pauls et al). 2000;35:S12 (8th ICEM Abstracts)

Residents' perspective
Residents' perspective. 2000;35:89-91, 394-7

Respiration
The new PEP respiratory monitor in the A&E—the latest

answer to a long-existing problem (Murali et al). 2000;35:S5 (8th ICEM Abstracts)

Respiratory illness
Emergency department physician interventions with respiratory patients who smoke (Becker et al). 2000;35:S63 (8th ICEM Abstracts)

Resuscitation
The changing workload patterns in the resuscitation room. (Paterson et al). 2000;35:S5 (8th ICEM Abstracts)
Evidence of myocardial complement activation following hemorrhagic shock and resuscitation (Craig et al). 2000;35:S33 (8th ICEM Abstracts)
Hypoglycemia and the ABC's (sugar) of pediatric resuscitation (Losek). 2000;35:43-6
International advanced resuscitation training in emergency medicine: the Guyana experience (Vizmeg et al). 2000;35:S58 (8th ICEM Abstracts)
Resuscitation from prolonged ventricular and induction of selective brain hypothermia via extracorporeal bypass (Mori et al). 2000;35:S8 (8th ICEM Abstracts)
Survival after failed out-of-hospital resuscitation from cardiac arrest by automated external defibrillator-equipped paramedics (Ali and Verbeek). 2000;35:S11 (8th ICEM Abstracts)
Wide interresponder procedure variability suggests need for national standards in emergency medicine (Lotfi-pour et al). 2000;35:S17 (8th ICEM Abstracts)

Resuscitation orders
Determination of "futility" in emergency medicine (Marco et al). 2000;35:604-12 (Concepts)
Futility—*futiles*—the leaky vessel (Schmidt). 2000;35:615-7 (Editorial)

Resuscitation; see also Cardiopulmonary resuscitation

Retepase
Prehospital administration of reteplase in patients with acute myocardial infarction (Rosenberg et al). 2000;35:S7 (8th ICEM Abstracts)

Reviews
Reviews. 2000;35:168-80

Reviews; see also Book reviews

Rewarming
Accidental hypothermia: the effects of rewarming on plasma pH, ionized calcium, ionized magnesium, and serum parathyroid hormone (McInerney et al). 2000;35:S24 (8th ICEM Abstracts)
Resistive heating is more effective than metallic-foil insulation in an experimental model of accidental hypothermia: a randomized controlled trial (Greif et al). 2000;35:337-45
Thermodynamic and initial laboratory evidence supporting the use of perfluorocarbon liquid ventilation in the treatment of hypothermia (Dickson et al). 2000;35:S53-S54 (8th ICEM Abstracts)
Treatment of hypothermia-induced ventricular fibrillation with warm lavage perfluorocarbon ventilation (Dickson et al). 2000;35:S54 (8th ICEM Abstracts)

Rhabdomyolysis
Rhabdomyolysis in doxylamine succinate overdose (Oh et al). 2000;35:S14 (8th ICEM Abstracts)

Ricin, poisoning
Jatropha multifida plant intoxication (Yotam et al). 2000;35:S30 (8th ICEM Abstracts)

Risk assessment
College research associates as screeners for firearms injury risk assessment in an urban community teaching hospital emergency department (Cordone et al). 2000;35:S59 (8th ICEM Abstracts)

Community-acquired pneumonia: implementation of a prediction rule to guide selection for outpatient treatment (Chan et al). 2000;35:S55 (8th ICEM Abstracts)
Emergency department screening for cardiovascular risk factors (Razzak et al). 2000;35:S59 (8th ICEM Abstracts)
Prediction of short-term outcome in patients with suspected myocardial infarction (Porela et al). 2000;35:413-20
Quantifying risk in elderly people attending accident and emergency departments with a fall: results from the Prevention of Falls in the Elderly Trial (PROFET) (Close et al). 2000;35:S21 (8th ICEM Abstracts)
Utility of pretest probability to assess the risk of abnormal head computed tomographic scans: can risk stratification be used to eliminate scanning in low-risk patients? (Leisey et al). 2000;35:S43 (8th ICEM Abstracts)

Risk assessment; see also Triage

Risk-taking
Health risk behaviors by domestic violence status in a random emergency department sample (Larkin and Hyman). 2000;35:S28 (8th ICEM Abstracts)

Rizatriptan
Rizatriptan for severe migraine in the emergency department (Derazon et al). 2000;35:S66 (8th ICEM Abstracts)

Rural health services
Injury control in Honduras: a survey of injury mortality (Richman et al). 2000;35:S49 (8th ICEM Abstracts)
Rural platform of the Project HECTOR: an aid for emergencies in isolated areas (Sanchez et al). 2000;35:S20 (8th ICEM Abstracts)
Urban vs rural trauma outcome study (McGuffie et al). 2000;35:S4-S5 (8th ICEM Abstracts)

S

Safety
Just how safe and secure is your emergency department? (LaMar and Manthey). 2000;35:S46-S47 (8th ICEM Abstracts)

Salbutamol; see Albuterol

Saudi Arabia
Sports injuries in the western region of Saudi Arabia (Ansari). 2000;35:S20 (8th ICEM Abstracts)

Scapula
Accuracy of day 4 bone scans and efficacy of clinical findings in the assessment of patients with clinical scapoid fractures (Woolfrey et al). 2000;35:S29 (8th ICEM Abstracts)

Schedules; see Appointments and schedules

Schools
The role of emergency physicians in the care of the child in school (Abrunzo et al). 2000;35:155-61 (Concepts)

Scintigraphy; see Radionuclide imaging

Security measures
Just how safe and secure is your emergency department? (LaMar and Manthey). 2000;35:S46-S47 (8th ICEM Abstracts)

Sedation, conscious; See Conscious sedation

Seizures
Generalized seizures associated with low-calorie dieting (Marinella). 2000;35:405 (Letter)
New-onset generalized seizures in HIV-infected patients without AIDS presenting to an emergency department (Pesola and Westfall). 2000;35:S61 (8th ICEM Abstracts)
Outcome in adult seizure patients treated in the emergency setting (Sloan et al). 2000;35:S68 (8th ICEM Abstracts)
Viral myocarditis presenting with seizure and electrocardiographic findings of acute myocardial infarction in a 14-month-old child (Cunningham et al). 2000;35:618-22 (Case rep.)

Self care

Lack of asthma self-management knowledge among emergency department patients not taking inhaled steroids (Radeos et al). 2000;35:S62 (8th ICM Abstracts)

Self-injurious behavior

Self-harm: a tale from five cities around the world (Graudins et al). 2000;35:S19 (8th ICM Abstracts)

Sepsis syndrome

Endogenous mediators in emergency department patients with presumed sepsis: are levels associated with progression to severe sepsis and death? (Terregino et al). 2000;35:26-34

Sequence analysis, DNA

Use of plasma DNA analysis in the derivation of early prediction rules for posttraumatic organ failure (Rainer et al). 2000;35:S15 (8th ICM Abstracts)

Serum markers; see Biological markers

Sex

Gender differences of echocardiographic findings in acute cardiogenic pulmonary edema (Silverman et al). 2000;35:S39 (8th ICM Abstracts)

Sex offenses

Analysis of 1,076 cases of sexual assault (Riggs et al). 2000;35:358-62

Comparison of quality of medical documentation for findings related to sexual assault before and after the development of a sexual assault forensic examination program (Jackson et al). 2000;35:S13 (8th ICM Abstracts)

Sexual assault nurse examiner programs in the United States (Ciancone et al). 2000;35:353-7

Shock, hemorrhagic

Evidence of myocardial complement activation following hemorrhagic shock and resuscitation (Craig et al). 2000;35:S33 (8th ICM Abstracts)

The use of ISS and TRISS as measures of injury severity and as mortality predictors in the diaspirin cross-linked hemoglobin (DCLH) traumatic hemorrhagic shock trial (Sloan and Koenigsberg). 2000;35:S68 (8th ICM Abstracts)

Singapore

Pattern of injuries in helmeted motorcyclists in Singapore (Tham et al). 2000;35:S64 (8th ICM Abstracts)

Single parent

Letter from the lady on bed 3 (Geiderman). 2000;35:626-7 (Change of shift)

Smoking

Emergency department physician interventions with respiratory patients who smoke (Becker et al). 2000;35:S63 (8th ICM Abstracts)

Snake bites

Delayed antivenom treatment for a patient after envenomation by *Crotalus atrox* (Rosen et al). 2000;35:86-8 (Case rep.)

Social support

Psychosocial needs of young persons who are victims of interpersonal violence (Zun and Rosen). 2000;35:S29 (8th ICM Abstracts)

Sodium nitrite

Failure of intravenous N-acetylcysteine to reduce methemoglobin produced by sodium nitrite in human volunteers: a randomized controlled trial (Tanen et al). 2000;35:369-73

Spain

Epidemiology of infectious diseases in emergency medicine in Spain (Martinez and Gutierrez). 2000;35:S66 (8th ICM Abstracts)

Spiders

Neutralization of *Latrodectus hesperus* venom by antivenom

raised against *Latrodectus hasselti* in a murine model (Daly et al). 2000;35:S57-S58 (8th ICM Abstracts)

Spinal injuries

Spinal immobilization after motor vehicle crash in patients who are ambulatory at the scene: is it justified? (Levy et al). 2000;35:S11 (8th ICM Abstracts)

Successful introducer-aided intubation by paramedics in mannequins: clinical application for cervical spine injuries? (Reed et al). 2000;35:S32 (8th ICM Abstracts)

Use of a protocol for the clinical clearance of cervical spine injury reduces the incidence of delayed diagnosis (Tinkoff et al). 2000;35:S43 (8th ICM Abstracts)

Spinal puncture

Thank you, Melissa (Layne). 2000;35:401-2 (Change of shift)

Spine, radiography

Right first time-the use of an aluminum filter to improve visualization of the cervicothoracic junction on the lateral cervical spine x-ray (MacNamara et al). 2000;35:S4 (8th ICM Abstracts)

Sports; see Athletic injuries

Sri Lanka

Emergency medical care in Sri Lanka (Wickramasinghe et al). 2000;35:S61-S62 (8th ICM Abstracts)

Standards

Wide interresidency procedure variability suggests need for national standards in emergency medicine (Lotfipour et al). 2000;35:S17 (8th ICM Abstracts)

State of the art

State of the art. 2000;35:47-62, 449-60, 592-603

Streptococcal infections

Geographic variation in penicillin resistance in *Streptococcus pneumoniae*: selected sites, United States, 1997 (Centers for Disease Control and Prevention); Commentary (Paterick and Pollack). 2000;35:506-9

Use of pulsed-field gel electrophoresis for investigation of a cluster of invasive group A streptococcal illness (Centers for Disease Control and Prevention); Commentary (Talan and Moran). 2000;35:308-10

Streptokinase

A randomized controlled trial of lexipafant, a platelet-activating factor (PAF) antagonist, on streptokinase-induced hypotension in acute myocardial infarction (AMI) (Taylor et al). 2000;35:S7 (8th ICM Abstracts)

Stress, psychological

Regular spiritual comfort for emergency patients (Huang and Yang). 2000;35:S44 (8th ICM Abstracts)

Stressors experienced by emergency medicine residents (Boudreaux and Ary). 2000;35:S45 (8th ICM Abstracts)

Wellness issues and the emergency medicine resident (Houry et al). 2000;35:394-7 (Residents' perspective)

Stress test; see Exercise test

Strikes, employee

Impact of a resident physicians strike on the emergency department outcomes at a teaching hospital in Barcelona (Salazar et al). 2000;35:S67-S68 (8th ICM Abstracts)

Stroke; see Cerebrovascular accident

Students

College research associates as screeners for firearms injury risk assessment in an urban community teaching hospital emergency department (Cordone et al). 2000;35:S59 (8th ICM Abstracts)

Screening for women's health issues, including domestic violence, in the emergency department by college research associates (Sibley et al). 2000;35:S60 (8th ICM Abstracts)

Substance abuse, intravenous

Accidental overdose among injecting drug users in Dublin (Cunningham et al). 2000;35:S21 (8th ICM Abstracts)

Substance withdrawal syndrome

Pentobarbital for control of acute delirium due to γ -butyrolactone withdrawal (Sivillotti et al). 2000;35:S52-S53 (8th ICM Abstracts)

Ultrarapid opiate detoxification (Bulthuis and Diaz). 2000;35:100-1 (Letter)

Succinylcholine

Out-of-hospital succinylcholine-assisted endotracheal intubation by paramedics (Pace and Fuller). 2000;35:568-72

Systemic inflammatory response syndrome; see Sepsis syndrome

T

T-lymphocytes

T-lymphocyte suppression following moderate and major trauma (Cocks et al). 2000;35:S55 (8th ICM Abstracts)

Tachycardia, supraventricular

Conversion rhythms from adenosine in treating supraventricular tachycardia (Ooi and Cqua). 2000;35:S35 (8th ICM Abstracts)

Reentrant supraventricular tachycardia in the emergency department: a prospective study of clinical presentation and sequential therapy (Martin et al). 2000;35:S40 (8th ICM Abstracts)

Tachycardia, ventricular

Performance analysis of semiautomatic defibrillators used in the out-of-hospital setting (MacDonald et al). 2000;35:S35 (8th ICM Abstracts)

Time to recurrent ventricular fibrillation or ventricular tachycardia after defibrillation (Blouin and Moore). 2000;35:S48 (8th ICM Abstracts)

Ventricular tachycardia after Chinese herbal medication ingestion (So et al). 2000;35:S70 (8th ICM Abstracts)

Teaching

A comparison of teaching models for focused abdominal sonography for trauma (Salen et al). 2000;35:S39 (8th ICM Abstracts)

Technetium Tc 99m sestamibi

The impact of technetium 99m sestamibi imaging on clinical management algorithms (Knott et al). 2000;35:S29 (8th ICM Abstracts)

Telemedicine

Computerization of a mobile intensive care unit. An experience with emergency telemedicine (Valverde and Cosano). 2000;35:S71 (8th ICM Abstracts)

Management of medical emergencies aboard the International Space Station using telemedicine (Otto et al). 2000;35:S19 (8th ICM Abstracts)

Telephone triage (Rutenberg) (Letter); (Schmitt) (Letter); (Sapien and Brillman) (Reply). 2000;35:98-100

Tetanus

Long-term efficacy of an intervention to reduce unwarranted tetanus immunoglobulins prescribing in an emergency department (Elkharat et al). 2000;35:S58 (8th ICM Abstracts)

Thermometers

Supralingual versus tympanic thermometry in the detection of rectal fever in children (Reese et al). 2000;35:S47 (8th ICM Abstracts)

Thoracotomy

Decisionmaking in the urgent management of the adult hypotensive blunt trauma patient: torso operation or head CT scan? (Macken et al). 2000;35:S14 (8th ICM Abstracts)

Emergency department thoracotomy: "friend or foe" (Wright). 2000;35:S26 (8th ICEM Abstracts)

Thromboembolism, pulmonary; see Pulmonary embolism

Thrombolytic therapy

Cardiac arrest and the role of thrombolytic agents (Newman et al). 2000;35:472-80 (Concepts)

Successful cricothyrotomy after thrombolytic therapy for acute myocardial infarction: a report of two cases (Walls and Pollack). 2000;35:188-91 (Case rep.)

Thrombolysis for acute myocardial infarction: those missed and why. Strive for the ideal (Truesdale and Buchanan). 2000;35:S8 (8th ICEM Abstracts)

Thrombosis

Early aspirin effectiveness as compared by route and time (Christopher et al). 2000;35:S39-S40 (8th ICEM Abstracts)

Thrombosis; see also Venous thrombosis

Time factors

Ability of laypersons to estimate short time intervals in cardiac arrest (Isaacs and Callahan). 2000;35:147-54

Breakthrough in Australia (Virtue et al). 2000;35:S42 (8th ICEM Abstracts)

A comparison of medical admissions by an accident and emergency clinician and an on-call medical team (Murphy et al). 2000;35:S24-S25 (8th ICEM Abstracts)

Critically ill late presenters to an emergency department (Rodriguez et al). 2000;35:S17 (8th ICEM Abstracts)

Do lights and sirens reduce ambulance response times? (Brown et al). 2000;35:S39 (8th ICEM Abstracts)

Does transportation by ambulance decrease time to gastrointestinal decontamination after overdose? (Wolsey and McKinney). 2000;35:579-84

Improvement in efficiency with medical seniority (Richardson). 2000;35:S10-S11 (8th ICEM Abstracts)

National triage score versus waiting time: does anyone really care what time it is? (Fatovich and Jacobs). 2000;35:S7-S8 (8th ICEM Abstracts)

Seeking medical attention after stroke symptoms: impact on delays in arriving at an emergency department (Morris et al). 2000;35:S63 (8th ICEM Abstracts)

Time to recurrent ventricular fibrillation or ventricular tachycardia after defibrillation (Blouin and Moore). 2000;35:S48 (8th ICEM Abstracts)

Use of a protocol for the clinical clearance of cervical spine injury reduces the incidence of delayed diagnosis (Tinkoff et al). 2000;35:S43 (8th ICEM Abstracts)

Tissue adhesives

A comparison of SteriStrips versus glue for the closure of lacerations in a pediatric accident and emergency department (Mattick et al). 2000;35:S24 (8th ICEM Abstracts)

The efficacy of cyanoacrylate-derived surgical adhesive in the repair of lacerations during competitive athletics (Perron et al). 2000;35:S27 (8th ICEM Abstracts)

Tissue plasminogen activator

Prehospital administration of reteplase in patients with acute myocardial infarction (Rosenberg et al). 2000;35:S7 (8th ICEM Abstracts)

Tissue plasminogen activator in pediatric myocardial infarction (Krendel et al). 2000;35:S02-5 (Case rep.)

Tomography, computed x-ray

The cost-effectiveness of electron beam computed tomography in the evaluation of chest pain in emergency department observation units (Laudon et al). 2000;35:S32 (8th ICEM Abstracts)

An evaluation of the clinical predictors for the presence of ureteral calculi on spiral computed tomography in patients

with suspected renal colic (O'Connor et al). 2000;35:S43 (8th ICEM Abstracts)

Is spiral computed tomography the diagnostic imaging of choice for patients with renal colic? (Lee and Dubinsky). 2000;35:S18 (8th ICEM Abstracts)

Lung spiral computed tomographic scan versus lung perfusion scan for the diagnosis of pulmonary embolism. A more specific tool (Petrino et al). 2000;35:S71 (8th ICEM Abstracts)

Observation improves CT scan utilization in abdominal pain evaluation for appendicitis (Graff et al). 2000;35:S31 (8th ICEM Abstracts)

Utility of pretest probability to assess the risk of abnormal head computed tomographic scans: can risk stratification be used to eliminate scanning in low-risk patients? (Leisey et al). 2000;35:S43 (8th ICEM Abstracts)

Tomography, emission-computed, single-photon

An economic analysis of an aggressive diagnostic strategy with single photon emission computed tomography myocardial perfusion imaging and early exercise stress testing in emergency department patients who present with chest pain but nondiagnostic electrocardiograms: results from a randomized trial (Stowers et al). 2000;35:17-25

Training; see Curriculum; Education

Transportation of patients

Analysis of repeated ambulance use in a developing emergency medical service system (Chi et al). 2000;35:S13 (8th ICEM Abstracts)

Do lights and sirens reduce ambulance response times? (Brown et al). 2000;35:S39 (8th ICEM Abstracts)

Does transportation by ambulance decrease time to gastrointestinal decontamination after overdose? (Wolsey and McKinney). 2000;35:579-84

Modes of transport used by patients visiting emergency departments in Karachi, Pakistan (Razzak et al). 2000;35:S47 (8th ICEM Abstracts)

The role of on-line medical control in elderly patients who initially refuse medical transport (Richmond et al). 2000;35:S41 (8th ICEM Abstracts)

Trauma; see Wounds and injuries

Trauma severity indices

The effect of variation in injury scale scoring between different personnel in the calculation of Injury Severity Score and the accuracy of using TRISS methodology (Ng et al). 2000;35:S18 (8th ICEM Abstracts)

Observer variability in injury coding and its effect on subsequent trauma outcome analysis (Tam et al). 2000;35:S9 (8th ICEM Abstracts)

The use of ISS and TRISS as measures of injury severity and as mortality predictors in the diaspirin cross-linked hemoglobin (DCLHb) traumatic hemorrhagic shock trial (Sloan and Koenigsberg). 2000;35:S68 (8th ICEM Abstracts)

Treatment outcome

Impact of a resident physicians strike on the emergency department outcomes at a teaching hospital in Barcelona (Salazar et al). 2000;35:S67-S68 (8th ICEM Abstracts)

Impact of body habitus and nutritional adequacy on outcome in acute heart failure (Milzman et al). 2000;35:S50-S51 (8th ICEM Abstracts)

Improved outcomes chest pain evaluation with implementation observation units in a multispecialty network (Graff et al). 2000;35:S31 (8th ICEM Abstracts)

The incidence, treatment and outcome of hemorrhagic cerebrovascular accident patients treated in the emergency department (Bunney et al). 2000;35:S68-S69 (8th ICEM Abstracts)

Observer variability in injury coding and its effect on subsequent trauma outcome analysis (Tam et al). 2000;35:S9 (8th ICEM Abstracts)

Outcome in adult seizure patients treated in the emergency setting (Sloan et al). 2000;35:S68 (8th ICEM Abstracts)

Outcome of patients undergoing ventilation-perfusion lung scanning for suspected pulmonary thromboembolic disease (Mackay et al). 2000;35:S39 (8th ICEM Abstracts)

Outcomes in acute myocardial infarction patients transferred for acute angioplasty (Silva et al). 2000;35:S68 (8th ICEM Abstracts)

Outcomes of the elderly presenting with nonspecific chief complaints in the emergency department (Austgarden). 2000;35:S17-S18 (8th ICEM Abstracts)

Prediction of short- and long-term outcomes by troponin T levels in low-risk patients evaluated for acute coronary syndromes (Peacock et al). 2000;35:213-20

Prospective study of sudden-onset asthma exacerbations in children (Sedik et al). 2000;35:S17 (8th ICEM Abstracts)

Survival after failed out-of-hospital resuscitation from cardiac arrest by automated external defibrillator-equipped paramedics (Ali and Verbeek). 2000;35:S11 (8th ICEM Abstracts)

"Unexpected" survival from trauma: a seven-year experience (Houlihan et al). 2000;35:S23 (8th ICEM Abstracts)

Urban vs rural trauma outcome study (McGuffie et al). 2000;35:S4-S5 (8th ICEM Abstracts)

Zafirlukast improves emergency department outcomes after an acute asthma episode (Silverman et al). 2000;35:S10 (8th ICEM Abstracts)

Treatment refusal

The role of on-line medical control in elderly patients who initially refuse medical transport (Richmond et al). 2000;35:S41 (8th ICEM Abstracts)

Triage

Coronary triage unit in an indigent county population (Henderson et al). 2000;35:S51-S52 (8th ICEM Abstracts)

How do nurses train for the role of triage in Australasia? (Kelly and Richardson). 2000;35:S37 (8th ICEM Abstracts)

Implementation of an emergency department triage procedure for the detection and isolation of patients with active pulmonary tuberculosis (Sokolove et al). 2000;35:327-36

Implementation of five-level triage at two university hospitals (Wuerz et al). 2000;35:S49-S50 (8th ICEM Abstracts)

National triage score versus waiting time: does anyone really care what time it is? (Fatovich and Jacobs). 2000;35:S7-S8 (8th ICEM Abstracts)

Prehospital triage, treatment, and transport performance in an airport disaster drill (Cornia and Joyce). 2000;35:S69 (8th ICEM Abstracts)

Quality assurance of nurse triage: consistency of results over three years (Emile et al). 2000;35:S26-S27 (8th ICEM Abstracts)

Telephone triage (Rutenberg) (Letter); (Schmitt) (Letter); (Sapient and Brillman) (Reply). 2000;35:98-100

Triage; see also Risk assessment

Triazoles

Rizatriptan for severe migraine in the emergency department (Derazon et al). 2000;35:S66 (8th ICEM Abstracts)

Troponin I

Prognostic utility of troponin I and troponin T in evaluating patients with chest pain and concomitant renal insufficiency (Kazmierczak and Allison). 2000;35:S56 (8th ICEM Abstracts)

Trouble with troponin I in initial screening for acute myocardial infarction (Milzman et al). 2000;35:S50 (8th ICEM Abstracts)

Troponin T

Prediction of short- and long-term outcomes by troponin T levels in low-risk patients evaluated for acute coronary syndromes (Peacock et al). 2000;35:213-20

Prognostic utility of troponin I and troponin T in evaluating patients with chest pain and concomitant renal insufficiency (Kazmierczak and Allison). 2000;35:S56 (8th ICEM Abstracts)

Tuberculosis, pulmonary

The efficacy of the amplified *Mycobacterium tuberculosis* direct test in screening for pulmonary tuberculosis in an emergency department population (Sullivan et al). 2000;35:S60 (8th ICEM Abstracts)

Implementation of an emergency department triage procedure for the detection and isolation of patients with active pulmonary tuberculosis (Sokolove et al). 2000;35:327-36

Tumor necrosis factor

Endogenous mediators in emergency department patients with presumed sepsis: are levels associated with progression to severe sepsis and death? (Terregino et al). 2000;35:26-34

U

Ultrasonography

Can we learn from ultrasound practice around the globe? (Thompson and Gluckman). 2000;35:S26 (8th ICEM Abstracts)

A comparison of teaching models for focused abdominal sonography for trauma (Salen et al). 2000;35:S39 (8th ICEM Abstracts)

Diagnostic ultrasound utilization in patients with upper abdominal pain: an audit of practice in emergency department (Yung et al). 2000;35:S54-S55 (8th ICEM Abstracts)

Efficacy of porcine model for demonstrating pericardial effusion with real-time ultrasound (Epter et al). 2000;35:S67 (8th ICEM Abstracts)

Emergency ultrasound for nonradiologists: the results of the first intensive two-day workshops in Australia (Macken et al). 2000;35:S13-S14 (8th ICEM Abstracts)

Initial emergency department assessment with bedside ultrasound—is it useful for pediatric blunt trauma? (Robertson et al). 2000;35:S58 (8th ICEM Abstracts)

Meeting the SAEM ultrasound guidelines (Mandavia). 2000;35:513-14 (Letter)

Sonoclot coagulation analysis of in vitro dilution of whole blood with colloid and crystalloid solutions (Brazil and Coats). 2000;35:S3-S4 (8th ICEM Abstracts)

The use of ultrasonography for pediatric patients with hip pain in emergency department (Siu et al). 2000;35:S28 (8th ICEM Abstracts)

Use of ultrasound examinations by emergency physicians: the Hong Kong experience (Ng et al). 2000;35:S55 (8th ICEM Abstracts)

Utility of lower extremity venous ultrasound scanning in the diagnosis and exclusion of pulmonary embolism (Daniel et al). 2000;35:547-54

United States

Poisoning mortality in the United States: comparison of national mortality statistics and poison control center reports (Hoppe-Roberts et al). 2000;35:440-8

Universal coverage

The uninsured: emergency medicine's challenge to our political leaders (Knopp et al). 2000;35:295-7 (Editorial)

Universities

Campus-based emergency medical services: a Web survey by the National Collegiate Emergency Medical Services Foundation (Fisher et al). 2000;35:S66-S67 (8th ICEM Abstracts)

Urban health

Urban vs rural trauma outcome study (McGuffie et al). 2000;35:S4-S5 (8th ICEM Abstracts)

Urban hospitals; see Hospitals, urban

Ureteral calculi

An evaluation of the clinical predictors for the presence of ureteral calculi on spiral computed tomography in patients with suspected renal colic (O'Connor et al). 2000;35:S43 (8th ICEM Abstracts)

Urography

Is spiral computed tomography the diagnostic imaging of choice for patients with renal colic? (Lee and Dubinsky). 2000;35:S18 (8th ICEM Abstracts)

V

Vectorcardiography

Prediction of the 12-lead ECG from 3 lead-vectors using factor analysis (Schreck et al). 2000;35:S62 (8th ICEM Abstracts)

Venous thrombosis

A diagnostic care pathway for the management of suspected deep vein thrombosis (Henderson and Coode). 2000;35:S23 (8th ICEM Abstracts)

Management of calf deep venous thrombosis (Harris and Grange). 2000;35:629 (Letter)

A negative SimpliRED D-dimer assay result does not exclude the diagnosis of deep vein thrombosis or pulmonary embolism in emergency department patients (Farrell et al). 2000;35:121-5

When the clinical impression is deep vein thrombosis versus cellulitis: do patient characteristics predict the duplex diagnosis? (Rabuka et al). 2000;35:S37 (8th ICEM Abstracts)

Ventilation-perfusion ratio

Outcome of patients undergoing ventilation-perfusion lung scanning for suspected pulmonary thromboembolic disease (Mackay et al). 2000;35:S39 (8th ICEM Abstracts)

Ventricular fibrillation

Performance analysis of semiautomatic defibrillators used in the out-of-hospital setting (MacDonald et al). 2000;35:S35 (8th ICEM Abstracts)

Resuscitation from prolonged ventricular and induction of selective brain hypothermia via extracorporeal bypass (Mori et al). 2000;35:S8 (8th ICEM Abstracts)

Time to recurrent ventricular fibrillation or ventricular tachycardia after defibrillation (Blouin and Moore). 2000;35:S48 (8th ICEM Abstracts)

Treatment of hypothermia-induced ventricular fibrillation with warm lavage perfluorocarbon ventilation (Dickson et al). 2000;35:S54 (8th ICEM Abstracts)

Ventricular tachycardia; see Tachycardia, ventricular

Violence

Emergency medical services providers and violence in the field (Sayah et al). 2000;35:S46 (8th ICEM Abstracts)

Inpatient and outpatient hospital costs of young victims of interpersonal violence (Zun). 2000;35:S34 (8th ICEM Abstracts)

Psychosocial needs of young persons who are victims of interpersonal violence (Zun and Rosen). 2000;35:S29 (8th ICEM Abstracts)

Visual analog scale; see Pain measurement

W

Whites

Ethnicity and analgesic practice: an editorial (Martin). 2000;35:77-9 (Editorial)

Ethnicity and analgesic practice (Todd et al). 2000;35:11-6

Withdrawal symptoms; see Substance withdrawal syndrome

Women's health

Screening for women's health issues, including domestic violence, in the emergency department by college research associates (Sibley et al). 2000;35:S60 (8th ICEM Abstracts)

Workload

The changing workload patterns in the resuscitation room. (Paterson et al). 2000;35:S5 (8th ICEM Abstracts)

Wound healing

Implementing a postoperative wound care policy in the accident and emergency department (Steinman et al). 2000;35:S67 (8th ICEM Abstracts)

Wounds, gunshot

College research associates as screeners for firearms injury risk assessment in an urban community teaching hospital emergency department (Cordone et al). 2000;35:S59 (8th ICEM Abstracts)

Lethality of firearm-related injuries in the United States population (Beaman et al). 2000;35:258-66

Wounds, nonpenetrating

Decisionmaking in the urgent management of the adult hypotensive blunt trauma patient: torso operation or head CT scan? (Macken et al). 2000;35:S14 (8th ICEM Abstracts)

Initial emergency department assessment with bedside ultrasound—is it useful for pediatric blunt trauma? (Robertson et al). 2000;35:S58 (8th ICEM Abstracts)

Wounds, penetrating

Emergency airway management in penetrating neck injury (Mandavia et al). 2000;35:221-5

Wounds and injuries

The ability of cause of accident to predict psychological outcome among male accident and emergency attenders (Mason et al). 2000;35:S4 (8th ICEM Abstracts)

Adolescent injury in the emergency department: opportunity for alcohol interventions? (Maio et al). 2000;35:252-7

Association between social deprivation and trauma in Scotland (Corfield et al). 2000;35:S22-S23 (8th ICEM Abstracts)

Comparison of concert injuries: body surfing in the mosh pit versus standard in-seat audience patterns (Milzman et al). 2000;35:S51 (8th ICEM Abstracts)

Development of the Australasian National Trauma Registry (Richardson). 2000;35:S42 (8th ICEM Abstracts)

Injury control in Honduras: a survey of injury mortality (Richman et al). 2000;35:S49 (8th ICEM Abstracts)

Injury control/trauma data banks (American College of Emergency Physicians). 2000;35:211 (Policy statement)

Injury prevention and emergency medical services for children in a managed care environment (Moody-Williams et al). 2000;35:245-51 (Concepts)

Linking data for injury control research (Runge). 2000;35:613-5 (Editorial)

Minor injuries care in accident and emergency department versus minor injuries unit (Sakr et al). 2000;35:S25 (8th ICEM Abstracts)

Pattern of injuries in helmeted motorcyclists in Singapore (Tham et al). 2000;35:S64 (8th ICEM Abstracts)

A prospective evaluation of prehospital paramedic trauma intubation practice (Domeier et al). 2000;35:S46 (8th ICEM Abstracts)

T-lymphocyte suppression following moderate and major trauma (Cocks et al). 2000;35:S55 (8th ICEM Abstracts)

Trauma airway management: a comparison of indications, success rates, complications, and cricothyrotomy rate

- by specialty (Kulkarni et al). 2000;35:S33 (8th ICEM Abstracts)
- Trauma airway management in the emergency department: indications, methods, and success rates (Gurr et al). 2000;35:S33 (8th ICEM Abstracts)
- "Unexpected" survival from trauma: a seven-year experience (Houlihan et al). 2000;35:S23 (8th ICEM Abstracts)
- Use of bicycle helmets by children presenting to a paediatric accident and emergency department with a bicycle-related injury: implications for injury prevention strategies (Leonard et al). 2000;35:S23 (8th ICEM Abstracts)
- Use of plasma DNA analysis in the derivation of early prediction rules for posttraumatic organ failure (Rainer et al). 2000;35:S15 (8th ICEM Abstracts)

Wounds and injuries, epidemiology

- Urban vs rural trauma outcome study (McGuffie et al). 2000;35:S4-S5 (8th ICEM Abstracts)

Wounds and injuries; see also Lacerations

Y

Yugoslavia

- Civil-military cooperation in the Kosovo crisis (Bradt and Drummond). 2000;35:S52 (8th ICEM Abstracts)
- Humanitarian support: designing, building, and equipping an emergency department in Kosovo (Hodgetts). 2000;35:S23 (8th ICEM Abstracts)
- Kosovar EMS: a postwar assessment (Vanier et al). 2000;35:S56 (8th ICEM Abstracts)

- Professional development in Kosovo: issues in helping local Kosovar physicians create their own health care plan (Cranmer and Leaning). 2000;35:S53 (8th ICEM Abstracts)

- A unique model of epidemic prevention and preparedness during a complex humanitarian emergency (Brennan and Raj). 2000;35:S69 (8th ICEM Abstracts)

Z

Zafirlukast

- Zafirlukast improves emergency department outcomes after an acute asthma episode (Silverman et al). 2000;35:S10 (8th ICEM Abstracts)

Index to Volume 35, January–June 2000

INDEX TO AUTHORS*

A

- Aaron CK (see Sivillotti et al). 2000;35:S52-S53 (8th ICEM Abstracts)
- Aaron S, Dales R. Ipratropium bromide in emergency management of acute asthma exacerbation. 2000;35:198 (Letter reply)
- Abbott J (see Houry et al). 2000;35:404 (Letter reply)
- Abrunzo T, Gerardi M, Dietrich A, Lampell M, Sanford WC, Smith DM. The role of emergency physicians in the care of the child in school. 2000;35:155-61 (Concepts)
- Ackroyd-Stolarz S (see Kovacs et al). 2000;35:S18-S19 (8th ICEM Abstracts)
- Adams J (see Sun et al). 2000;35:426-34
- Addario M (see Brown et al). 2000;35:S39 (8th ICEM Abstracts)
- Afilalo M, Colacane A, Cardin S, Collet JP, Tselios C, Lang E, Kohn R, Grad W, Schull MJ, Guttman A, Dankoff J. Interventions to decrease emergency department overcrowding: impact on emergency department return visits and hospital readmissions. 2000;35:S12 (8th ICEM Abstracts)
- Afilalo M (see Lang et al). 2000;35:S11-S12 (8th ICEM Abstracts)
- Aggarwal P, Wali JP, Singh D, Handa R, Dwivedi SN, Wig N, Biswas A. Role of nebulized ipratropium in acute bronchial asthma. 2000;35:S34-S35 (8th ICEM Abstracts)
- Aghababian R, Gallagher P, Yarbetski J, Renzi F, Mangolds G. Cross-sectional training of emergency medicine to health care providers in Guatemala. 2000;35:S54 (8th ICEM Abstracts)
- Aghababian R (see Anderson et al). 2000;35:S65-S66 (8th ICEM Abstracts)
- Aghababian R (see Crowley et al). 2000;35:S14-S15 (8th ICEM Abstracts)
- Aghababian RV, Ciottoni G, Greenough PG. Curriculum for a pediatric disaster life support course. 2000;35:S50 (8th ICEM Abstracts)
- Agrawal V (see Vesper et al). 2000;35:S50 (8th ICEM Abstracts)
- Ahmed T (see Mattick et al). 2000;35:S24 (8th ICEM Abstracts)
- Alcocer L (see Henderson et al). 2000;35:S52 (8th ICEM Abstracts)
- Alexander J (see Dickson et al). 2000;35:S53 (8th ICEM Abstracts)
- Ali FH, Verbeek PR. Survival after failed out-of-hospital resuscitation from cardiac arrest by automated external defibrillator-equipped paramedics. 2000;35:S11 (8th ICEM Abstracts)

Meeting abstracts are located in the following issue:
May Supplement (8th ICEM Abstracts, pp. S1-S72).

* January, pp. 1-112; February, pp. 113-212; March, pp. 213-326; April, pp. 327-412; May, pp. 413-546; S1-S72; June, pp. 547-678.

- Allegra JR (see Szucs et al). 2000;35:131-7
- Allen C (see Robertson et al). 2000;35:S58 (8th ICEM Abstracts)
- Allison EJ Jr, Olsson DJ, Arshad JA, Kazel RG, Schlicht JE. Y2K emergency preparedness exercise: power drill loss. 2000;35:S41-S42 (8th ICEM Abstracts)
- Allison EJ Jr (see Kamierczak and Allison). 2000;35:S56 (8th ICEM Abstracts)
- Alpers D (see Lewis et al). 2000;35:S23-S24 (8th ICEM Abstracts)
- American Board of Emergency Medicine. Report of the Task Force on Residency Training Information (1999-2000). American Board of Emergency Medicine. 2000;35:481-98
- American College of Emergency Physicians. Clinical policy: critical issues in the evaluation and management of adult patients presenting with suspected acute myocardial infarction or unstable angina. 2000;35:S21-44 (Clinical policy)
- American College of Emergency Physicians. Emergency physicians' patient care responsibilities outside of the emergency department. 2000;35:209 (Policy statement)
- American College of Emergency Physicians. Family leave of absence. 2000;35:209-10 (Policy statement)
- American College of Emergency Physicians. Good samaritan protection. 2000;35:640 (Policy statement)
- American College of Emergency Physicians. Handling of hazardous materials. 2000;35:110 (Policy statement)
- American College of Emergency Physicians. Hospital, medical staff, and payer responsibility for emergency department patients. 2000;35:210-1 (Policy statement)
- American College of Emergency Physicians. Injury control/trauma data banks. 2000;35:211 (Policy statement)
- American College of Emergency Physicians. Out-of-hospital 12-lead ECG. 2000;35:110-1 (Policy statement)
- American College of Emergency Physicians. Public training in cardiopulmonary resuscitation and public access defibrillation. 2000;35:640-1 (Policy statement)
- American College of Emergency Physicians. Universal bicycle helmet use. 2000;35:111 (Policy statement)
- Anderson IB (see Woo et al). 2000;35:363-8
- Anderson P (see Crowley et al). 2000;35:S14-S15 (8th ICEM Abstracts)
- Anderson PD, Hogskilde S, Aghababian R, Rutten FLPA, Rathlev N, Ciottoni G, Gautreau M, Smith G, Lord G, Hooley J. Danish prehospital trauma course: introducing the emergency medical technician paramedic concept of semi-independent prehospital care provider to the Danish prehospital emergency medical care system. 2000;35:S65-S66 (8th ICEM Abstracts)
- Anderson PD, Hogskilde S, Nielsen SL, Sorensen MB. Eighty-four percent of hypoglycemic patients stay at home after prehospital treatment in Copenhagen. 2000;35:S65 (8th ICEM Abstracts)

- Anderson PD (see Hogskilde et al). 2000;35:S65 (8th ICEM Abstracts)
- Andrade-Padilla MA (see Loria-Castellanos et al). 2000;35:S47 (8th ICEM Abstracts)
- Anglin D (see Grossman et al). 2000;35:69-76 (Concepts)
- Angus J (see Sakr et al). 2000;35:S25 (8th ICEM Abstracts)
- Annett JL (see Beaman et al). 2000;35:258-66
- Ansari MZ. Sports injuries in the western region of Saudi Arabia. 2000;35:S20 (8th ICEM Abstracts)
- Antila KJ (see Porela et al). 2000;35:413-20
- Aprà F (see Petrino et al). 2000;35:S71 (8th ICEM Abstracts)
- Arnold GK (see Terregino et al). 2000;35:26-34
- Arnold JL (see Tannenbaum et al). 2000;35:S57 (8th ICEM Abstracts)
- Arshad JA (see Allison et al). 2000;35:S41-S42 (8th ICEM Abstracts)
- Ary R (see Boudreaux and Ary). 2000;35:S45 (8th ICEM Abstracts)
- Ary R (see Boudreaux et al). 2000;35:S45 (8th ICEM Abstracts)
- Asai Y (see Mori et al). 2000;35:S8 (8th ICEM Abstracts)
- Asimos AW (see Sullivan et al). 2000;35:S60 (8th ICEM Abstracts)
- Asplin BR. Controversial company: the prudent layperson standard and the Patients' Bill of Rights. 2000;35:304-7
- Athey J (see Moody-Williams et al). 2000;35:245-51 (Concepts)
- Auble T (see Dorfman et al). 2000;35:S44-S45 (8th ICEM Abstracts)
- Austgarden DA. Outcomes of the elderly presenting with non-specific chief complaints in the emergency department. 2000;35:S17-S18 (8th ICEM Abstracts)
- Avidan MS (see Choyce et al). 2000;35:S22 (8th ICEM Abstracts)
- Azoulay LY (see Rabuka et al). 2000;35:S37 (8th ICEM Abstracts)

B

- Babin SG (see Schreck et al). 2000;35:S62 (8th ICEM Abstracts)
- Bair MN (see Vizmeg et al). 2000;35:S58 (8th ICEM Abstracts)
- Baldley A (see Knott et al). 2000;35:S29 (8th ICEM Abstracts)
- Banos PT (see Sokolove et al). 2000;35:327-36
- Barakat ECE, Paraschin K, Nogueira RJN, Reis MC, Fraga AMA, Sperotto G. Poisoning accidents with children in the home setting: one-year experience in Campinas, Brazil. 2000;35:S7 (8th ICEM Abstracts)
- Barlow B (see Moody-Williams et al). 2000;35:245-51 (Concepts)
- Barnett DB (see Hassan et al). 2000;35:S4 (8th ICEM Abstracts)
- Barr J (see Mackay et al). 2000;35:S48 (8th ICEM Abstracts)
- Barr RG (see Sedik et al). 2000;35:S17 (8th ICEM Abstracts)
- Barratt DM (see VanMeter et al). 2000;35:S34 (8th ICEM Abstracts)

- Bairry J (see Cunningham et al). 2000;35:S21 (8th ICEM Abstracts)
- Bartlett J (see Virtue et al). 2000;35:S42 (8th ICEM Abstracts)
- Barton D (see Gilligan et al). 2000;35:S22 (8th ICEM Abstracts)
- Barton ED (see Filbin et al). 2000;35:S66 (8th ICEM Abstracts)
- Bartu A (see Daly et al). 2000;35:S30 (8th ICEM Abstracts)
- Bastanmehr H (see Greif et al). 2000;35:337-45
- Bates JC. EMRA's 25 years. 2000;35:404-5 (Letter)
- Baumier V (see Gerbeaux et al). 2000;35:S27 (8th ICEM Abstracts)
- Baxter G (see Dickson et al). 2000;35:S53-S54 (8th ICEM Abstracts)
- Beale JP, Wyatt JP, Beard D, Busuttil A, Graham CA. A five-year study of high falls in Edinburgh. 2000;35:S20 (8th ICEM Abstracts)
- Beaman V, Annett JL, Mercy JA, Kresnow M-J, Pollock DA. Lethality of firearm-related injuries in the United States population. 2000;35:258-66
- Beard D (see Beale et al). 2000;35:S20 (8th ICEM Abstracts)
- Beard D (see McGuffie et al). 2000;35:S4-S5 (8th ICEM Abstracts)
- Beattie TF (see Leonard et al). 2000;35:S23 (8th ICEM Abstracts)
- Beattie TF (see Mattick et al). 2000;35:S24 (8th ICEM Abstracts)
- Becker B, Bock B, Schmidt A. Emergency department physician interventions with respiratory patients who smoke. 2000;35:S63 (8th ICEM Abstracts)
- Beel TL, Mitchiner JC, Frederiksen SM, McCormick J. Patient preferences regarding pain medication in the emergency department. 2000;35:S28 (8th ICEM Abstracts)
- Bekerman I (see Derazon et al). 2000;35:S66 (8th ICEM Abstracts)
- Bell D (see Mackay et al). 2000;35:S39 (8th ICEM Abstracts)
- Bellino M (see Viner et al). 2000;35:272-6
- Ben-Haim S (see Gad et al). 2000;35:3-10
- Benhaim F (see Elkharat et al). 2000;35:S15-S16 (8th ICEM Abstracts). 2000;35:S58 (8th ICEM Abstracts)
- Bennett MA (see Levy et al). 2000;35:S11 (8th ICEM Abstracts)
- Benson M (see Mitchell et al). 2000;35:300-3 (Case rep.)
- Bentancur AG, Dankner RS, Koldanov R, Rieck J. Acute pulmonary edema in the emergency department: clinical and echocardiographic survey in an aged population. 2000;35:S57 (8th ICEM Abstracts)
- Berger A (see Epter et al). 2000;35:S67 (8th ICEM Abstracts)
- Berman DS (see Stowers et al). 2000;35:17-25
- Bernheim JA (see Vizum et al). 2000;35:S58 (8th ICEM Abstracts)
- Bernstein S (see Walls et al). 2000;35:S10 (8th ICEM Abstracts)
- Bertrand F (see Fournier et al). 2000;35:S47-S48 (8th ICEM Abstracts)
- Bethea R (see Sullivan et al). 2000;35:S60 (8th ICEM Abstracts)
- Better N (see Knott et al). 2000;35:S29 (8th ICEM Abstracts)
- Bianchi A (see Rosenbaum et al). 2000;35:S42 (8th ICEM Abstracts)
- Birkhahn RH, Gaeta TJ, Bove J, Suzuki T, Katoh H. The utility of serum markers of muscle degradation in detecting ectopic pregnancy. 2000;35:S46 (8th ICEM Abstracts)
- Birns MH (see Knopp et al). 2000;35:295-7 (Editorial)
- Biswas A (see Aggarwal et al). 2000;35:S34-S35 (8th ICEM Abstracts)
- Bitner M (see O'Connor et al). 2000;35:S44 (8th ICEM Abstracts)
- Blackshear JL (see Stowers et al). 2000;35:17-25
- Bland M (see Gupta et al). 2000;35:S23 (8th ICEM Abstracts)
- Blanton D (see Moody-Williams et al). 2000;35:245-51 (Concepts)
- Blouin D, Moore S. Time to recurrent ventricular fibrillation or ventricular tachycardia after defibrillation. 2000;35:S48 (8th ICEM Abstracts)
- Blow FC (see Maio et al). 2000;35:252-7
- Boccuzzi A (see Petrino et al). 2000;35:S71 (8th ICEM Abstracts)
- Bock B (see Becker et al). 2000;35:S63 (8th ICEM Abstracts)
- Bogdan GM (see Daly et al). 2000;35:S57-S58 (8th ICEM Abstracts)
- Bohan JS, Patel M. Single triple-enzyme testing on presentation to the emergency department is insufficient evidence when sending acute coronary syndrome patients home: results from the RACE study. 2000;35:S63 (8th ICEM Abstracts)
- Bohnstedt J (see Vesper et al). 2000;35:S50 (8th ICEM Abstracts)
- Bonuccelli CM (see Silverman et al). 2000;35:S10 (8th ICEM Abstracts)
- Bonucci P, Vuletich M, Smith G, Johnson M, Gussow L, Lee M. Emergency medicine resident preparedness for the threat of weapons of mass destruction: results of a national residency program director survey. 2000;35:S38 (8th ICEM Abstracts)
- Borges LA, Tannenbaum RD, Neghi-Filho AD, Spadoni VS. Emergency medicine residency at the Hospital Municipal de Pronto Socorro, Porto Alegre, Brazil. 2000;35:S57 (8th ICEM Abstracts)
- Borges LA (see Tannenbaum et al). 2000;35:S57 (8th ICEM Abstracts)
- Boudreaux ED, Ary R, Mandry C. Emergency department staff estimates of patient satisfaction: the squeaky wheel gets the grease. 2000;35:S45 (8th ICEM Abstracts)
- Boudreaux ED, Ary R. Stressors experienced by emergency medicine residents. 2000;35:S45 (8th ICEM Abstracts)
- Boudreaux ED, Clark S, Camargo CA Jr. Telephone follow-up after the emergency department visit: experience with acute asthma. 2000;35:555-63
- Boussuges A (see Gerbeaux et al). 2000;35:S27 (8th ICEM Abstracts)
- Bouvier AMG (see Elkharat et al). 2000;35:S16 (8th ICEM Abstracts)
- Bove J (see Birkhahn et al). 2000;35:S46 (8th ICEM Abstracts)
- Boyce DM (see Sokolove et al). 2000;35:327-36
- Bradic N, Jancic E. Prehospital treatment of the arrhythmias—the role of amiodarone. 2000;35:S69-S70 (8th ICEM Abstracts)
- Bradley K (see Cordone et al). 2000;35:S59 (8th ICEM Abstracts)
- Bradley K (see Razzak et al). 2000;35:S59 (8th ICEM Abstracts)
- Bradley K (see Sibley et al). 2000;35:S60 (8th ICEM Abstracts)
- Bradley PA, Shenton AF, Smith M, Butterworth I. Bricks and mortar. 2000;35:S21 (8th ICEM Abstracts)
- Bradshaw YS. Emergency medicine as community medicine: nonurgent patients across 4 emergency departments in urban Indonesia. 2000;35:S59 (8th ICEM Abstracts)
- Bradt DA, Drummond CM. Civil-military cooperation in the Kosovo crisis. 2000;35:S52 (8th ICEM Abstracts)
- Brady WJ, Viscardi G, Chase CD, Chan T. Electrocardiographic ST-segment elevation: correct identification of AMI and non-AMI syndromes by emergency physicians—preliminary results. 2000;35:S27-S28 (8th ICEM Abstracts)
- Brayley NF. Application of the United Kingdom accident and emergency (A&E) casemix measure in the year 2000. 2000;35:S3 (8th ICEM Abstracts)
- Brazil EV, Coats TJ. Sonoclot coagulation analysis of in vitro dilution of whole blood with colloid and crystalloid solutions. 2000;35:S3 (8th ICEM Abstracts)
- Breakell B (see McInerney et al). 2000;35:S24 (8th ICEM Abstracts)
- Breen JF (see Laudon et al). 2000;35:S32 (8th ICEM Abstracts)
- Brennan R, Raj K. A unique model of epidemic prevention and preparedness during a complex humanitarian emergency. 2000;35:S69 (8th ICEM Abstracts)
- Brennan TA (see Sun et al). 2000;35:426-34
- Brillman JC (see Sapien and Brillman). 2000;35:99-100 (Letter reply)
- Brittelle J (see Graham et al). 2000;35:S22 (8th ICEM Abstracts)
- Brockmann LM (see Maio et al). 2000;35:252-7
- Brookes CN, Wang S. Maxillofacial and globe injuries in motor vehicle crashes. 2000;35:S21 (8th ICEM Abstracts)
- Brotea C (see Schreck et al). 2000;35:S62 (8th ICEM Abstracts)
- Brown A (see Rosenberg et al). 2000;35:S7 (8th ICEM Abstracts)
- Brown LH, Whitney CL, Hunt RC, Addario M, Hogue T. Do lights and sirens reduce ambulance response times? 2000;35:S39 (8th ICEM Abstracts)
- Brown LH (see Reed et al). 2000;35:S32 (8th ICEM Abstracts)
- Brown R (see Somers et al). 2000;35:S25 (8th ICEM Abstracts)
- Brown RM (see Burns et al). 2000;35:374-81
- Browne GJ, Lam L, McCaskill M, Fasher B, Metri J. Isolated extradural hematoma and nonaccidental injuries in children. 2000;35:S6-S7 (8th ICEM Abstracts)
- Browne GJ, Trieu L, Phung X, Mellis C, Van Asperen P, McCaskill M, Fasher B. A randomised double-blind placebo controlled trial to evaluate the efficiency of intravenous salbutamol and inhaled ipratropium bromide in acute severe asthma in the emergency department. 2000;35:S6 (8th ICEM Abstracts)
- Buchanan M (see Truesdale and Buchanan). 2000;35:S8 (8th ICEM Abstracts)
- Budd C (see Colombo et al). 2000;35:S45 (8th ICEM Abstracts)
- Bukish N (see Derazon et al). 2000;35:S66 (8th ICEM Abstracts)
- Bulthuis D, Diaz JE. Ultrarapid opiate detoxification. 2000;35:100-1 (Letter)
- Bunney EB, Sloan EP, Silva J, Sharpe LJ, Rosenberg MS. The incidence, treatment and outcome of hemorrhagic cerebrovascular accident patients treated in the emergency department. 2000;35:S68-S69 (8th ICEM Abstracts)
- Bur A (see Herkner et al). 2000;35:126-30
- Burchett N (see Cocks et al). 2000;35:S55 (8th ICEM Abstracts)
- Burgess BE (see Rosenbaum et al). 2000;35:S42 (8th ICEM Abstracts)
- Burkholder-Allen (see Colombo et al). 2000;35:S45 (8th ICEM Abstracts)
- Burns M (see Dickson et al). 2000;35:S54 (8th ICEM Abstracts)
- Burns MJ, Linden CH, Graudins A, Brown RM, Fletcher KE. A comparison of physostigmine and benzodiazepines for the treatment of anticholinergic poisoning. 2000;35:374-81
- Burns MJ (see Silvetti et al). 2000;35:S52-S53 (8th ICEM Abstracts)
- Burstin HR (see Sun et al). 2000;35:426-34
- Bush B (see Garcia-Rosas and Bush). 2000;35:S72 (8th ICEM Abstracts)
- Bush B (see Garcia-Rosas et al). 2000;35:S72 (8th ICEM Abstracts)
- Busuttil A (see Beale et al). 2000;35:S20 (8th ICEM Abstracts)
- Buttenworth I (see Bradley et al). 2000;35:S21 (8th ICEM Abstracts)
- C**
- Cagliuso N (see Richmond et al). 2000;35:S41 (8th ICEM Abstracts)
- Calabro JJ (see Ramalanjaona and Calabro). 2000;35:S27 (8th ICEM Abstracts)
- Callahan ML (see Isaacs et al). 2000;35:147-54
- Callahan ML (see Waackler and Callahan). 2000;35:1-2
- Callaway C (see Newman et al). 2000;35:472-80 (Concepts)
- Camargo CA Jr. (see Boudreaux et al). 2000;35:555-63
- Camargo CA (see Kenney et al). 2000;35:S62 (8th ICEM Abstracts)
- Camargo CA (see Radeos et al). 2000;35:S62 (8th ICEM Abstracts)
- Camargo CAJ (see Sedik et al). 2000;35:S17 (8th ICEM Abstracts)
- Cameron P (see Holsworth et al). 2000;35:S13 (8th ICEM Abstracts)

- Cameron P (see Hunter et al). 2000;35:S49 (8th ICEM Abstracts)
- Cameron P (see Knott et al). 2000;35:S29 (8th ICEM Abstracts)
- Cameron P (see Virtue et al). 2000;35:S42 (8th ICEM Abstracts)
- Campbell C (see Silverman et al). 2000;35:S39 (8th ICEM Abstracts)
- Cannon CP (see Zalenski et al). 2000;35:462-71 (Concepts)
- Cardin S (see Afilalo et al). 2000;35:S12 (8th ICEM Abstracts)
- Cardin S (see Lang et al). 2000;35:S11-S12 (8th ICEM Abstracts)
- Carlson TE, Oster N, Shashaty J, Cosola T. Concordance between prehospital notification by EMS and actual patient presentation with relation to the allocation of hospital resources: pilot and stage II studies. 2000;35:S41 (8th ICEM Abstracts)
- Carpentier MP, Jourdenais E, Duchesne MC, Daoust R, Renda SA. Clinical exposure to life-threatening situations in emergency medicine during a Canadian family medicine residency program. 2000;35:S9-S10 (8th ICEM Abstracts)
- Carrasco M (see Rodriguez et al). 2000;35:S17 (8th ICEM Abstracts)
- Carrigan T (see Gaffney et al). 2000;35:S21-S22 (8th ICEM Abstracts)
- Casavant MJ. Assessment of clinical policy for the initial approach to patients presenting with acute toxic ingestion or dermal or inhalation exposure. 2000;35:196-7 (Letter)
- Cattermole T (see Mattick et al). 2000;35:S24 (8th ICEM Abstracts)
- Centers for Disease Control and Prevention. Geographic variation in penicillin resistance in *Streptococcus pneumoniae*: selected sites, United States, 1997. 2000;35:506-7
- Centers for Disease Control and Prevention. Incidence of food-borne illnesses: preliminary data from the Foodborne Diseases Active Surveillance Network (FoodNet). 2000;35:92-3
- Centers for Disease Control and Prevention. Use of pulsed-field gel electrophoresis for investigation of a cluster of invasive group A streptococcal illness. 2000;35:308-9
- Cgaa BK (see Ooi and Cgaa). 2000;35:S35 (8th ICEM Abstracts)
- Chan HK (see Lam et al). 2000;35:S48-S49 (8th ICEM Abstracts)
- Chan L (see Thibodeau et al). 2000;35:S64-7
- Chan LYS (see Rainer et al). 2000;35:S15 (8th ICEM Abstracts)
- Chan SSW, Yuen EHY, Kew J, Wong TW, Metreweli C, Cheung WL, Cocks RA. Community-acquired pneumonia: implementation of a prediction rule to guide selection for outpatient treatment. 2000;35:S55 (8th ICEM Abstracts)
- Chan T (see Brady et al). 2000;35:S27-S28 (8th ICEM Abstracts)
- Chan TF (see Lam et al). 2000;35:S48-S49 (8th ICEM Abstracts)
- Chan TYF (see Cocks et al). 2000;35:S55 (8th ICEM Abstracts)
- Chan WK (see Lam et al). 2000;35:S48-S49 (8th ICEM Abstracts)
- Chan-Yeung M (see Tsui et al). 2000;35:S38 (8th ICEM Abstracts)
- Chapman DS (see Sherwin et al). 2000;35:229-38
- Chase CD (see Brady et al). 2000;35:S27-S28 (8th ICEM Abstracts)
- Chen QL. The management of mass casualties of serious earthquake in China. 2000;35:S58-S59 (8th ICEM Abstracts)
- Chen Y (see Silverman et al). 2000;35:S10 (8th ICEM Abstracts)
- Cheng KW (see Lam et al). 2000;35:S48-S49 (8th ICEM Abstracts)
- Chem CH, How CK, Wang LM, Lee CH. The misdiagnosis of liver abscess in the emergency department. 2000;35:S36-S37 (8th ICEM Abstracts)
- Chem CH (see How et al). 2000;35:S36 (8th ICEM Abstracts), 2000;35:S36-S37 (8th ICEM Abstracts)
- Cheung NK (see Ng et al). 2000;35:S18 (8th ICEM Abstracts)
- Cheung WL (see Chan et al). 2000;35:S55 (8th ICEM Abstracts)
- Cheung WL (see Ng and Cheung). 2000;35:S55-S56 (8th ICEM Abstracts)
- Cheung WL (see Ng et al). 2000;35:S18 (8th ICEM Abstracts)
- Cheung WL (see Tam et al). 2000;35:S9 (8th ICEM Abstracts)
- Cheung YC (see Lam et al). 2000;35:S48-S49 (8th ICEM Abstracts)
- Chevret S (see Elkharrat et al). 2000;35:S15-S16 (8th ICEM Abstracts), 2000;35:S16 (8th ICEM Abstracts), 2000;35:S58 (8th ICEM Abstracts)
- Chi CH, Lee HL, Chuang CC, Wang SM, Tsai MC, Tsai LM. Analysis of repeated ambulance use in a developing emergency medical service system. 2000;35:S13 (8th ICEM Abstracts)
- Ching WM (see Tong et al). 2000;35:S20 (8th ICEM Abstracts)
- Chiu TC, Sang YY. The project of establishing the algorithm to manage special circumstance process in the emergency department. 2000;35:S8 (8th ICEM Abstracts)
- Choi SM (see Oh et al). 2000;35:S14 (8th ICEM Abstracts)
- Chong P (see Lee et al). 2000;35:S64-S65 (8th ICEM Abstracts)
- Chong WF (see Lee et al). 2000;35:S64-S65 (8th ICEM Abstracts)
- Choo MKF (see Hsu et al). 2000;35:S14 (8th ICEM Abstracts)
- Choyce A, Avidan MS, Patel C, Harvey A, Timberlake C, McNeill N, Gluckman E. Comparison of insertion of the laryngeal mask and the intubating laryngeal mask by the naive intubator. 2000;35:S22 (8th ICEM Abstracts)
- Christopher M, Manifold C, Schmidt J, McGlasson D. Early aspirin effectiveness as compared by route and time. 2000;35:S39-S40 (8th ICEM Abstracts)
- Chuang CC (see Chi et al). 2000;35:S13 (8th ICEM Abstracts)
- Chuang R, Olshaker J, Robinson D. The analysis of erythrocyte sedimentation rate, C-reactive protein, white blood cell count, and temperature in the diagnosis of acute endocarditis. 2000;35:S34 (8th ICEM Abstracts)
- Chudnolsky CR (see Domeier et al). 2000;35:S46 (8th ICEM Abstracts)
- Chung CH (see Siu et al). 2000;35:S57 (8th ICEM Abstracts)
- Chung-KL (see So-YT et al). 2000;35:S70 (8th ICEM Abstracts)
- Chyka PA (see Hoppe-Roberts). 2000;35:440-8
- Ciancone AC, Wilson C, Collette R, Gerson LW. Sexual assault nurse examiner programs in the United States. 2000;35:353-7
- Ciotton G (see Aghababian et al). 2000;35:S50 (8th ICEM Abstracts)
- Ciotton G (see Anderson et al). 2000;35:S65-S66 (8th ICEM Abstracts)
- Clark RF (see Mohler et al). 2000;35:239-44
- Clark S (see Boudreaux et al). 2000;35:555-63
- Clark S (see Kenney et al). 2000;35:S62 (8th ICEM Abstracts)
- Clark S (see Radeos et al). 2000;35:S62 (8th ICEM Abstracts)
- Clark S (see Sedik et al). 2000;35:S17 (8th ICEM Abstracts)
- Clegg GR (see Mattick et al). 2000;35:S24 (8th ICEM Abstracts)
- Close JCT, Hooper R, Jackson SHD, Gluckman E, Swift CG. Quantifying risk in elderly people attending accident and emergency departments with a fall: results from the Prevention of Falls in the Elderly Trial (PROFET). 2000;35:S21 (8th ICEM Abstracts)
- Coats TJ (see Brazil and Coats). 2000;35:S3 (8th ICEM Abstracts)
- Cocks R (see Gaudins et al). 2000;35:S19 (8th ICEM Abstracts)
- Cocks RA, Rainer TH, Burchett N, Chan TYF, T-lymphocyte suppression following moderate and major trauma. 2000;35:S55 (8th ICEM Abstracts)
- Cocks RA (see Chan et al). 2000;35:S55 (8th ICEM Abstracts)
- Cocks RA (see Rainer et al). 2000;35:S15 (8th ICEM Abstracts)
- Cocks RA (see Tam et al). 2000;35:S9 (8th ICEM Abstracts)
- Colaccone A (see Afilalo et al). 2000;35:S12 (8th ICEM Abstracts)
- Colaccone A (see Lang et al). 2000;35:S11-S12 (8th ICEM Abstracts)
- Collet JP (see Afilalo et al). 2000;35:S12 (8th ICEM Abstracts)
- Collette R (see Ciancone et al). 2000;35:353-7
- Colombo JB, Peterson W, Thackeray J, Tompkins M, Burkholder-Allen, Budd C, Rega P. Disaster medicine education in medical school curricula. 2000;35:S45 (8th ICEM Abstracts)
- Colucciello S (see Sullivan et al). 2000;35:S60 (8th ICEM Abstracts)
- Colucciello SA (see Kline et al). 2000;35:168-80 (Review)
- Cone D (see Razzak et al). 2000;35:S47 (8th ICEM Abstracts)
- Coode W (see Henderson and Coode). 2000;35:S23 (8th ICEM Abstracts)
- Cook LJ, Knight S, Olson LM, Nechodom PJ, Dean JM. Motor vehicle crash characteristics and medical outcomes among older drivers in Utah, 1992-1995. 2000;35:585-91
- Cook S (see Morris et al). 2000;35:S63 (8th ICEM Abstracts)
- Copeland LA (see Maio et al). 2000;35:252-7
- Corbella X (see Salazar et al). 2000;35:S67-S68 (8th ICEM Abstracts)
- Cordone M, Bradley K, Sibley H, Roach J, Markarian M, Werdmann M. College research associates as screeners for firearms injury risk assessment in an urban community teaching hospital emergency department. 2000;35:S59 (8th ICEM Abstracts)
- Cordone M (see Sibley et al). 2000;35:S60 (8th ICEM Abstracts)
- Corfield A, Henry J, Grant P. Association between social deprivation and trauma in Scotland. 2000;35:S22-S23 (8th ICEM Abstracts)
- Cornia K, Joyce SM. Prehospital triage, treatment, and transport performance in an airport disaster drill. 2000;35:S69 (8th ICEM Abstracts)
- Cosano I, Sanchez F, Mejias S, Regias R, Ledesma M. Adherence index to protocols as a quality indicator of the emergency coordination center activities. 2000;35:S71 (8th ICEM Abstracts)
- Cosano I (see Sanchez et al). 2000;35:S20 (8th ICEM Abstracts)
- Cosano PI (see Valverde and Cosano). 2000;35:S71 (8th ICEM Abstracts)
- Cosola T (see Carlson et al). 2000;35:S41 (8th ICEM Abstracts)
- Cotter M (see Cunningham et al). 2000;35:S21 (8th ICEM Abstracts)
- Coull D (see Paterson et al). 2000;35:S5 (8th ICEM Abstracts)
- Cowan PT (see Rosenbaum et al). 2000;35:S42 (8th ICEM Abstracts)
- Craig K, Washington RA, Huang J, Younger JG, Lucchesi BR. Evidence of myocardial complement activation following hemorrhagic shock and resuscitation. 2000;35:S33 (8th ICEM Abstracts)
- Cranmer H, Leaning J. Professional development in Kosovo: issues in helping local Kosovar physicians create their own health care plan. 2000;35:S53 (8th ICEM Abstracts)
- Crowe P (see MacNamara et al). 2000;35:S4 (8th ICEM Abstracts)
- Crowley A, Aghababian R, Nichols C, Anderson P, Schmidt E, Renzi F, Hatem D, Volturo G. Physical diagnosis in the emergency department: an innovative educational program for medical students. 2000;35:S14-S15 (8th ICEM Abstracts)
- Cuculino GP, O'Connor RE, Reese C, Jasani NB. Does implementation of an asthma pathway improve the quality of care in a high-volume emergency department? 2000;35:S43 (8th ICEM Abstracts)
- Cummings AJ (see Harbick et al). 2000;35:382-90
- Cunningham K, Keenan E, Barry J, Cotter M, O'Neill M, Quinn C, Lane A, Smyth B. Accidental overdose among injecting drug users in Dublin. 2000;35:S21 (8th ICEM Abstracts)
- Cunningham R, Silbergleit R. Viral myocarditis presenting with seizure and electrocardiographic findings of acute myocardial infarction in a 14-month-old child. 2000;35:618-22 (Case rep.)
- Curry SC (see Tanen et al). 2000;35:369-73
- Curtis K (see Macken et al). 2000;35:S14 (8th ICEM Abstracts)
- Curtis R (see Taylor et al). 2000;35:S7 (8th ICEM Abstracts)

D

- D'Adamo AP (see Todd et al). 2000;35:11-16
Dales R (see Aaron and Dales). 2000;35:198 (Letter reply)
Daly FFS, Fatovich DM, Bartu A, Quigley A. A prospective study of opioid overdose. 2000;35:S30 (8th ICEM Abstracts)
Daly FFS, Hill RE, Bogdan GM, Dart RC. Neutralization of *Latrodectus hesperus* venom by antivenom raised against *Latrodectus hasselti* in a murine model. 2000;35:S57-S58 (8th ICEM Abstracts)
Daly FFS (see O'Malley et al). 2000;35:S15 (8th ICEM Abstracts)
Daniel KR, Jackson RE, Kline JA. Utility of lower extremity venous ultrasound scanning in the diagnosis and exclusion of pulmonary embolism. 2000;35:547-54
Daniels K (see O'Malley et al). 2000;35:S15 (8th ICEM Abstracts)
Dankner RS (see Bentancur et al). 2000;35:S57 (8th ICEM Abstracts)
Dankoff J (see Afialo et al). 2000;35:S12 (8th ICEM Abstracts)
Dankoff J (see Lang et al). 2000;35:S11-S12 (8th ICEM Abstracts)
Dannenberg B (see Sherwin et al). 2000;35:229-38
Daoust R (see Carpentier et al). 2000;35:S9-S10 (8th ICEM Abstracts)
Dapprich D (see Reese et al). 2000;35:S47 (8th ICEM Abstracts)
Dart A (see Holsworth et al). 2000;35:S13 (8th ICEM Abstracts)
Dart A (see Hunter et al). 2000;35:S49 (8th ICEM Abstracts)
Dart RC (see Daly et al). 2000;35:S57-S58 (8th ICEM Abstracts)
Dart RC (see O'Malley et al). 2000;35:S15 (8th ICEM Abstracts)
Davies T (see McInerney et al). 2000;35:S24 (8th ICEM Abstracts)
Davis CO (see Hostetler and Davis). 2000;35:S32-S33 (8th ICEM Abstracts)
Daya MR (see Siepmann et al). 2000;35:573-8
De Maio VJ, Stiell IG, Wells GA, Sparte DW. Cardiac arrest witnessed by emergency medical services personnel: descriptive epidemiology, prodromal symptoms, and predictors of survival. 2000;35:138-46
de Winter RJ, Lijmer JG, Koster RW, Hoek FJ, Sanders GT. Diagnostic accuracy of myoglobin concentration for the early diagnosis of acute myocardial infarction. 2000;35:113-20
Dean JM (see Cook et al). 2000;35:585-91
Deaton C (see Todd et al). 2000;35:11-16
Debatisse A (see Elkharrat et al). 2000;35:S58 (8th ICEM Abstracts)
Decker J (see Dietzman et al). 2000;35:630-1 (Letter reply)
Decker WW (see High et al). 2000;35:S30 (8th ICEM Abstracts)
Deluca SA (see Peacock et al). 2000;35:213-20
Depouvouville G (see Elkharrat et al). 2000;35:S15-S16 (8th ICEM Abstracts)
Derazon H, Emile H, Bukish N, Shtibelman I, Nissimian S, Belkerman L. Rizatriptan for severe migraine in the emergency department. 2000;35:S66 (8th ICEM Abstracts)
Derlet RW, Richards JR. Overcrowding in the nation's emergency departments: complex causes and disturbing effects. 2000;35:63-8 (Concepts)
Derse AR (see Marco et al). 2000;35:604-12
Desandre P (see Phan et al). 2000;35:S67 (8th ICEM Abstracts)
Dettmann SK (see Reese et al). 2000;35:S47 (8th ICEM Abstracts)
Diaz JE (see Bulthuis and Diaz). 2000;35:100-1 (Letter)
Diaz JE (see Shrier et al). 2000;35:100 (Letter)
Dickson E, Burns M, Sivilotti M, Joe L, Grazel J, Mangolds G, Mori K. Treatment of hypothermia-induced ventricular fibrillation with warm lavage perfluorocarbon ventilation. 2000;35:S54 (8th ICEM Abstracts)
Dickson E, Sivilotti M, Joe L, Mangolds G, Grazel J, Baxter G. Thermodynamic and initial laboratory evidence supporting the use of perfluorocarbon liquid ventilation in the treatment of hypothermia. 2000;35:S53-S54 (8th ICEM Abstracts)

- Dickson E, Wholey R, Alexander J, Mangolds G, Renzi F. Arterial serum adenosine levels in patients undergoing coronary artery angioplasty. 2000;35:S53 (8th ICEM Abstracts)
Dietzman S, Decker J, Santis L. Carbon monoxide poisoning: how about more precise analytic and preanalytic techniques? 2000;35:630-1 (Letter reply)
Dietrich A (see Abrunzo et al). 2000;35:155-61 (Concepts)
Docherty E (see Graham et al). 2000;35:S22 (8th ICEM Abstracts)
Dodds D (see Murali et al). 2000;35:S5 (8th ICEM Abstracts)
Doherty SR, Mooki and Ben. 2000;35:311-12 (Change of shift)
Domeier RM, Chudnofsky CR, Frederiksen SM. A prospective evaluation of prehospital paramedic trauma intubation practice. 2000;35:S46 (8th ICEM Abstracts)
Dorfsman ML, Menegazzi JJ, Wadas RJ, Auble T. Two-thumb versus two-finger chest compression in an infant model of prolonged cardiopulmonary resuscitation. 2000;35:S44-S45 (8th ICEM Abstracts)
Douglas NJ (see Mackay et al). 2000;35:S48 (8th ICEM Abstracts)
Downey LA (see Gossman et al). 2000;35:S35 (8th ICEM Abstracts)
Doyle P (see Garrihy et al). 2000;35:S22 (8th ICEM Abstracts)
Dresden G (see Rodriguez et al). 2000;35:S17 (8th ICEM Abstracts)
Driscoll P (see Murphy et al). 2000;35:S24-S25 (8th ICEM Abstracts)
Drummond CM (see Bradt and Drummond). 2000;35:S52 (8th ICEM Abstracts)
Dubinsky I (see Pauls et al). 2000;35:S12 (8th ICEM Abstracts)
Dubinsky I (see Lee and Dubinsky). 2000;35:S18 (8th ICEM Abstracts)
Ducharme J. Acute pain and pain control: state of the art. 2000;35:592-603 (State of the art)
Duchesne MC (see Carpentier et al). 2000;35:S9-S10 (8th ICEM Abstracts)
Dwivedi SN (see Aggarwal et al). 2000;35:S34-S35 (8th ICEM Abstracts)
Dziukas L (see Holsworth et al). 2000;35:S13 (8th ICEM Abstracts)
Dziukas L (see Hunter et al). 2000;35:S49 (8th ICEM Abstracts)

E

- Eckersley C (see Murphy et al). 2000;35:S24-S25 (8th ICEM Abstracts)
Eckstein M (see Sayah et al). 2000;35:S46 (8th ICEM Abstracts)
Eisenhauer M (see Woolfrey et al). 2000;35:S29 (8th ICEM Abstracts)
Eisenstein EL (see Stowers et al). 2000;35:17-25
Eitel DR (see Wuerz et al). 2000;35:S49-S50 (8th ICEM Abstracts)
Elgas R (see Mori et al). 2000;35:S8 (8th ICEM Abstracts)
Elkharrat D, Chevret S, Benhamou F, Debatisse A, LeCorre A. Long-term efficacy of an intervention to reduce unwarranted tetanus immunoglobulins prescribing in an emergency department. 2000;35:S58 (8th ICEM Abstracts)
Elkharrat D, Chevret S, Fraisse F, Levy A, Benhamou F, LeCorre A, Depouvouville G. Efficacy and tolerance of inpatient versus outpatient management of acute uncomplicated pyelonephritis. Preliminary results in 502 patients randomized in 16 emergency departments. 2000;35:S15-S16 (8th ICEM Abstracts)
Elkharrat D, Chevret S, LeCorre A, Bouvier AMG. Appropriateness of blood count and serum electrolytes prescribed in an emergency department. 2000;35:S16 (8th ICEM Abstracts)
Emmerman CL (see Peacock et al). 2000;35:213-20
Emile H, Hashmonai D, Yosef E, Natalia B. Wood preservative poisoning. 2000;35:S26-S27 (8th ICEM Abstracts)

- Emile H, Lity B, Galia R, Ronit P. Quality assurance of nurse triage: consistency of results over three years. 2000;35:S26-S27 (8th ICEM Abstracts)
Emile H (see Derazon et al). 2000;35:S66 (8th ICEM Abstracts)
Emile H (see Yotam et al). 2000;35:S30 (8th ICEM Abstracts)
Epter M, Pindiprolu P, Berger A, Hsu C. Efficacy of porcine model for demonstrating pericardial effusion with real-time ultrasound. 2000;35:S67 (8th ICEM Abstracts)
Escarabill J (see Salazar et al). 2000;35:S67-S68 (8th ICEM Abstracts)
Eskin B (see Szucs et al). 2000;35:131-7
Evans PA (see McInerney et al). 2000;35:S24 (8th ICEM Abstracts)
Evenson KR (see Yaeger et al). 2000;35:628-9 (Letter)
Evenson KR (see Morris et al). 2000;35:S63 (8th ICEM Abstracts)

F

- Farin HM (see Zalenski et al). 2000;35:462-71 (Concepts)
Farrell B (see Gilligan et al). 2000;35:S22 (8th ICEM Abstracts)
Farrell S, Hayes T, Shaw M. A negative SimpliRED D-Dimer assay result does not exclude the diagnosis of deep vein thrombosis or pulmonary embolism in emergency department patients. 2000;35:121-5
Fasher B (see Browne et al). 2000;35:S6-S7 (8th ICEM Abstracts)
Fatovich DM, Jacobs IG. National triage score versus waiting time: does anyone really care what time it is? 2000;35:S7-S8 (8th ICEM Abstracts)
Fatovich DM (see Daly et al). 2000;35:S30 (8th ICEM Abstracts)
Fatovich DM (see Taylor et al). 2000;35:S7 (8th ICEM Abstracts)
Feied CF, Smith MS, Handler JA, Kanhouwa M. Emergency medicine can play a leadership role in enterprise-wide clinical information systems. 2000;35:162-7
Feldhaus KM (see Houry et al). 2000;35:404 (Letter reply)
Feldhaus KM (see Riggs et al). 2000;35:358-62
Fernandez F (see Martin et al). 2000;35:S40 (8th ICEM Abstracts)
Fernandez M (see Vaca et al). 2000;35:S56-S57 (8th ICEM Abstracts)
Fernando A (see Wickramasinghe et al). 2000;35:S51-S62 (8th ICEM Abstracts)
Filbin MR, Gurr D, Kulkarni R, Barton ED, Sakles J, Pollack C, Walls RM. Pretreatment for endotracheal intubation in head injury: a prospective observational survey. 2000;35:S66 (8th ICEM Abstracts)
Filbin MR (see Sivilotti et al). 2000;35:S52 (8th ICEM Abstracts)
Filho ADN (see Tannenbaum et al). 2000;35:S57 (8th ICEM Abstracts)
Fisher J, Savett S, Milliron M, Wiederhold MS, Koenig G. Campus-based emergency medical services: a Web survey by the National Collegiate Emergency Medical Services Foundation. 2000;35:S66-S67 (8th ICEM Abstracts)
Fitzpatrick M (see McGuffie et al). 2000;35:S4-S5 (8th ICEM Abstracts)
Fletcher KE (see Burns et al). 2000;35:374-81
Formanek M (see Herkner et al). 2000;35:126-30
Fornengo P (see Petrino et al). 2000;35:S71 (8th ICEM Abstracts)
Fosnocht DE (see Wolfe et al). 2000;35:421-5
Fournier JP, Gilbert E, Pellegrino C, Stacini P, Thiercelin D, Qualid H, Bertrand F. Pulmonary embolism diagnosis strategies in the emergency department. 2000;35:S47-S48 (8th ICEM Abstracts)
Fox JM (see Irvin and Fox). 2000;35:283-6, 2000;35:287-90
Fraga AMA (see Barakat et al). 2000;35:S7 (8th ICEM Abstracts)
Fraisse F (see Elkharrat et al). 2000;35:S15-S16 (8th ICEM Abstracts)
Frank JD (see Schreck et al). 2000;35:S62 (8th ICEM Abstracts)
Franklin J (see Rodriguez et al). 2000;35:S17 (8th ICEM Abstracts)

Frederick R (see Harbick et al). 2000;35:382-90
Frederiksen SM (see Domeier et al). 2000;35:S46 (8th ICEM Abstracts)
Frederiksen SM (see Beel et al). 2000;35:S28 (8th ICEM Abstracts)
Fry M, Holdgate A. Nurse-initiated radiographs in distal limb injuries: a change of practice. 2000;35:S30-S31 (8th ICEM Abstracts)
Fulda GJ (see Tinkoff et al). 2000;35:S43 (8th ICEM Abstracts)
Fuller FP (see Pace and Fuller). 2000;35:568-72
Fung HT (see Lam et al). 2000;35:S70 (8th ICEM Abstracts)
Fung-HT (see So-YT et al). 2000;35:S70 (8th ICEM Abstracts)

G

Gad B-J, Weinberger T, Ben-Haim S. Response to repeated equal doses of epinephrine during cardiopulmonary resuscitation in dogs. 2000;35:3-10
Gaeta TJ (see Birkhahn et al). 2000;35:S46 (8th ICEM Abstracts)
Gaffney P, Carrigan T, Johnson G. A survey of needlestick injuries in paramedics and technicians in the West Yorkshire Metropolitan Ambulance Service. 2000;35:S21-S22 (8th ICEM Abstracts)
Gannier M (see Gerbeaux et al). 2000;35:S27 (8th ICEM Abstracts)
Galla R (see Emile et al). 2000;35:S26-S27 (8th ICEM Abstracts)
Gallagher EJ. Clots in the lung. 2000;35:181-7 (Editorial)
Gallagher P (see Aghababian et al). 2000;35:S54 (8th ICEM Abstracts)
Gallery M (see Moorhead and Gallery). 2000;35:S44 (8th ICEM Abstracts)
Gamber G (see Herkner et al). 2000;35:126-30
Garan-Martinez IC (see Henderson et al). 2000;35:S51-S52 (8th ICEM Abstracts)
Garcia JA (see Perron et al). 2000;35:S27 (8th ICEM Abstracts)
Garcia-Rosas C, Bush B. Emergency medicine in Mexico. 2000;35:S72 (8th ICEM Abstracts)
Garcia-Rosas C, Golocovsky M, Bush B. Method of evaluation "Mmexico" in emergency medicine. 2000;35:S72 (8th ICEM Abstracts)
Garrity MB, Doyle P, Narayanaswamy L, Morgan AJA, Gorman DF. Evaluation of the Ottawa Knee Rules in the accident and emergency department. 2000;35:S22 (8th ICEM Abstracts)
Garrison H (see Moody-Williams et al). 2000;35:245-51 (Concepts)
Gautreau M (see Anderson et al). 2000;35:S65-S66 (8th ICEM Abstracts)
Geiderman J. Mandatory reporting laws. 2000;35:403-4 (Letter)
Geiderman JM. Letter from the lady on bed 3. 2000;35:626-7 (Change of shift)
Gelula M (see McCauley and Gelula). 2000;35:S9 (8th ICEM Abstracts)
Genna T (see Henderson et al). 2000;35:S51-S52 (8th ICEM Abstracts)
Gerardi M (see Abrunzo et al). 2000;35:155-61 (Concepts)
Gerbeaux P, Nelth P, Gannier M, Boussuges A, Baumier V, Torro D, Takun K, Jean P. Heliox in severe exacerbation of chronic obstruction pulmonary disease. 2000;35:S27 (8th ICEM Abstracts)
Gerson LW (see Ciancone et al). 2000;35:353-7
Gibler WB (see Storrow and Gibler). 2000;35:449-61 (State of the art)
Gibler WB (see Zalenski et al). 2000;35:462-71 (Concepts)
Gilbert E (see Fournier et al). 2000;35:S47-S48 (8th ICEM Abstracts)
Gilroy N (see Wuerz et al). 2000;35:S49-S50 (8th ICEM Abstracts)
Gilligan P, Hegarty D, Muldoon C, Smith M, Farrell B, Len E, Barton D. The facts of death. 2000;35:S22 (8th ICEM Abstracts)

Gilmer B (see Tomaszewski et al). 2000;35:S69 (8th ICEM Abstracts)
Giordano L (see Richmond et al). 2000;35:S41 (8th ICEM Abstracts)
Glasgow J (see Machin et al). 2000;35:S24 (8th ICEM Abstracts)
Glucksman E (see Choyce et al). 2000;35:S22 (8th ICEM Abstracts)
Glucksman E (see Close et al). 2000;35:S21 (8th ICEM Abstracts)
Glucksman E (see Lewis et al). 2000;35:S23-S24 (8th ICEM Abstracts)
Glucksman E (see Machin et al). 2000;35:S24 (8th ICEM Abstracts)
Glucksman E (see Thompson and Glucksman). 2000;35:S26 (8th ICEM Abstracts)
Goe L (see Todd et al). 2000;35:11-16
Goldberg RJ (see Zalenski et al). 2000;35:462-71 (Concepts)
Goldfrank LR, Knopp RK. Racially and ethnically selective oligoanalgesia: is this racism? 2000;35:79-82 (Editorial)
Goldman D (see Silverman et al). 2000;35:S39 (8th ICEM Abstracts)
Golocovsky M (see Garcia-Rosas et al). 2000;35:S72 (8th ICEM Abstracts)
Gorman DF (see Garrity et al). 2000;35:S22 (8th ICEM Abstracts)
Gorman DR (see Leonard et al). 2000;35:S23 (8th ICEM Abstracts)
Gosnold JK. Part 8 reviews—do we ever learn? 2000;35:S4 (8th ICEM Abstracts)
Gossman W, Downey LA, Zun L. Nausea and opioid use in an emergency medicine setting. 2000;35:S35 (8th ICEM Abstracts)
Gould SW (see O'Connor et al). 2000;35:S43 (8th ICEM Abstracts)
Grad W (see Afilalo et al). 2000;35:S12 (8th ICEM Abstracts)
Grad W (see Lang et al). 2000;35:S11-S12 (8th ICEM Abstracts)
Graff L, Mahadevan M, Russell J. Observation improves CT scan utilization in abdominal pain evaluation for appendicitis. 2000;35:S31 (8th ICEM Abstracts)
Graff L, Prete M, Werdman M, Monaco E, Smothers K, Krivenko C, Maag R, Joseph A. Improved outcomes chest pain evaluation with implementation observation units in a multisite hospital network. 2000;35:S31 (8th ICEM Abstracts)
Graff L (see Mahadevan and Graff). 2000;35:S19-S20 (8th ICEM Abstracts)
Graham C (see McGuffie et al). 2000;35:S4-S5 (8th ICEM Abstracts)
Graham CA, Thakora SB, Docherty E, Mattick AP, Britcliffe J, Parke TRJ. Rapid sequence intubation in accident and emergency departments in Scotland: preliminary results. 2000;35:S22 (8th ICEM Abstracts)
Graham CA (see Beale et al). 2000;35:S20 (8th ICEM Abstracts)
Grange J (see Harris and Grange). 2000;35:629 (Letter)
Grant P (see Corfield et al). 2000;35:S22-S23 (8th ICEM Abstracts)
Graudins A, Ryan J, Plunkett P, Cocks R, McKay C. Self-harm: a tale from five cities around the world. 2000;35:S19 (8th ICEM Abstracts)
Graudins A (see Burns et al). 2000;35:374-81
Gray S (see Houlihan et al). 2000;35:S23 (8th ICEM Abstracts)
Grazel J (see Dickson et al). 2000;35:S53-S54 (8th ICEM Abstracts)
Green R (see Grier et al). 2000;35:435-9
Green SM, Kupperman N, Rothrock SG, Hummel CB, Ho M. Predictors of adverse events with intramuscular ketamine sedation in children. 2000;35:35-42
Green SM (see Sherwin et al). 2000;35:229-38
Greenberg M (see Sivillotti et al). 2000;35:S52-S53 (8th ICEM Abstracts)
Greenough PG (see Aghababian et al). 2000;35:S50 (8th ICEM Abstracts)

Greenwald I (see Newman et al). 2000;35:472-80 (Concepts)
Gregor MA (see Maio et al). 2000;35:252-7
Gregory ME. Factors associated with head and neck injury in air bag-deployed crashes. 2000;35:S38 (8th ICEM Abstracts)
Gregson AL (see Sokolove et al). 2000;35:327-36
Grief R, Rajek A, Laciny S, Bastanmehr H, Sessler DI. Resistive heating is more effective than metallic-foil insulation in an experimental model of accidental hypothermia: a randomized controlled trial. 2000;35:337-45
Grierson R, Green R, Sitar DS, Tenenbein M. Gastric lavage for liquid poisons. 2000;35:435-9
Griff L (see Holsworth et al). 2000;35:S13 (8th ICEM Abstracts)
Grigg L (see Hunter et al). 2000;35:S49 (8th ICEM Abstracts)
Grigg L (see Knott et al). 2000;35:S29 (8th ICEM Abstracts)
Groleau G (see Jackson et al). 2000;35:S13 (8th ICEM Abstracts)
Grossman SA, Richards CF, Anglin D, Hutson HR. Caring for the patient with mental retardation in the emergency department. 2000;35:69-76 (Concepts)
Grove P (see Macken et al). 2000;35:S14 (8th ICEM Abstracts)
Gulla J, Singer AJ. Use of alternative therapies among emergency department patients. 2000;35:226-8
Gumbhir-Shah K, Koch P, Jusko W, Vaickus L. Consecutive doses of levalbuterol and racemic albuterol result in comparable safety and efficacy: a pharmacokinetic and pharmacodynamic study in mild-moderate asthmatics. 2000;35:S30 (8th ICEM Abstracts)
Gura M (see Rosenberg et al). 2000;35:S7 (8th ICEM Abstracts)
Gupta P, Wijetunge DB, Premachandran S, Bland M. Efficacy of gastric decontamination in paracetamol (acetaminophen) overdose. 2000;35:S23 (8th ICEM Abstracts)
Gurr D (see Filbin et al). 2000;35:S66 (8th ICEM Abstracts)
Gurr DE, Kulkarni RG, Walls RM, Pollack CV Jr, Sakles J. Trauma airway management in the emergency department: indications, methods, and success rates. 2000;35:S33 (8th ICEM Abstracts)
Gurr DE (see Kulkarni et al). 2000;35:S33 (8th ICEM Abstracts)
Gurr DE (see Worrall et al). 2000;35:S29 (8th ICEM Abstracts)
Gussow L (see Bonucci et al). 2000;35:S38 (8th ICEM Abstracts)
Gutierrez A (see Martinez and Gutierrez). 2000;35:S66 (8th ICEM Abstracts)
Guttman A (see Afilalo et al). 2000;35:S12 (8th ICEM Abstracts)
Guttman A (see Lang et al). 2000;35:S11-S12 (8th ICEM Abstracts)

H

Haim B (see Yotam et al). 2000;35:S30 (8th ICEM Abstracts)
Haines J (see Ruse et al). 2000;35:512-13 (Letter)
Halliday C (see Paterson et al). 2000;35:S5 (8th ICEM Abstracts)
Hamilton D (see Otto et al). 2000;35:S19 (8th ICEM Abstracts)
Hammer D (see Miltzman et al). 2000;35:S50-S51 (8th ICEM Abstracts)
Handa R (see Aggarwal et al). 2000;35:S34-S35 (8th ICEM Abstracts)
Handler JA (see Feied et al). 2000;35:162-7
Hanly J (see Krendel et al). 2000;35:502-5 (Case rep.)
Hanrahan JP (see Radeos et al). 2000;35:S62 (8th ICEM Abstracts)
Harbick S, Frederick R, Ward M, Cummings AJ. Unusual cause of chest pain in a 60-year-old woman. 2000;35:382-90
Harch PG (see VanMeter et al). 2000;35:S34 (8th ICEM Abstracts)
Harris M, Grange J. Management of calf deep venous thrombosis. 2000;35:629 (Letter)
Hartsell SC (see Wolfe et al). 2000;35:S32 (8th ICEM Abstracts)
Harvey A (see Choyce et al). 2000;35:S22 (8th ICEM Abstracts)
Hashmonai D (see Emile et al). 2000;35:S26 (8th ICEM Abstracts)

- Hassan TB, Wailoo A, Porter T, Barnett DB. Can single "first responder" units and priority-based dispatch produce a significant impact on the outcome of prehospital cardiopulmonary arrest: a cost-effectiveness analysis. 2000;35:54 (8th ICEM Abstracts)
- Hatem D (see Crowley et al). 2000;35:S14-S15 (8th ICEM Abstracts)
- Hayes T (see Farrell et al). 2000;35:121-5
- Hay EP (see Perron et al). 2000;35:S27 (8th ICEM Abstracts)
- Heard K (see O'Malley et al). 2000;35:S15 (8th ICEM Abstracts)
- Hedges JR (see Siepmann et al). 2000;35:573-8
- Hegarty D (see Gilligan et al). 2000;35:S22 (8th ICEM Abstracts)
- Helenius H (see Porela et al). 2000;35:413-20
- Heller M (see Salen et al). 2000;35:S39 (8th ICEM Abstracts)
- Henderson KIM, Coode W. A diagnostic care pathway for the management of suspected deep vein thrombosis. 2000;35:S23 (8th ICEM Abstracts)
- Henderson SO, Ostrzega E, Genna T, Korn CS, Garan-Martinez IC. Coronary triage unit in an indigent county population. 2000;35:S51-S52 (8th ICEM Abstracts)
- Henderson SO, Ostrzega E, Genna T, Matoyoshi D, Alcocer L. Demographics, descriptions, diagnosis, and disposition of 1,677 chest pain patients in an inner-city acute care hospital. 2000;35:S52 (8th ICEM Abstracts)
- Henderson SO (see Hoffner et al). 2000;35:S31 (8th ICEM Abstracts)
- Henderson SO (see Kachhi and Henderson). 2000;35:391-3 (Case rep.)
- Henderson SO (see Newton et al). 2000;35:S51 (8th ICEM Abstracts)
- Henderson SO (see Robertson et al). 2000;35:S58 (8th ICEM Abstracts)
- Henry J (see Corfield et al). 2000;35:S22-S23 (8th ICEM Abstracts)
- Henry J (see Houlihan et al). 2000;35:S23 (8th ICEM Abstracts)
- Henry J (see McGuffie et al). 2000;35:S4-S5 (8th ICEM Abstracts)
- Henry MC, Thode HC, Shrestha C, Noack P. Inadequate hospital reimbursement for victims of motor vehicle crashes due to health reform legislation. 2000;35:277-82
- Herkner H, Laggner AN, Müller M, Formanek M, Bur A, Gampger G, Woisetschlager C, Hirschl MM. Hypertension in patients presenting with epistaxis. 2000;35:126-30
- Heron S (see Richman et al). 2000;35:S49 (8th ICEM Abstracts)
- Hidal JT (see Steinman et al). 2000;35:S67 (8th ICEM Abstracts)
- High WA, Decker WW, Smars PA, Kalantar JS, Weaver AL, Zinsmeister AR, Locke GR III. Etiology and outcome of patients with a final diagnosis of noncardiac chest pain admitted from the emergency department under suspicion of acute coronary syndrome. 2000;35:S30 (8th ICEM Abstracts)
- Hill RE (see Daly et al). 2000;35:S57-S58 (8th ICEM Abstracts)
- Hiong GS (see Tiru et al). 2000;35:S28 (8th ICEM Abstracts)
- Hirschl MM (see Herkner et al). 2000;35:126-30
- Hitchcock T (see Taylor et al). 2000;35:S7 (8th ICEM Abstracts)
- Hjelm NM (see Rainer et al). 2000;35:S15 (8th ICEM Abstracts)
- Ho HF (see Tam et al). 2000;35:S9 (8th ICEM Abstracts)
- Ho M (see Green et al). 2000;35:35-42
- Hodgetts TJ. Humanitarian support: designing, building, and equipping an emergency department in Kosovo. 2000;35:S23 (8th ICEM Abstracts)
- Hoek FJ (see de Winter et al). 2000;35:113-20
- Hoffner RJ, Valentine CC, Henderson SO. The presentation and pitfalls of malaria in an urban inner-city emergency department. 2000;35:S31 (8th ICEM Abstracts)
- Hogskilde S, Anderson PD, Sorensen MB. Frequency of prehospital endotracheal intubation in a physician-based emergency medical services system. 2000;35:S65 (8th ICEM Abstracts)
- Hogskilde S (see Anderson et al). 2000;35:S65-S66 (8th ICEM Abstracts), 2000;35:S65 (8th ICEM Abstracts)
- Hogue T (see Brown et al). 2000;35:S39 (8th ICEM Abstracts)
- Holdgate A (see Fry and Holdgate). 2000;35:S30-S31 (8th ICEM Abstracts)
- Holsworth L, Hunter M, LeBrocq T, Dziukas L, Cameron P, Kambourakis T, Griff L, Peverill R, Dart A, Jennings G. A multicenter study of adult patients with nontraumatic chest pain in Australian emergency departments. 2000;35:S13 (8th ICEM Abstracts)
- Holsworth L (see Hunter et al). 2000;35:S49 (8th ICEM Abstracts)
- Hooley J (see Anderson et al). 2000;35:S65-S66 (8th ICEM Abstracts)
- Hooper R (see Close et al). 2000;35:S21 (8th ICEM Abstracts)
- Hooper R (see Machin et al). 2000;35:S24 (8th ICEM Abstracts)
- Hoppe-Roberts JM, Lloyd LM, Chyka PA. Poisoning mortality in the United States: comparison of national mortality statistics and poison control center reports. 2000;35:440-8
- Hostetler MA, Davis CO. A prospective, age-based comparison of behavioral reactions occurring in children following ketamine sedation. 2000;35:S32-S33 (8th ICEM Abstracts)
- Houlihan KPG, Gray S, Henry J. "Unexpected" survival from trauma: a seven-year experience. 2000;35:S23 (8th ICEM Abstracts)
- Houry D (see Riggs et al). 2000;35:358-62
- Houry DE, Feldhaus KM, Abbott J. Mandatory reporting laws. 2000;35:404 (Letter reply)
- Houry DE, Shockey LW, Markovchick V. Wellness issues and the emergency medicine resident. 2000;35:394-7 (Residents' Perspective)
- How CK, Hsu TF, Chern CH, Wang LM, Lee CH. An epidemic of heat stroke without a heat wave. 2000;35:S36 (8th ICEM Abstracts)
- How CK, Huang YT, Chern CH, Wang LM, Lee CH. The clinical manifestations and diagnosis of psoas abscess in the emergency department. 2000;35:S36 (8th ICEM Abstracts)
- How CK (see Chern et al). 2000;35:S36-S37 (8th ICEM Abstracts)
- Howarth MV. Blood and body fluid exposures: where does follow-up begin? 2000;35:82-3 (Editorial)
- Hoyo JF (see Martin et al). 2000;35:S40 (8th ICEM Abstracts)
- Hsu C (see Epter et al). 2000;35:S67 (8th ICEM Abstracts)
- Hsu C (see Phan et al). 2000;35:S67 (8th ICEM Abstracts)
- Hsu E, Choo MKF, Ma MHM. Emergency medical assistance team response following the Taiwan earthquake. 2000;35:S14 (8th ICEM Abstracts)
- Hsu TF (see How et al). 2000;35:S36 (8th ICEM Abstracts)
- Huang J (see Craig et al). 2000;35:S33 (8th ICEM Abstracts)
- Huang YC, Yang SH. Regular spiritual comfort for emergency patients. 2000;35:S44 (8th ICEM Abstracts)
- Huang YC (see Hung et al). 2000;35:S11 (8th ICEM Abstracts)
- Huang YT (see How et al). 2000;35:S36 (8th ICEM Abstracts)
- Hummel CB (see Green et al). 2000;35:35-42
- Humphreys B (see Murali et al). 2000;35:S5 (8th ICEM Abstracts)
- Hung-CY (see So-YT et al). 2000;35:S70 (8th ICEM Abstracts)
- Hung YF, Huang YC, Wang DC. How to reduce the noise level in emergency department. 2000;35:S11 (8th ICEM Abstracts)
- Hunt RC (see Brown et al). 2000;35:S39 (8th ICEM Abstracts)
- Hunter M, Holsworth L, LeBrocq T, Dziukas L, Cameron P, Kambourakis T, Grigg L, Peverill R, Dart A, Jennings G. Experience with chest pain units in Australia. 2000;35:S49 (8th ICEM Abstracts)
- Hunter M (see Holsworth et al). 2000;35:S13 (8th ICEM Abstracts)
- Hurwitz G, McLaughlin P, Renzi FP. Communication of preexisting advanced directives: impact on patient care in the emergency department. 2000;35:S54 (8th ICEM Abstracts)
- Hutson HR (see Grossman et al). 2000;35:69-76 (Concepts)
- Hutson HR (see Sayah et al). 2000;35:S46 (8th ICEM Abstracts)
- Hyman KB (see Larkin and Hyman). 2000;35:S28 (8th ICEM Abstracts)
- I**
- Ip KK (see Siu et al). 2000;35:S28 (8th ICEM Abstracts)
- Irvin CB, Fox JM. Effect of a state definition of an "emergency medical condition" legislation on Medicaid managed care organization reimbursement. 2000;35:283-6
- Irvin CB, Fox JM. Reimbursement impact of Medicaid managed care organizations replacing standard Medicaid. 2000;35:287-90
- Isaacs E, Callahan ML. Ability of laypersons to estimate short time intervals in cardiac arrest. 2000;35:147-54
- Israel EG (see Kline et al). 2000;35:168-80 (Review)
- Itoh Y (see Mori et al). 2000;35:S8 (8th ICEM Abstracts)
- J**
- Jackson MC, Groleau G, Kimmell C. Comparison of quality of medical documentation for findings related to sexual assault before and after the development of a sexual assault forensic examination program. 2000;35:S13 (8th ICEM Abstracts)
- Jackson RE (see Daniel et al). 2000;35:547-54
- Jackson SHD (see Close et al). 2000;35:S21 (8th ICEM Abstracts)
- Jacobs IG (see Fatovich and Jacobs). 2000;35:S7-S8 (8th ICEM Abstracts)
- Jamali S (see Razzak et al). 2000;35:S47 (8th ICEM Abstracts)
- Janchar T (see Milzman et al). 2000;35:S51 (8th ICEM Abstracts)
- Jancic E (see Bradic and Jancic). 2000;35:S69-S70 (8th ICEM Abstracts)
- Jasani NB (see Cuculino et al). 2000;35:S43 (8th ICEM Abstracts)
- Jasani NB (see Leisey et al). 2000;35:S43 (8th ICEM Abstracts)
- Jasani NB (see O'Connor et al). 2000;35:S44 (8th ICEM Abstracts)
- Jasani NB (see Tinkoff et al). 2000;35:S43 (8th ICEM Abstracts)
- Jatin Shan (see Mace and Jatin Shan). 2000;35:S60 (8th ICEM Abstracts)
- Jay G (see Sucov et al). 2000;35:S53 (8th ICEM Abstracts)
- Jean P (see Gerbeaux et al). 2000;35:S27 (8th ICEM Abstracts)
- Jenkins S (see Sullivan et al). 2000;35:S60 (8th ICEM Abstracts)
- Jennings G (see Holsworth et al). 2000;35:S13 (8th ICEM Abstracts)
- Jennings G (see Hunter et al). 2000;35:S49 (8th ICEM Abstracts)
- Joe L (see Dickson et al). 2000;35:S53-S54 (8th ICEM Abstracts), 2000;35:S54 (8th ICEM Abstracts)
- Johns KL (see Kline et al). 2000;35:168-80 (Review)
- Johnson G (see Gaffney et al). 2000;35:S21-S22 (8th ICEM Abstracts)
- Johnson LA, Lev R. Assuring that managed care organizations provide appropriate instructions regarding use of emergency departments. 2000;35:198-9 (Letter)
- Johnson M (see Bonucci et al). 2000;35:S38 (8th ICEM Abstracts)
- Johnston S (see Mackay et al). 2000;35:S39 (8th ICEM Abstracts)
- Jolly BT. NHTSA Notes commentary: drugged driving—different spin on an old problem. 2000;35:399-400
- Jolly BT. NHTSA Notes commentary: juvenile DUI—more work to be done. 2000;35:193
- Jones AD (see Stowers et al). 2000;35:17-25
- Jones JS (see Reese et al). 2000;35:S47 (8th ICEM Abstracts)
- Joseph A (see Graff et al). 2000;35:S31 (8th ICEM Abstracts)
- Joseph A (see Macken et al). 2000;35:S13-S14 (8th ICEM Abstracts)
- Jourdenais E (see Carpentier et al). 2000;35:S9-S10 (8th ICEM Abstracts)
- Joyce SM (see Cornia and Joyce). 2000;35:S69 (8th ICEM Abstracts)

Jusko W (see Gumbhir-Shah et al). 2000;35:S30 (8th ICEM Abstracts)

K

Kachhi PN, Henderson SO. Priapism after androstenedione intake for athletic performance enhancement. 2000;35:391-3 (Case rep.)

Kahn S (see Tinkoff et al). 2000;35:S43 (8th ICEM Abstracts)

Kahn SR (see Rabuka et al). 2000;35:S37 (8th ICEM Abstracts)

Kalantar JS (see High et al). 2000;35:S30 (8th ICEM Abstracts)

Kam CW (see Lam et al). 2000;35:S70 (8th ICEM Abstracts)

Kam CW (see Ng et al). 2000;35:S70 (8th ICEM Abstracts)

Kam CW (see So-YT et al). 2000;35:S70 (8th ICEM Abstracts)

Kam CW (see Tong et al). 2000;35:S20 (8th ICEM Abstracts)

Kambourakis T (see Holsworth et al). 2000;35:S13 (8th ICEM Abstracts)

Kambourakis T (see Hunter et al). 2000;35:S49 (8th ICEM Abstracts)

Kanhouwa M (see Feied et al). 2000;35:162-7

Karras DJ. Incidence of foodborne illnesses: preliminary data from the Foodborne Diseases Active Surveillance Network (FoodNet) [commentary]. 2000;35:93-5

Karras DJ (see Terregino et al). 2000;35:26-34

Katoh H (see Birkhahn et al). 2000;35:S46 (8th ICEM Abstracts)

Kazel RG (see Allison et al). 2000;35:S41-S42 (8th ICEM Abstracts)

Kazmierczak SC, Allison EJ Jr. Prognostic utility of troponin I and troponin T in evaluating patients with chest pain and concomitant renal insufficiency. 2000;35:S56 (8th ICEM Abstracts)

Keenan E (see Cunningham et al). 2000;35:S21 (8th ICEM Abstracts)

Keim M (see Pesik and Keim). 2000;35:315-16 (Letter reply)

Kellermann AL, DeJm v. 2000;35:83-5 (Editorial)

Kelly AM, Powell C, Williams A. Lack of correlation between parent and child visual analog scale pain scores: a challenge for pediatric pain and analgesia research? 2000;35:S8 (8th ICEM Abstracts)

Kelly AM, Richardson D. How do nurses train for the role of triage in Australasia? 2000;35:S37 (8th ICEM Abstracts)

Kelly AM (see Powell et al). 2000;35:S37-S38 (8th ICEM Abstracts)

Kennedy RM, McAllister JD. Midazolam with ketamine: who benefits? 2000;35:297-9 (Editorial)

Kenney PA, Clark S, Camargo CA. Body mass index and acute asthma severity among adult emergency department patients. 2000;35:S62 (8th ICEM Abstracts)

Kerr G (see McGuffie et al). 2000;35:S4-S5 (8th ICEM Abstracts)

Kew J (see Chan et al). 2000;35:S55 (8th ICEM Abstracts)

Keyes LE. Medical Publishing 101. 2000;35:89-91 (Residents' perspective)

Khan A (see Sherwin et al). 2000;35:229-38

Killiee J (see VanMeter et al). 2000;35:S34 (8th ICEM Abstracts)

Killian AJ (see Terregino et al). 2000;35:26-34

Kim SK (see Oh et al). 2000;35:S14 (8th ICEM Abstracts)

Kim SY (see Woo et al). 2000;35:363-8

Kimball EJ (see Wolfe et al). 2000;35:S32 (8th ICEM Abstracts)

Kimmell C (see Jackson et al). 2000;35:S13 (8th ICEM Abstracts)

King JA. *EMS Education Agenda for the Future: Flexner revisited*. 2000;35:624-5 (NHTSA Notes Commentary)

Kirsch TD (see Viner et al). 2000;35:272-6

Kivela P (see Viner et al). 2000;35:272-6

Kline JA, Johns KL, Colucciello SA, Israel EG. New diagnostic tests for pulmonary embolism. 2000;35:168-80 (Review)

Kline JA (see Daniel et al). 2000;35:S47-54

Knight S (see Cook et al). 2000;35:585-91

Knopp RK, Birros MH, White JD, Waackierle JF. The uninsured: emergency medicine's challenge to our political leaders. 2000;35:295-7 (Editorial)

Knopp RK (see Goldfrank and Knopp). 2000;35:79-82 (Editorial)

Knott J, Baldey A, Cameron P, Grigg L, Better N. The impact of technetium 99m sestamibi imaging on clinical management algorithms. 2000;35:S29 (8th ICEM Abstracts)

Koch P (see Gumbhir-Shah et al). 2000;35:S30 (8th ICEM Abstracts)

Koenig G (see Fisher et al). 2000;35:S66-S67 (8th ICEM Abstracts)

Koenigsberg MD (see Sloan and Koenigsberg). 2000;35:S68 (8th ICEM Abstracts)

Kohn R (see Afilalo et al). 2000;35:S12 (8th ICEM Abstracts)

Kohn R (see Lang et al). 2000;35:S11-S12 (8th ICEM Abstracts)

Koldanov R (see Bentancur et al). 2000;35:S57 (8th ICEM Abstracts)

Korn CS (see Henderson et al). 2000;35:S51-S52 (8th ICEM Abstracts)

Koster RW (see de Winter et al). 2000;35:113-20

Kovacs G, Ackroyd-Stolarz S, Parks P, LeBlanc C. Patient complaints and the level of activity in the emergency department: is there a relationship? 2000;35:S18-S19 (8th ICEM Abstracts)

Krawczyk JA (see Sokolove et al). 2000;35:327-36

Krendel S, Pollack P, Hanly J. Tissue Plasminogen activator in pediatric myocardial infarction. 2000;35:502-5 (Case rep.)

Kresnow M-J (see Beaman et al). 2000;35:258-66

Krivenko C (see Graff et al). 2000;35:S31 (8th ICEM Abstracts)

Kriza K (see Rodriguez et al). 2000;35:S17 (8th ICEM Abstracts)

Kuffner EK. Assessment of clinical policy for the initial approach to patients presenting with acute toxic ingestion or dermal or inhalation exposure. 2000;35:197 (Letter reply)

Kulkarni R (see Filbin et al). 2000;35:S66 (8th ICEM Abstracts)

Kulkarni RG, Gurr DE, Walls RM, Pollack CV Jr, Sakles J. Trauma airway management: a comparison of indications, success rates, complications, and cricothyrotomy rate by specialty. 2000;35:S33 (8th ICEM Abstracts)

Kulkarni RG (see Gurr et al). 2000;35:S33 (8th ICEM Abstracts)

Kunkes S (see Razzak et al). 2000;35:S59 (8th ICEM Abstracts)

Kupperman N (see Green et al). 2000;35:35-42

Kurata Y (see Mori et al). 2000;35:S8 (8th ICEM Abstracts)

L

Laciny S (see Greif et al). 2000;35:337-45

Laggner AN (see Herkner et al). 2000;35:126-30

Lainez M (see Martin et al). 2000;35:S40 (8th ICEM Abstracts)

Lam CK (see Siu et al). 2000;35:S28 (8th ICEM Abstracts)

Lam HKC (see Lit et al). 2000;35:S16-S17 (8th ICEM Abstracts)

Lam KK, Lau FL, Chan WK, Chan TF, Chan HK, Leung MY, Luk YC, Cheung YC, Cheng KW. Teaching patients' relatives and citizens to perform adult cardiopulmonary resuscitation: a two-year report. 2000;35:S48-S49 (8th ICEM Abstracts)

Lam L (see Browne et al). 2000;35:S6-S7 (8th ICEM Abstracts)

Lam LC (see Stowers et al). 2000;35:17-25

Lam MY, Fung HT, Kam CW. Paracetamol overdose—the severity, management, and complications. 2000;35:S70 (8th ICEM Abstracts)

Lam P (see Tam et al). 2000;35:S9 (8th ICEM Abstracts)

Lam PKW (see Rainer et al). 2000;35:S15 (8th ICEM Abstracts)

LaMar H, Manthey D. Just how safe and secure is your emergency department? 2000;35:S46-S47 (8th ICEM Abstracts)

Lambrew CT (see Zaleski et al). 2000;35:462-71 (Concepts)

Lampell M (see Abunzo et al). 2000;35:155-61 (Concepts)

Lane A (see Cunningham et al). 2000;35:S21 (8th ICEM Abstracts)

Lang E, Afilalo M, Colacone A, Dankoff J, Cardin S, Tselios C, Grad W, Kohn R, Schull M, Guttman A. A comprehensive assessment of avoidability of return visits in a population of emergency department discharged patients. 2000;35:S11-S12 (8th ICEM Abstracts)

Lang E (see Afilalo et al). 2000;35:S12 (8th ICEM Abstracts)

Larkin GL, Hyman KB. Health risk behaviors by domestic violence status in a random emergency department sample. 2000;35:S28 (8th ICEM Abstracts)

Larkin GL (see Marco et al). 2000;35:604-12

Lau CC (see Ng et al). 2000;35:S55 (8th ICEM Abstracts)

Lau CC (see Siu et al). 2000;35:S28 (8th ICEM Abstracts)

Lau CC (see Yung et al). 2000;35:S54-S55 (8th ICEM Abstracts)

Lau FL (see Lam et al). 2000;35:S48-S49 (8th ICEM Abstracts)

Lau FL (see Tse and Lau). 2000;35:S40 (8th ICEM Abstracts)

Lau FL (see Yuen and Lau). 2000;35:S48 (8th ICEM Abstracts)

Lauder CT, Sweeney TA, O'Connor RE. Use of the intubating laryngeal mask airway compared with laryngoscopic intubation among emergency medicine staff using both a mannequin and cadaver model. 2000;35:S42 (8th ICEM Abstracts)

Lauder CT (see Levy et al). 2000;35:S11 (8th ICEM Abstracts)

Laudon DA, Vukob LF, Breen JF, Sheedy PF. The cost-effectiveness of electron beam computed tomography in the evaluation of chest pain in emergency department observation units. 2000;35:S32 (8th ICEM Abstracts)

Layne OL. Thank you, Melissa. 2000;35:401-2 (Change of shift)

Le DH (see Reed et al). 2000;35:S32 (8th ICEM Abstracts)

Leak LV (see Radeos et al). 2000;35:S62 (8th ICEM Abstracts)

Leaning J (see Cranmer and Leaning). 2000;35:S53 (8th ICEM Abstracts)

LeBlanc C (see Kovacs et al). 2000;35:S18-S19 (8th ICEM Abstracts)

LeBrocq T (see Holsworth et al). 2000;35:S13 (8th ICEM Abstracts)

LeBrocq T (see Hunter et al). 2000;35:S49 (8th ICEM Abstracts)

LeCorre A (see Elkharrat et al). 2000;35:S15-S16 (8th ICEM Abstracts)

Ledesma M (see Cosano et al). 2000;35:S71 (8th ICEM Abstracts)

Lee BS (see Sokolove et al). 2000;35:327-36

Lee CH (see Chern et al). 2000;35:S36-S37 (8th ICEM Abstracts)

Lee CH (see How et al). 2000;35:S36 (Abstract 135), 2000;35:S36 (Abstract 136)

Lee FCY, Chong WF, Chong P, Ooi SBS. The emergency department system: computerization improved the quality of medical records. 2000;35:S64-S65 (8th ICEM Abstracts)

Lee G (see Park et al). 2000;35:S12-S13 (8th ICEM Abstracts)

Lee HL (see Chi et al). 2000;35:S13 (8th ICEM Abstracts)

Lee M (see Bonucci et al). 2000;35:S38 (8th ICEM Abstracts)

Lee MJ (see Oh et al). 2000;35:S14 (8th ICEM Abstracts)

Lee PWM (see Lit et al). 2000;35:S16-S17 (8th ICEM Abstracts)

Lee S, Dubinsky I. Can patients with renal colic be safely discharged from the emergency department without an imaging procedure? 2000;35:S18 (8th ICEM Abstracts)

Lee S, Dubinsky I. Is spiral computed tomography the diagnostic imaging of choice for patients with renal colic? 2000;35:S18 (8th ICEM Abstracts)

Lee WJ (see Oh et al). 2000;35:S14 (8th ICEM Abstracts)

Leisner JR, Levy BM, Jasani NB, O'Connor RE. Utility of pretest probability to assess the risk of abnormal head computed tomographic scans: can risk stratification be used to eliminate scanning in low-risk patients? 2000;35:S43 (8th ICEM Abstracts)

Leisner JR (see O'Connor et al). 2000;35:S43 (8th ICEM Abstracts)

Leiva JI (see Rosen et al). 2000;35:86-9 (Case rep.)

Len E (see Gilligan et al). 2000;35:S22 (8th ICEM Abstracts)

Lencero C (see Sanchez et al). 2000;35:S20 (8th ICEM Abstracts)

- Leo PJ (see McRae et al). 2000;35:S35-S36 (8th ICEM Abstracts)
- Leonard P (see O'Donnell and Leonard). 2000;35:S25 (8th ICEM Abstracts)
- Leonard PA, Beattie TF, Gorman DR. Use of bicycle helmets by children presenting to a paediatric accident and emergency department with a bicycle-related injury: implications for injury prevention strategies. 2000;35:S23 (8th ICEM Abstracts)
- Leung LP, Lo CM, Tong HK. Prehospital resuscitation of out-of-hospital cardiac arrest in Hong Kong. 2000;35:S38 (8th ICEM Abstracts)
- Leung MY (see Lam et al). 2000;35:S48-S49 (8th ICEM Abstracts)
- Lev R (see Johnson et al). 2000;35:198-9 (Letter)
- Levin E (see Rosenberg et al). 2000;35:S7 (8th ICEM Abstracts)
- Levy A (see Elkharrat et al). 2000;35:S15-S16 (8th ICEM Abstracts)
- Levy BM, Shubert RA, Phelan PK, Bennett MA, Lauder CT, Mullen DA, Megargel RE, O'Connor RE. Spinal immobilization after motor vehicle crash in patients who are ambulatory at the scene: is it justified? 2000;35:S11 (8th ICEM Abstracts)
- Levy BM (see Leisey et al). 2000;35:S43 (8th ICEM Abstracts)
- Lew C (see Vaca et al). 2000;35:S56-S57 (8th ICEM Abstracts)
- Lewandowski C (see Lotfi-pour et al). 2000;35:S17 (8th ICEM Abstracts)
- Lewis AJ, Glucksman E, Alpers D. The prevalence of mental health disorder in accident and emergency. 2000;35:S23-S24 (8th ICEM Abstracts)
- Lewis RJ (see Sokolove et al). 2000;35:327-36
- Liang L (see Yuan et al). 2000;35:S9 (8th ICEM Abstracts)
- Lijmer JG (see de Winter et al). 2000;35:113-20
- Lily B (see Emile et al). 2000;35:S26-S27 (8th ICEM Abstracts)
- Linden CH (see Burns et al). 2000;35:374-81
- Linscott MS (see Wolfe et al). 2000;35:421-5
- Lit ACH, Lam HKC, Ma HM, Lee PWM, Wong PKL. Transient blood pressure elevation in patients attending the emergency department. 2000;35:S16-S17 (8th ICEM Abstracts)
- Lloyd LM (see Hoppe-Roberts). 2000;35:440-8
- Lo CB (see Siu et al). 2000;35:S57 (8th ICEM Abstracts)
- Lo CM (see Leung et al). 2000;35:S38 (8th ICEM Abstracts)
- Lo YMD (see Rainer et al). 2000;35:S15 (8th ICEM Abstracts)
- Lobon L (see Phan et al). 2000;35:S67 (8th ICEM Abstracts)
- Locke GR III (see High et al). 2000;35:S30 (8th ICEM Abstracts)
- Long G (see Riggs et al). 2000;35:358-62
- Lopez BL (see Terregino et al). 2000;35:26-34
- Lord G (see Anderson et al). 2000;35:S65-S66 (8th ICEM Abstracts)
- Loria-Castellanos J, Rocha-Luna JM, Andrade-Padilla MA. Toxicologic problems at the pediatric emergency department of the "Dr. Gaudencio Gonzalez Garza" Hospital at the "La Raza" National Medical Center, Mexican Social Security Institute. 2000;35:S47 (8th ICEM Abstracts)
- Losek JD. Hypoglycemia and the ABC's (sugar) of pediatric resuscitation. 2000;35:43-6
- Lotfi-pour S, Lewandowski C, Nguyen HB. Wide interresident procedure variability suggests need for national standards in emergency medicine. 2000;35:S17 (8th ICEM Abstracts)
- LoVecchio F (see Tanen et al). 2000;35:369-73
- Lowery D (see Richman et al). 2000;35:S49 (8th ICEM Abstracts)
- Luchesi BR (see Craig et al). 2000;35:S33 (8th ICEM Abstracts)
- Lugo BA (see Radeos et al). 2000;35:S62 (8th ICEM Abstracts)
- Luk YC (see Lam et al). 2000;35:S48-S49 (8th ICEM Abstracts)
- M**
- Ma HM (see Lit et al). 2000;35:S16-S17 (8th ICEM Abstracts)
- Ma MHM (see Hsu et al). 2000;35:S14 (8th ICEM Abstracts)
- Maag R (see Graff et al). 2000;35:S31 (8th ICEM Abstracts)
- MacDonald RD, Swanson JM, Mottley JL, Weinstein C. Performance analysis of semiautomatic defibrillators used in the out-of-hospital setting. 2000;35:S35 (8th ICEM Abstracts)
- Mace SE. A comparison of antipyretic medications in pediatric patients. 2000;35:S61 (8th ICEM Abstracts)
- Mace SE. A comparison of pediatric versus adult observation medicine patients. 2000;35:S61 (8th ICEM Abstracts)
- Mace SE, Jatin Shan. Observation medicine in academic emergency departments. 2000;35:S60 (8th ICEM Abstracts)
- Machin V, Hooper R, Glasgow J, Glucksman E. Evaluation of the Ottawa Ankle Rules for the use of radiography in acute ankle and midfoot injuries in children. 2000;35:S24 (8th ICEM Abstracts)
- Mackay CA, Johnston S, Murchison J, McDonagh T, Mackay TW, Bell D. Outcome of patients undergoing ventilation-perfusion lung scanning for suspected pulmonary thromboembolic disease. 2000;35:S39 (8th ICEM Abstracts)
- Mackay CA, Mackay TW, Barr J, Newby D, McDonagh T, Douglas NJ. Randomised controlled trial of CPAP versus conventional therapy in acute pulmonary oedema. 2000;35:S48 (8th ICEM Abstracts)
- Mackay TW (see Mackay et al). 2000;35:S39 (8th ICEM Abstracts)
- Mackay TW (see Mackay et al). 2000;35:S39 (8th ICEM Abstracts)
- Macken L, Grove P, Curtis K. Decisionmaking in the urgent management of the adult hypotensive blunt trauma patient: torso operation or head CT scan? 2000;35:S14 (8th ICEM Abstracts)
- Macken L, Joseph A, Mandavia D, Toncich G. Emergency ultrasound for nonradiologists: the results of the first intensive two-day workshops in Australia. 2000;35:S13-S14 (8th ICEM Abstracts)
- MacNamara A, Stevens S, Crowe P, Reynolds J. Right first time—the use of an aluminum filter to improve visualization of the cervicothoracic junction on the lateral cervical spine x-ray. 2000;35:S4 (8th ICEM Abstracts)
- Madira W (see McInerney et al). 2000;35:S24 (8th ICEM Abstracts)
- Mahadevan M, Graff L. EASED Study (Elimination of Abdominal Pain Safely in the Emergency Department). 2000;35:S19-S20 (8th ICEM Abstracts)
- Mahadevan M (see Graff et al). 2000;35:S31 (8th ICEM Abstracts)
- Maio RF, Shope JT, Blow FC, Copeland LA, Gregor MA, Brockmann LM, Weber JE, Metrow ME. Adolescent injury in the emergency department: opportunity for alcohol interventions? 2000;35:252-7
- Mandavia D. Meeting the SAEM ultrasound guidelines. 2000;35:513-14 (Letter)
- Mandavia D (see Macken et al). 2000;35:S13-S14 (8th ICEM Abstracts)
- Mandavia DP, Qualls S, Rokos I. Emergency airway management in penetrating neck injury. 2000;35:221-5
- Mandry C (see Boudreaux et al). 2000;35:S45 (8th ICEM Abstracts)
- Mangolds G (see Aghababian et al). 2000;35:S54 (8th ICEM Abstracts)
- Mangolds G (see Dickson et al). 2000;35:S53-S54 (8th ICEM Abstracts)
- Mangolds G (see Dickson et al). 2000;35:S53 (8th ICEM Abstracts)
- Mandry C (see Boudreaux et al). 2000;35:S45 (8th ICEM Abstracts)
- Manifold C (see Christopher et al). 2000;35:S39-S40 (8th ICEM Abstracts)
- Mann NC (see Siepmann et al). 2000;35:573-8
- Manoquerra AS (see Mohler et al). 2000;35:239-44
- Manthey D (see LaMar and Manthey). 2000;35:S46-S47 (8th ICEM Abstracts)
- MARC Investigators (see Boudreaux et al). 2000;35:555-63
- Marco CA, Larkin GL, Moskop JC, Derser AR. Determination of "futility" in emergency medicine. 2000;35:604-12 (Concepts)
- Marinella MA. Generalized seizures associated with low-calorie dieting. 2000;35:405 (Letter)
- Markarian M (see Cordone et al). 2000;35:S59 (8th ICEM Abstracts)
- Markarian M (see Razzak et al). 2000;35:S59 (8th ICEM Abstracts)
- Markovchick V (see Houry et al). 2000;35:394-7 (Residents' perspective)
- Markovchick V (see Riggs et al). 2000;35:358-62
- Martin A, Hoyo JF, Matamoros H, Fernandez F, Lainez M, Perianes JF. Reentrant supraventricular tachycardia in the emergency department: a prospective study of clinical presentation and sequential therapy. 2000;35:S40 (8th ICEM Abstracts)
- Martin ML. Ethnicity and analgesic practice: an editorial. 2000;35:77-9 (Editorial)
- Martinez M, Gutierrez A. Epidemiology of infectious diseases in emergency medicine in Spain. 2000;35:S66 (8th ICEM Abstracts)
- Mason SM, Wardrope J, Turpin G. The ability of cause of accident to predict psychological outcome among male accident and emergency attenders. 2000;35:S4 (8th ICEM Abstracts)
- Matamoros H (see Martin et al). 2000;35:S40 (8th ICEM Abstracts)
- Matoyoshi D (see Henderson et al). 2000;35:S52 (8th ICEM Abstracts)
- Mattick A, Clegg GR, Beattie TF, Ahmed T, Cattermole T. A comparison of SteriStrips versus glue for the closure of lacerations in a pediatric accident and emergency department. 2000;35:S24 (8th ICEM Abstracts)
- Mattick AP (see Graham et al). 2000;35:S22 (8th ICEM Abstracts)
- McAllister JD (see Kennedy and McAllister). 2000;35:297-9 (Editorial)
- McCann B. The Waterford prognostic scoring system for soft tissue sports injury to the knee joint (a pilot study). 2000;35:S24 (8th ICEM Abstracts)
- McCasill M (see Browne et al). 2000;35:S6-S7 (8th ICEM Abstracts)
- McCasill M (see Browne et al). 2000;35:S6 (8th ICEM Abstracts)
- McCauley WA, Gelula M. Continuing medical education in emergency medicine: detailing to the process of change: does it impact on changing physician behavior? 2000;35:S9 (8th ICEM Abstracts)
- McCormick J (see Beel et al). 2000;35:S28 (8th ICEM Abstracts)
- McCormick J (see Newton et al). 2000;35:S51 (8th ICEM Abstracts)
- McCormick J (see Sucov et al). 2000;35:S53 (8th ICEM Abstracts)
- McCormick JJ III (see Robertson et al). 2000;35:S58 (8th ICEM Abstracts)
- McDonagh T (see Mackay et al). 2000;35:S39 (8th ICEM Abstracts)
- McDonagh T (see Mackay et al). 2000;35:S48 (8th ICEM Abstracts)
- McDonald V (see Otto et al). 2000;35:S19 (8th ICEM Abstracts)
- McElean ES (see Peacock et al). 2000;35:213-20
- McGlasdon D (see Christopher et al). 2000;35:S39-S40 (8th ICEM Abstracts)
- McGraw P (see O'Connor et al). 2000;35:S43 (8th ICEM Abstracts)
- McGuffie AC, Kerr G, Beard D, Wilkie SC, Graham C, Fitzpatrick M, Henry J, Parke T. Urban vs rural trauma outcome study. 2000;35:S4-S5 (8th ICEM Abstracts)
- McHugh DF, Vissers RJ. Bi-spectral index monitoring of the electroencephalogram correlates with sedation scales during emergency department conscious sedation. 2000;35:S49 (8th ICEM Abstracts)
- McInerney JJ, Breakell B, Madira W, Davies T, Evans PA. Accidental hypothermia: the effects of rewarming on plasma pH, ionized calcium, ionized magnesium, and serum parathyroid hormone. 2000;35:S24 (8th ICEM Abstracts)
- McKay C (see Graudins et al). 2000;35:S19 (8th ICEM Abstracts)
- McKinney PE (see Wolsey and McKinney). 2000;35:579-84

McLaughlin P (see Hurwitz et al). 2000;35:S54 (8th ICEM Abstracts)
McNeill N (see Choyce et al). 2000;35:S22 (8th ICEM Abstracts)
McRae A, Tsang W, Leo PJ. The use of herbal medications among pediatric population at a large urban community hospital. 2000;35:S35-S36 (8th ICEM Abstracts)
Megargel RE (see Levy et al). 2000;35:S11 (8th ICEM Abstracts)
Megargel RE (see O'Connor et al). 2000;35:S44 (8th ICEM Abstracts)
Mejias S (see Cosano et al). 2000;35:S71 (8th ICEM Abstracts)
Melanson S (see Salen et al). 2000;35:S39 (8th ICEM Abstracts)
Mellis C (see Browne et al). 2000;35:S6 (8th ICEM Abstracts)
Melton S (see Otto et al). 2000;35:S19 (8th ICEM Abstracts)
Menahem S (see Yotam et al). 2000;35:S30 (8th ICEM Abstracts)
Menegazzi JJ (see Dorfsman et al). 2000;35:S44-S45 (8th ICEM Abstracts)
Meng FH (see Mills et al). 2000;35:S31-S32 (8th ICEM Abstracts)
Mercy JA (see Beaman et al). 2000;35:258-66
Metreweli C (see Chan et al). 2000;35:S55 (8th ICEM Abstracts)
Metri J (see Browne et al). 2000;35:S6-7 (8th ICEM Abstracts)
Metrou ME (see Maio et al). 2000;35:252-7
Meyer J (see Milzman et al). 2000;35:S50 (8th ICEM Abstracts)
Mickalide A (see Moody-Williams et al). 2000;35:245-51 (Concepts)
Miller P (see Mitchell et al). 2000;35:300-3 (Case rep.)
Miller T (see Moody-Williams et al). 2000;35:245-51 (Concepts)
Milliron M (see Fisher et al). 2000;35:S66-S67 (8th ICEM Abstracts)
Mills AM, Meng FH, Zu A, Siman R, Neumar RW. Direct comparison of calpain and caspase activity in postischemic brain. 2000;35:S31-S32 (8th ICEM Abstracts)
Milne LW (see Wuerz et al). 2000;35:S49-S50 (8th ICEM Abstracts)
Milzman D, Napoli A, Hammer D, Samadder G. Impact of body habitus and nutritional adequacy on outcome in acute heart failure. 2000;35:S50-S51 (8th ICEM Abstracts)
Milzman D, Napoli A, Pugh C, Samadder R. Identifying occult hypoperfusion with serum lactate improves care of acute heart failure patients. 2000;35:S51 (8th ICEM Abstracts)
Milzman D, Napoli A, Shibli M, Meyer J, Padmanabha V. Trouble with troponin I in initial screening for acute myocardial infarction. 2000;35:S50 (8th ICEM Abstracts)
Milzman D, Napoli A, Janchar T, Ornstein T. Comparison of concert injuries: body surfing in the mosh pit versus standard in-seat audience patterns. 2000;35:S51 (8th ICEM Abstracts)
Mitchell SJ, Benson M, Vadlamudi L, Miller P. Cerebral arterial gas embolism by helium: an unusual case successfully treated with hyperbaric oxygen and lidocaine. 2000;35:300-3 (Case rep.)
Mithiner JC (see Beel et al). 2000;35:S28 (8th ICEM Abstracts)
Mittermayer C (see Schenk et al). 2000;35:512 (Letter reply)
Mohler CR, Nordt SP, Williams SR, Manoguerra AS, Clark RF. Prospective evaluation of mild to moderate pediatric acetaminophen exposures. 2000;35:239-44
Moises J (see VanMeter et al). 2000;35:S34 (8th ICEM Abstracts)
Monico E (see Graff et al). 2000;35:S31 (8th ICEM Abstracts)
Moody-Williams JD, Athey J, Barlow B, Blanton D, Garrison H, Mickalide A, Miller T, Olson L, Skripak D. Injury prevention and emergency medical services for children in a managed care environment. 2000;35:245-51 (Concepts)
Moore S (see Blouin and Moore). 2000;35:S48 (8th ICEM Abstracts)
Moorhead JC, Gallery M. The 1999 study of the workforce in emergency medicine. 2000;35:S44 (8th ICEM Abstracts)

Moran GJ. Emergency department management of blood and body fluid exposures. 2000;35:47-62 (State of the Art)
Moran GJ (see Talan and Moran). 2000;35:309-10
Moreno H (see Tanus-Santos and Moreno). 2000;35:S11-2 (Letter)
Morgan AJA (see Garrihy et al). 2000;35:S22 (8th ICEM Abstracts)
Mori K, Takeyama Y, Saito J, Kurata Y, Itoh Y, Asai Y, Elgas R, Renzi FP. Resuscitation from prolonged ventricular and induction of selective brain hypothermia via extracorporeal bypass. 2000;35:S8 (8th ICEM Abstracts)
Mori K (see Dickson et al). 2000;35:S54 (8th ICEM Abstracts)
Morris DL, Rosamond WD, Evenson KR, Cook S. Seeking medical attention after stroke symptoms: impact on delays in arriving at an emergency department. 2000;35:S63 (8th ICEM Abstracts)
Morris DL (see Yeager et al). 2000;35:628-9 (Letter)
Moskop JC (see Marco et al). 2000;35:604-12
Mortley JL (see MacDonald et al). 2000;35:S35 (8th ICEM Abstracts)
Moulton C (see Murali et al). 2000;35:S5 (8th ICEM Abstracts)
Mueller PD (see Woo et al). 2000;35:363-8
Muldoon C (see Gilligan et al). 2000;35:S22 (8th ICEM Abstracts)
Mullen DA (see Levy et al). 2000;35:S11 (8th ICEM Abstracts)
Mullner M (see Herkner et al). 2000;35:126-30
Murali K, Moulton C, Yates D, Dadds D, Purdy J, Humphreys B. The new PEP respiratory monitor in the A&E—the latest answer to a long-existing problem. 2000;35:S5 (8th ICEM Abstracts)
Murchison J (see Mackay et al). 2000;35:S39 (8th ICEM Abstracts)
Murphy D (see Woolfrey et al). 2000;35:S29 (8th ICEM Abstracts)
Murphy R, Eckersley C, Driscoll P. A comparison of medical admissions by an accident and emergency clinician and an on-call medical team. 2000;35:S24-S25 (8th ICEM Abstracts)
Murray W (see Sullivan et al). 2000;35:S60 (8th ICEM Abstracts)

N

Nagakuni R (see O'Malley et al). 2000;35:S15 (8th ICEM Abstracts)
Napoli A (see Milzman et al). 2000;35:S50-S51 (8th ICEM Abstracts), 2000;35:S50 (8th ICEM Abstracts), 2000;35:S51 (8th ICEM Abstracts)
Napoli A (see Milzman et al). 2000;35:S51 (8th ICEM Abstracts)
Narayanawarmy L (see Garrihy et al). 2000;35:S22 (8th ICEM Abstracts)
Nashed AH (see Szucs et al). 2000;35:131-7
Natalie D (see Stowers et al). 2000;35:17-25
Natalia B (see Emile et al). 2000;35:S26 (8th ICEM Abstracts)
Nathanson A (see Sucov et al). 2000;35:S53 (8th ICEM Abstracts)
National Highway Traffic Safety Administration. Alcohol-related fatal crash rates for youth reach historic low: strategies for combating juvenile DUI. 2000;35:192-3
National Highway Traffic Safety Administration. *EMS Education Agenda for the Future: a vision for the future of EMS education*. 2000;35:623-4
National Highway Traffic Safety Administration. Marijuana and alcohol combined severely impede driving performance. 2000;35:398-400
Nechodom PJ (see Cook et al). 2000;35:585-91
Neghi-Filho AD (see Borges et al). 2000;35:S57 (8th ICEM Abstracts)
Nelsh P (see Gerbeaux et al). 2000;35:S27 (8th ICEM Abstracts)
Neumar RW (see Mills et al). 2000;35:S31-S32 (8th ICEM Abstracts)

Newby D (see Mackay et al). 2000;35:S48 (8th ICEM Abstracts)
Newman DH, Greenwald I, Callaway C. Cardiac arrest and the role of thrombolytic agents. 2000;35:472-80 (Concepts)
Newton K, McCormick J, Pritchard B, Henderson SO. Evaluation of an integrated conscious sedation curriculum. 2000;35:S51 (8th ICEM Abstracts)
Ng DSK, Wong TW, Lau CC. Use of ultrasound examinations by emergency physicians: the Hong Kong experience. 2000;35:S55 (8th ICEM Abstracts)
Ng P, Kam CW, Yau HH. A comparison of ketoprofen and diclofenac for acute musculoskeletal pain: a randomized clinical trial. 2000;35:S70 (8th ICEM Abstracts)
Ng P, Wong TW, Lau CC. An audit of fracture clinic referrals in emergency department. 2000;35:S70-S71 (8th ICEM Abstracts)
Ng P (see Tong et al). 2000;35:S20 (8th ICEM Abstracts)
Ng WS, Cheung NK, Cheung WL. The effect of variation in injury scale scoring between different personnel in the calculation of injury severity score and the accuracy of using TRISS methodology. 2000;35:S18 (8th ICEM Abstracts)
Ng WS, Cheung WL. The reason and possible solution for inappropriate emergency department utilization in Hong Kong. 2000;35:S55-S56 (8th ICEM Abstracts)
Nguyen HB (see Lotfipour et al). 2000;35:S17 (8th ICEM Abstracts)
Nichols C (see Crowley et al). 2000;35:S14-S15 (8th ICEM Abstracts)
Nielsen SL (see Anderson et al). 2000;35:S65 (8th ICEM Abstracts)
Nissen SE (see Peacock et al). 2000;35:213-20
Nissimian S (see Derazon et al). 2000;35:S66 (8th ICEM Abstracts)
Noack P (see Henry et al). 2000;35:277-82
Nogueira RJN (see Barakat et al). 2000;35:S7 (8th ICEM Abstracts)
Nordt SP (see Mohler et al). 2000;35:239-44

O

O'Connor R (see Salen et al). 2000;35:S39 (8th ICEM Abstracts)
O'Connor RE, Leisey JR, Gould SW, McGraw P. An evaluation of the clinical predictors for the presence of ureteral calculi on spiral computed tomography in patients with suspected renal colic. 2000;35:S43 (8th ICEM Abstracts)
O'Connor RE, Megargel RE, Jasani NB, Ross RW, Bitner M. Automated external defibrillator use and the effect of provider exposure to cardiac arrest. 2000;35:S44 (8th ICEM Abstracts)
O'Connor RE (see Cuculino et al). 2000;35:S43 (8th ICEM Abstracts)
O'Connor RE (see Lauder et al). 2000;35:S42 (8th ICEM Abstracts)
O'Connor RE (see Leisey et al). 2000;35:S43 (8th ICEM Abstracts)
O'Connor RE (see Levy et al). 2000;35:S11 (8th ICEM Abstracts)
O'Connor RE (see Rosenbaum et al). 2000;35:S42 (8th ICEM Abstracts)
O'Connor RE (see Tinkoff et al). 2000;35:S43 (8th ICEM Abstracts)
O'Donnell JJ, Leonard P. Pretibial lacerations: mechanisms of injury and possible preventative measures. 2000;35:S25 (8th ICEM Abstracts)
Oh DR, Kim SK, Lee WJ, Lee MJ, Choi SM, Yang JH. Rhabdomyolysis in doxylamine succinate overdose. 2000;35:S14 (8th ICEM Abstracts)
Oliveri F (see Petrino et al). 2000;35:S71 (8th ICEM Abstracts)
Olshaker J (see Chuang et al). 2000;35:S34 (8th ICEM Abstracts)
Olson KR (see Woo et al). 2000;35:363-8
Olson L (see Moody-Williams et al). 2000;35:245-51 (Concepts)

Olson LM (see Cook et al). 2000;35:585-91
Olsson DJ (see Allison et al). 2000;35:S41-S42 (8th ICEM Abstracts)
O'Malley GF, Daly FFS, Heard K, Dart RC, Nagakuni R, Smith M, Daniels K. Characteristics and clinical course of patients who ingest repeated supratherapeutic doses of acetaminophen. 2000;35:15 (8th ICEM Abstracts)
Onaga H (see Salazar et al). 2000;35:S67-S68 (8th ICEM Abstracts)
O'Neill M (see Cunningham et al). 2000;35:S21 (8th ICEM Abstracts)
Ong YSC (see Rosenberg et al). 2000;35:S7 (8th ICEM Abstracts)
Ooi SBS, Cgwa BK. Conversion rhythms from adenosine in treating supraventricular tachycardia. 2000;35:S35 (8th ICEM Abstracts)
Ooi SBS (see Lee et al). 2000;35:S64-S65 (8th ICEM Abstracts)
Orav EJ (see Sun et al). 2000;35:426-34
Omato JP (see Zaleski et al). 2000;35:462-71 (Concepts)
Orinstein T (see Milzman et al). 2000;35:S51 (8th ICEM Abstracts)
Oster N (see Carlson et al). 2000;35:S41 (8th ICEM Abstracts)
Oster NS (see Trutt et al). 2000;35:S40-S41 (8th ICEM Abstracts)
Ostrzega E (see Henderson et al). 2000;35:S51-S52 (8th ICEM Abstracts), 2000;35:S52 (8th ICEM Abstracts)
Otto C, Hamilton D, Simmons S, McDonald V, Melton S. Management of medical emergencies aboard the International Space Station using telemedicine. 2000;35:S19 (8th ICEM Abstracts)
Oualid H (see Fournier et al). 2000;35:S47-S48 (8th ICEM Abstracts)

P

Pace SA, Fuller FP. Out-of-hospital succinylcholine-assisted endotracheal intubation by paramedics. 2000;35:568-72
Padmanaba V (see Milzman et al). 2000;35:S50 (8th ICEM Abstracts)
Paige KA (see Stowers et al). 2000;35:17-25
Pallares R (see Salazar et al). 2000;35:S67-S68 (8th ICEM Abstracts)
Pancu D (see Salen et al). 2000;35:S39 (8th ICEM Abstracts)
Paraschin K (see Barakat et al). 2000;35:S7 (8th ICEM Abstracts)
Park CW, Ryou E, Yang HJ, Lee G. Clinical analysis of puffer fish poisoning. 2000;35:S12-S13 (8th ICEM Abstracts)
Parke T (see McGuffie et al). 2000;35:S4-S5 (8th ICEM Abstracts)
Parke TRJ (see Graham et al). 2000;35:S22 (8th ICEM Abstracts)
Parks P (see Kovacs et al). 2000;35:S18-S19 (8th ICEM Abstracts)
Passanante M (see Rodriguez et al). 2000;35:S17 (8th ICEM Abstracts)
Passarello B (see Salen et al). 2000;35:S39 (8th ICEM Abstracts)
Patel C (see Choyce et al). 2000;35:S22 (8th ICEM Abstracts)
Patel M (see Bohan and Patel). 2000;35:S63 (8th ICEM Abstracts)
Paterick BD, Pollack CV Jr. Geographic variation in penicillin resistance in *Streptococcus pneumoniae*: selected sites, United States, 1997 [commentary]. 2000;35:507-8
Paterson BC, Coull D, Halliday C, Robertson CE. The changing workload patterns in the resuscitation room. 2000;35:S5 (8th ICEM Abstracts)
Pauls MA, Singer PA, Dubinsky I. Developing a new model for transmitting advance directives from long-term care facilities to emergency departments. 2000;35:S12 (8th ICEM Abstracts)
Peacock WF, Emerman CL, McElean ES, Deluca SA, van Lente F, Rao JS, Nissen SE. Prediction of short- and long-term outcomes by troponin T levels in low-risk patients evaluated for acute coronary syndromes. 2000;35:213-20

Pelegrino C (see Fournier et al). 2000;35:S47-S48 (8th ICEM Abstracts)
Peres RB (see Steinman et al). 2000;35:S67 (8th ICEM Abstracts)
Perianes JF (see Martin et al). 2000;35:S40 (8th ICEM Abstracts)
Perron AD, Garcia JA, Hays EP, Schafermeyer RW. The efficacy of cyanoacrylate-derived surgical adhesive in the repair of lacerations during competitive athletics. 2000;35:S27 (8th ICEM Abstracts)
Pesik N, Keim M. Disaster medical education for all physicians and physician extenders. 2000;35:315-16 (Letter reply)
Pesola GR, Westfall RE. New-onset generalized seizures in HIV-infected patients without AIDS presenting to an emergency department. 2000;35:S61 (8th ICEM Abstracts)
Peterson W (see Colombo et al). 2000;35:S45 (8th ICEM Abstracts)
Petrino R, Boccuzzi A, Fornengo P, Aprà F, Olliveri F. Lung spiral computed tomographic scan versus lung perfusion scan for the diagnosis of pulmonary embolism. A more specific tool. 2000;35:S71 (8th ICEM Abstracts)
Pettersson K (see Porela et al). 2000;35:413-20
Peverill R (see Holsworth et al). 2000;35:S13 (8th ICEM Abstracts)
Peverill R (see Hunter et al). 2000;35:S49 (8th ICEM Abstracts)
Phan P, Rosenblatt Y, Desandre P, Lobon L, Hsu C. Diagnostic odor recognition. 2000;35:S67 (8th ICEM Abstracts)
Phelan PK (see Levy et al). 2000;35:S11 (8th ICEM Abstracts)
Phung X (see Browne et al). 2000;35:S6 (8th ICEM Abstracts)
Pindiprolu P (see Eptier et al). 2000;35:S67 (8th ICEM Abstracts)
Plunkett P (see Gaudins et al). 2000;35:S19 (8th ICEM Abstracts)
Pollack C (see Filbin et al). 2000;35:S66 (8th ICEM Abstracts)
Pollack C (see Walls et al). 2000;35:S10 (8th ICEM Abstracts)
Pollack C (see Worrall et al). 2000;35:S29 (8th ICEM Abstracts)
Pollack CV Jr. (see Paterick and Pollack). 2000;35:507-8
Pollack CV Jr (see Gurr et al). 2000;35:S33 (8th ICEM Abstracts)
Pollack CV Jr (see Kulkarni et al). 2000;35:S33 (8th ICEM Abstracts)
Pollack CV (see Walls and Pollack). 2000;35:188-91 (Case rep.)
Pollack P (see Krendel et al). 2000;35:S02-5 (Case rep.)
Pollock DA (see Beaman et al). 2000;35:258-66
Poncia HDM, Ransom P, Ryan J. The alcohol wake-up study: a randomized controlled trial evaluating an infusion of potassium, insulin, and glucose as a treatment for reversing the effects of intoxication with alcohol. 2000;35:S25 (8th ICEM Abstracts)
Poon KCA (see Siu et al). 2000;35:S28 (8th ICEM Abstracts)
Porela P, Pulkki K, Helenius H, Antila KJ, Pettersson K, Wacker M, Voipio-Pulkki L-M. Prediction of short-term outcome in patients with suspected myocardial infarction. 2000;35:413-20
Porter SC, Silvia MT, Fleisher GR, Kohane IS, Homer CJ, Mandl KD. Parents as direct contributors to the medical record: validation of their electronic input. 2000;35:346-52
Porter T (see Hassan et al). 2000;35:S4 (8th ICEM Abstracts)
Powell C, Kelly AM, Williams A. What is the minimum clinically significant change in visual analog scale pain score for children? 2000;35:S37-S38 (8th ICEM Abstracts)
Powell C (see Kelly et al). 2000;35:S8 (8th ICEM Abstracts)
Premachandran S (see Gupta et al). 2000;35:S23 (8th ICEM Abstracts)
Prete M (see Graff et al). 2000;35:S31 (8th ICEM Abstracts)
Pritchard B (see Newton et al). 2000;35:S51 (8th ICEM Abstracts)
Proano L (see Sucov et al). 2000;35:S53 (8th ICEM Abstracts)
Pronczuk J (see Ruse et al). 2000;35:S12-13 (Letter)
Propp DA. Are we, as physicians, entitled to our frame of reference? 2000;35:509-10 (Change of shift)

Pugh C (see Milzman et al). 2000;35:S51 (8th ICEM Abstracts)
Pulkki K (see Porela et al). 2000;35:413-20
Purdy J (see Murali et al). 2000;35:S5 (8th ICEM Abstracts)
Purucker M, Swann W. Potential for Duragesic patch abuse. 2000;35:314 (Letter)

Q

Qian Y (see Yuan et al). 2000;35:S9 (8th ICEM Abstracts)
Qualls S (see Mandavia et al). 2000;35:221-5
Quigley A (see Daly et al). 2000;35:S30 (8th ICEM Abstracts)
Quinn C (see Cunningham et al). 2000;35:S21 (8th ICEM Abstracts)
Quintner-Pollard S (see Razzak et al). 2000;35:S59 (8th ICEM Abstracts)

R

Rabuka CE, Azoulay LY, Kahn SR. When the clinical impression is deep vein thrombosis versus cellulitis: do patient characteristics predict the duplex diagnosis? 2000;35:S37 (8th ICEM Abstracts)
Radeos MS, Leak LV, Lugo BA, Hanrahan JP, Clark S, Camargo CA. Lack of asthma self-management knowledge among emergency department patients not taking inhaled steroids. 2000;35:S62 (8th ICEM Abstracts)
Rainer TH, Lo YMD, Chan LYS, Lam PKW, Wong EK, Hjel NM, Cocks RA. Use of plasma DNA analysis in the derivation of early prediction rules for posttraumatic organ failure. 2000;35:S15 (8th ICEM Abstracts)
Rainer TH (see Cocks et al). 2000;35:S55 (8th ICEM Abstracts)
Raj K (see Brennan and Raj). 2000;35:S69 (8th ICEM Abstracts)
Rajek A (see Greif et al). 2000;35:337-45
Ramalanjaona GR, Calabro JJ. How do emergency medicine residents learn compared with non-emergency medicine residents? A novel assessment of behavior and learning styles. 2000;35:S27 (8th ICEM Abstracts)
Ramon R (see Salazar et al). 2000;35:S67-S68 (8th ICEM Abstracts)
Randolph L, Smith J, Shesser R. Establishment of emergency medicine continuing education centers in Central Europe. 2000;35:S63 (8th ICEM Abstracts)
Randolph L (see Smith and Randolph). 2000;35:S63-S64 (8th ICEM Abstracts)
Randolph L (see Smith et al). 2000;35:S64 (8th ICEM Abstracts)
Ransom P (see Poncia et al). 2000;35:S25 (8th ICEM Abstracts)
Rao JS (see Peacock et al). 2000;35:213-20
Ratheiser K (see Schenk et al). 2000;35:S12 (Letter reply)
Rathlev N (see Anderson et al). 2000;35:S65-S66 (8th ICEM Abstracts)
Razzak J, Bradley K, Roach J, Markarian M, Werdmann M, Quintner-Pollard S, Kunkes S. Emergency department screening for cardiovascular risk factors. 2000;35:S59 (8th ICEM Abstracts)
Razzak J, Rehmani R, Jamali S, Cone D. Modes of transport used by patients visiting emergency departments in Karachi, Pakistan. 2000;35:S47 (8th ICEM Abstracts)
REACT Study (see Siepmann et al). 2000;35:573-8
Reed DB, Le DH, Brown LH, Weinstein G, Gregory M. Successful introducer-aided intubation by paramedics in mannequins: clinical application for cervical spine injuries? 2000;35:S32 (8th ICEM Abstracts)
Reese C (see Cuculino et al). 2000;35:S43 (8th ICEM Abstracts)
Reese D, Dapprich D, Jones JS, Dettmann SK. Supralingual versus tympanic thermometry in the detection of rectal fever in children. 2000;35:S47 (8th ICEM Abstracts)
Rega P. Disaster medical education for all physicians and physician extenders. 2000;35:314-15 (Letter)
Rega P (see Colombo et al). 2000;35:S45 (8th ICEM Abstracts)
Regias R (see Cosano et al). 2000;35:S71 (8th ICEM Abstracts)

Rehmani R (see Razzak et al). 2000;35:S47 (8th ICEM Abstracts)
Reichsman FP. Accident or crash? 2000;35:198 (Letter)
Reilly KM (see Thibodeau et al). 2000;35:564-7
Reis MC (see Barakat et al). 2000;35:S7 (8th ICEM Abstracts)
Renda SA (see Carpentier et al). 2000;35:S9-S10 (8th ICEM Abstracts)
Rennie W. The end of the line. 2000;35:194-5 (Change of shift)
Renzi F (see Aghababian et al). 2000;35:S54 (8th ICEM Abstracts)
Renzi F (see Crowley et al). 2000;35:S14-S15 (8th ICEM Abstracts)
Renzi F (see Dickson et al). 2000;35:S53 (8th ICEM Abstracts)
Renzi FP (see Hurwitz et al). 2000;35:S54 (8th ICEM Abstracts)
Renzi FP (see Mori et al). 2000;35:S8 (8th ICEM Abstracts)
Reyes VM (see Thibodeau et al). 2000;35:564-7
Reynolds J (see MacNamara et al). 2000;35:S4 (8th ICEM Abstracts)
Richards CF (see Grossman et al). 2000;35:69-76 (Concepts)
Richards JR (see Derlet et al). 2000;35:63-8 (Concepts)
Richardson D. Development of the Australasian National Trauma Registry. 2000;35:S42 (8th ICEM Abstracts)
Richardson D. Improvement in efficiency with medical seniority. 2000;35:S10-S11 (8th ICEM Abstracts)
Richardson D (see Kelly and Richardson). 2000;35:S37 (8th ICEM Abstracts)
Richman M, Shayne P, Heron S, Lowery D, Todd KH. Injury control in Honduras: a survey of injury mortality. 2000;35:S49 (8th ICEM Abstracts)
Richmond N, Winokur J, Schwarzbard E, Cagliuso N, Giordano L. The role of on-time medical control in elderly patients who initially refuse medical transport. 2000;35:S41 (8th ICEM Abstracts)
Rieck J (see Bentancur et al). 2000;35:S57 (8th ICEM Abstracts)
Riggs N, Houry D, Long G, Markovchick V, Feldhaus KM. Analysis of 1,076 cases of sexual assault. 2000;35:358-62
Roach J (see Cordone et al). 2000;35:S59 (8th ICEM Abstracts)
Roach J (see Razzak et al). 2000;35:S59 (8th ICEM Abstracts)
Robertson CE (see Paterson et al). 2000;35:S5 (8th ICEM Abstracts)
Robertson GJ, McCormick JJ III, Allen C, Henderson SO. Initial emergency department assessment with bedside ultrasound—is it useful for pediatric blunt trauma? 2000;35:S58 (8th ICEM Abstracts)
Robinson D (see Chuang et al). 2000;35:S34 (8th ICEM Abstracts)
Rocha-Luna JM (see Loria-Castellanos et al). 2000;35:S47 (8th ICEM Abstracts)
Rodriguez R, Passanante M, Dresden G, Kriza K, Carrasco M, Franklin J. Critically ill late presenters to an emergency department. 2000;35:S17 (8th ICEM Abstracts)
Rokos I (see Mandavia et al). 2000;35:221-5
Ronit P (see Emile et al). 2000;35:S26-S27 (8th ICEM Abstracts)
Rosamond WD (see Yaeger et al). 2000;35:628-9 (Letter)
Rosamond WD (see Morris et al). 2000;35:S63 (8th ICEM Abstracts)
Rosen J (see Zun and Rosen). 2000;35:S29 (8th ICEM Abstracts)
Rosen PB, Leiva JL, Ross, CP. Delayed antivenom treatment for a patient after envenomation by *Crotalus atrox*. 2000;35:86-8 (Case rep.)
Rosenbaum RA, Cowan PT, Bianchi A, Burgess BE, O'Connor RE. The Ottawa Ankle Rules: how confident are our patients? 2000;35:S42 (8th ICEM Abstracts)
Rosenberg D, Levin E, Brown A, Veendendaal M, Ong YSC, Gunn M. Prehospital administration of reteplase in patients with acute myocardial infarction. 2000;35:S7 (8th ICEM Abstracts)
Rosenberg M (see Silva et al). 2000;35:S68 (8th ICEM Abstracts)
Rosenberg MS (see Bunney et al). 2000;35:S68-S69 (8th ICEM Abstracts)

Rosenberg MS (see Sloan et al). 2000;35:S68 (8th ICEM Abstracts)
Rosenblatt Y (see Phan et al). 2000;35:S67 (8th ICEM Abstracts)
Ross CP (see Rosen et al). 2000;35:86-8 (Case rep.)
Ross RW (see O'Connor et al). 2000;35:S44 (8th ICEM Abstracts)
Roth J (see Woolfrey et al). 2000;35:S29 (8th ICEM Abstracts)
Roth S (see Silverman et al). 2000;35:S39 (8th ICEM Abstracts)
Rothrock SG (see Green et al). 2000;35:35-42
Roycraft EL (see VanMeter et al). 2000;35:S34 (8th ICEM Abstracts)
Rucker DW (see Sun et al). 2000;35:426-34
Runge JW. Linking data for injury control research. 2000;35:613-5 (Editorial)
Ruse M, Haines J, Pronczuk J. Harmonization of data collection on poisonings. 2000;35:512-13 (Letter)
Russell J (see Graff et al). 2000;35:S31 (8th ICEM Abstracts)
Rutenberg CD. Telephone triage. 2000;35:98-9 (Letter)
Rutten FLPA (see Anderson et al). 2000;35:S65-S66 (8th ICEM Abstracts)
Ryan J (see Graudins et al). 2000;35:S19 (8th ICEM Abstracts)
Ryan J (see Poncia et al). 2000;35:S25 (8th ICEM Abstracts)
Rydman RJ (see Zalenski et al). 2000;35:462-71 (Concepts)
Ryou E (see Park et al). 2000;35:S12-S13 (8th ICEM Abstracts)

S

Saito J (see Mori et al). 2000;35:S8 (8th ICEM Abstracts)
Sakles J (see Filbin et al). 2000;35:S66 (8th ICEM Abstracts)
Sakles J (see Gurr et al). 2000;35:S33 (8th ICEM Abstracts)
Sakles J (see Kulkarni et al). 2000;35:S33 (8th ICEM Abstracts)
Sakles J (see Walls et al). 2000;35:S10 (8th ICEM Abstracts)
Sakr M, Angus J, Saunders A, Wardrope J. Minor injuries care in accident and emergency department versus minor injuries unit. 2000;35:S25 (8th ICEM Abstracts)
Salazar A, Corbella X, Onaga H, Pallares H, Ramon R, Escarabill J. Impact of a resident physicians strike on the emergency department outcomes at a teaching hospital in Barcelona. 2000;35:S67-S68 (8th ICEM Abstracts)
Salen P, Pancu D, Passarello B, O'Connor R, Melanson S, Heller M. A comparison of teaching models for focused abdominal sonography for trauma. 2000;35:S39 (8th ICEM Abstracts)
Samaddar G (see Milzman et al). 2000;35:S50-S51 (8th ICEM Abstracts)
Samaddar R (see Milzman et al). 2000;35:S51 (8th ICEM Abstracts)
Sanchez F (see Cosano et al). 2000;35:S71 (8th ICEM Abstracts)
Sanchez FJ, Lencero C, Valverde JA, Cosano I. Rural platform of the Project HECTOR: an aid for emergencies in isolated areas. 2000;35:S20 (8th ICEM Abstracts)
Sanders GT (see de Winter et al). 2000;35:113-20
Sanford WC (see Abrunzo et al). 2000;35:155-61 (Concepts)
Sang YY (see Chiu and Sang). 2000;35:S8 (8th ICEM Abstracts)
Santis L (see Deitchman et al). 2000;35:630-1 (Letter reply)
Sapien R, Brillman JC. Telephone triage. 2000;35:99-100 (Letter reply)
Saunders A (see Sakr et al). 2000;35:S25 (8th ICEM Abstracts)
Savett S (see Fisher et al). 2000;35:S66-S67 (8th ICEM Abstracts)
Sayah AJ, Thomsen TW, Eckstein M, Hutson HR. Emergency medical services providers and violence in the field. 2000;35:S46 (8th ICEM Abstracts)
Schafermeyer RW (see Perron et al). 2000;35:S27 (8th ICEM Abstracts)
Schenk P, Mittermayer C, Ratheiser K. Small-dose inhaled nitric oxide and pulmonary embolism. 2000;35:512 (Letter reply)
Schlicht JE (see Allison et al). 2000;35:S41-S42 (8th ICEM Abstracts)
Schmidt A (see Becker et al). 2000;35:S63 (8th ICEM Abstracts)

Schmidt E (see Crowley et al). 2000;35:S14-S15 (8th ICEM Abstracts)
Schmidt J (see Christopher et al). 2000;35:S39-S40 (8th ICEM Abstracts)
Schmidt T. Futility—futility—the leaky vessel. 2000;35:615-7 (Editorial)
Schmitt BD. Telephone triage. 2000;35:99 (Letter)
Schreck DM, Tricarico VJ, Babin SG, Brotea C, Viscito MS, Frank JD. Prediction of the 12-lead ECG from 3 lead-vectors using factor analysis. 2000;35:S62 (8th ICEM Abstracts)
Schull M (see Lang et al). 2000;35:S11-S12 (8th ICEM Abstracts)
Schull MJ (see Afalalo et al). 2000;35:S12 (8th ICEM Abstracts)
Schwab RA. Emergency department customer satisfaction: the point of view paradox. 2000;35:499-501 (Editorial)
Schwarzbard E (see Richmond et al). 2000;35:S41 (8th ICEM Abstracts)
Seaberg DC, Stimler JE, Wears RL. Effect of state legislation prohibiting denial of emergency department patient claims. 2000;35:267-71
Sedik H, Barr RG, Clark S, Camargo CAJ. Prospective study of sudden-onset asthma exacerbations in children. 2000;35:S17 (8th ICEM Abstracts)
Selker HP (see Zalenski et al). 2000;35:462-71 (Concepts)
Seow E (see Tham et al). 2000;35:S64 (8th ICEM Abstracts)
Sessler DI (see Greif et al). 2000;35:337-45
Sham A (see Tsui et al). 2000;35:S38 (8th ICEM Abstracts)
Sharpe LJ (see Bunney et al). 2000;35:S68-S69 (8th ICEM Abstracts)
Shashaty J (see Carlson et al). 2000;35:S41 (8th ICEM Abstracts)
Shayne P (see Richman et al). 2000;35:S49 (8th ICEM Abstracts)
Sheedy PF (see Laudon et al). 2000;35:S32 (8th ICEM Abstracts)
Shenton AF (see Bradley et al). 2000;35:S21 (8th ICEM Abstracts)
Sheps SS (see VanMeter et al). 2000;35:S34 (8th ICEM Abstracts)
Sherwin TS, Green SM, Khan A, Chapman DS, Dannenberg B. Does adjunctive midazolam reduce recovery agitation after ketamine sedation for pediatric procedures? A randomized double-blind, placebo-controlled trial. 2000;35:229-38
Shesser R (see Randolph et al). 2000;35:S63 (8th ICEM Abstracts)
Shesser R (see Smith et al). 2000;35:S64 (8th ICEM Abstracts)
Shibli M (see Milzman et al). 2000;35:S50 (8th ICEM Abstracts)
Shockly LW (see Houry et al). 2000;35:394-7 (Residents' perspective)
Shope JT (see Maio et al). 2000;35:252-7
Shrestha C (see Henry et al). 2000;35:277-82
Shrier M, Diaz JE, Tsarouhas N. Cardiotoxicity associated with bupropion overdose. 2000;35:100 (Letter)
Stribelman I (see Derazon et al). 2000;35:S66 (8th ICEM Abstracts)
Shubert RA (see Levy et al). 2000;35:S11 (8th ICEM Abstracts)
Sibley H, Bradley K, Cordone M, Werdmann M. Screening for women's health issues, including domestic violence, in the emergency department by college research associates. 2000;35:S60 (8th ICEM Abstracts)
Sibley H (see Cordone et al). 2000;35:S59 (8th ICEM Abstracts)
Siepmann DB, Mann NC, Hedges JR, Daya MR, for REACT Study. Association between prepayment systems and emergency medical services use among patients with acute chest discomfort syndrome. 2000;35:573-8
Silbergleit R (see Cunningham and Silbergleit). 2000;35:618-22 (Case rep.)
Silva J (see Bunney et al). 2000;35:S68-S69 (8th ICEM Abstracts)
Silva JC, Sloan EP, Rosenberg M. Outcomes in acute myocardial infarction patients transferred for acute angioplasty. 2000;35:S68 (8th ICEM Abstracts)

- Silva JC (see Viner et al). 2000;35:272-6
- Silverman R, Goldman D, Weg IL, Watson M, Campbell C, Simmons D, Roth S. Gender differences of echocardiographic findings in acute cardiogenic pulmonary edema. 2000;35:S39 (8th ICEM Abstracts)
- Silverman R. Ipratropium bromide in emergency management of acute asthma exacerbation. 2000;35:197-8 (Letter)
- Silverman RA, Chen Y, Bonuccelli CM, Simonson SG. Zafirlukast improves emergency department outcomes after an acute asthma episode. 2000;35:S10 (8th ICEM Abstracts)
- Silverman RA. Polymerase chain reaction diagnosis of enterovirus in children with aseptic meningitis. 2000;35:S41 (8th ICEM Abstracts)
- Siman R (see Mills et al). 2000;35:S31-S32 (8th ICEM Abstracts)
- Simmons D (see Silverman et al). 2000;35:S39 (8th ICEM Abstracts)
- Simmons S (see Otto et al). 2000;35:S19 (8th ICEM Abstracts)
- Simões RO (see Steinman et al). 2000;35:S67 (8th ICEM Abstracts)
- Simons TA (see Stowers et al). 2000;35:17-25
- Simonson SG (see Silverman et al). 2000;35:S10 (8th ICEM Abstracts)
- Singer AJ (see Gulla and Singer). 2000;35:226-8
- Singer PA (see Pauls et al). 2000;35:S12 (8th ICEM Abstracts)
- Singh O (see Aggarwal et al). 2000;35:S34-S35 (8th ICEM Abstracts)
- Singh T (see Sullivan et al). 2000;35:S60 (8th ICEM Abstracts)
- Sitar DS (see Grierson et al). 2000;35:435-9
- Siu YCA, Wong TW, Lau CC, Poon KCA, Lam CK, Ip KK. The use of ultrasonography for pediatric patients with hip pain in emergency department. 2000;35:S28 (8th ICEM Abstracts)
- Siu YCA, Yuen WC, Lo CB, Chung CH. A survey on patients leaving against medical advice (AMA) who required secondary transfer to the emergency department. 2000;35:S57 (8th ICEM Abstracts)
- Sivillotti M (see Dickson et al). 2000;35:S53-S54 (8th ICEM Abstracts)
- Sivillotti M (see S54) (8th ICEM Abstracts)
- Sivillotti M, Burns MJ, Aaron CK, Greenberg M. Pentobarbital for control of acute delirium due to γ -butyrolactone withdrawal. 2000;35:S52-S53 (8th ICEM Abstracts)
- Sivillotti M, Filbin MR, Slator P, Walls RM. Factors involved in the selection of induction agent during emergency rapid sequence intubation. 2000;35:S52 (8th ICEM Abstracts)
- Sivillotti M, A. Methanol Intoxication. 2000;35:313-14 (Letter)
- Skripak D (see Moody-Williams et al). 2000;35:245-51 (Concepts)
- Slator P (see Sivillotti et al). 2000;35:S52 (8th ICEM Abstracts)
- Sloan EP, Koenigsberg MD. The use of ISS and TRISS as measures of injury severity and as mortality predictors in the diaspirin cross-linked hemoglobin (DCLHb) traumatic hemorrhagic shock trial. 2000;35:S68 (8th ICEM Abstracts)
- Sloan EP, Silva J, Rosenberg MS. Outcome in adult seizure patients treated in the emergency setting. 2000;35:S68 (8th ICEM Abstracts)
- Sloan EP (see Bunney et al). 2000;35:S68-S69 (8th ICEM Abstracts)
- Sloan EP (see Silva et al). 2000;35:S68 (8th ICEM Abstracts)
- Smars PA (see High et al). 2000;35:S30 (8th ICEM Abstracts)
- Smith DM (see Abrunzo et al). 2000;35:155-61 (Concepts)
- Smith G (see Anderson et al). 2000;35:S65-S66 (8th ICEM Abstracts)
- Smith G (see Bonucci et al). 2000;35:S38 (8th ICEM Abstracts)
- Smith J, Randolph L. Development of emergency nursing in the Sultanate of Oman. 2000;35:S63-S64 (8th ICEM Abstracts)
- Smith J, Randolph L, Shesser R. A comprehensive emergency medicine partnership in Estonia. 2000;35:S64 (8th ICEM Abstracts)
- Smith J (see Randolph et al). 2000;35:S63 (8th ICEM Abstracts)
- Smith M (see Bradley et al). 2000;35:S21 (8th ICEM Abstracts)
- Smith M (see Gilligan et al). 2000;35:S22 (8th ICEM Abstracts)
- Smith M (see O'Malley et al). 2000;35:S15 (8th ICEM Abstracts)
- Smith MS (see Feied et al). 2000;35:162-7
- Smothers K (see Graff et al). 2000;35:S31 (8th ICEM Abstracts)
- Smyth B (see Cunningham et al). 2000;35:S21 (8th ICEM Abstracts)
- So-YT, Fung-HT, Chung-KL, Hung-CY, Kam-CW. Ventricular tachycardia after Chinese herbal medication ingestion. 2000;35:S70 (8th ICEM Abstracts)
- Sokolove PE, Lea BS, Krawczyk JA, Banos PT, Gregson AL, Boyce DM, Lewis RJ. Implementation of an emergency department triage procedure for the detection and isolation of patients with active pulmonary tuberculosis. 2000;35:327-36
- Somers L, Thompson P, Brown R. Headaches: can we improve our assessment and management? 2000;35:S25 (8th ICEM Abstracts)
- Sorensen MB (see Anderson et al). 2000;35:S65 (8th ICEM Abstracts)
- Sorensen MB (see Hogskilde et al). 2000;35:S65 (8th ICEM Abstracts)
- Spadoni VS (see Borges et al). 2000;35:S57 (8th ICEM Abstracts)
- Spadoni VS (see Tannenbaum et al). 2000;35:S57 (8th ICEM Abstracts)
- Spaite DW (see De Maio et al). 2000;35:138-46
- Sperotto G (see Barakat et al). 2000;35:S7 (8th ICEM Abstracts)
- Stacini P (see Fournier et al). 2000;35:S47-S48 (8th ICEM Abstracts)
- Steele P (see Zalenski et al). 2000;35:462-71 (Concepts)
- Steinman M, Peres RB, Szajnok I, Waksman H, Simões RO, Hidal JT. Implementing a postoperative wound care policy in the accident and emergency department. 2000;35:S67 (8th ICEM Abstracts)
- Stephens GE. Selective Omission. 2000;35:96-7 (Change of shift)
- Stevens S (see MacNamara et al). 2000;35:S4 (8th ICEM Abstracts)
- Stiell IG (see De Maio et al). 2000;35:138-46
- Stimler JE (see Seaberg et al). 2000;35:267-71
- Stock L (see Vanier et al). 2000;35:S56 (8th ICEM Abstracts)
- Storrow AB, Gibler WB. Chest pain centers: diagnosis of acute coronary syndromes. 2000;35:449-61 (State of the art)
- Stowers SA, Eisenstein EL, Wackers FJT, Berman DS, Blackshear JL, Jones AD, Szymanski TJ, Lam LC, Simons TA, Natale D, Paige KA, Wagner GS. An economic analysis of an aggressive diagnostic strategy with single photon emission computed tomography myocardial perfusion imaging and early exercise stress testing in emergency department patients who present with chest pain but nondiagnostic electrocardiograms: results from a randomized trial. 2000;35:17-25
- Sucov A, Proano L, Nathanson A, McCormick J, Jay G. Oligoanalgesia in emergency department patients with fractures can be corrected. 2000;35:S53 (8th ICEM Abstracts)
- Sullivan DM, Asimos AW, Teele W, Colucciello S, Jenkins S, Murray W, Weinrib D, Singh T, Bethea R. The efficacy of the amplified *Mycobacterium tuberculosis* direct test in screening for pulmonary tuberculosis in an emergency department population. 2000;35:S60 (8th ICEM Abstracts)
- Sun BC, Adams J, Orav EJ, Rucker DW, Brennan TA, Burstin HR. Determinants of patient satisfaction and willingness to return with emergency care. 2000;35:426-34
- Suzuki T (see Birkhahn et al). 2000;35:S46 (8th ICEM Abstracts)
- Swann W (see Purucker and Swann). 2000;35:314 (Letter)
- Swanson HT (see VanMeter et al). 2000;35:S34 (8th ICEM Abstracts)
- Swanson JM (see MacDonald et al). 2000;35:S35 (8th ICEM Abstracts)
- Sweeney TA (see Lauder et al). 2000;35:S42 (8th ICEM Abstracts)
- Swift CG (see Close et al). 2000;35:S21 (8th ICEM Abstracts)
- Szajnok I (see Steinman et al). 2000;35:S67 (8th ICEM Abstracts)
- Szucs PA, Nashed AH, Allegra JR, Eskin B. Safety and efficacy of diclofenac ophthalmic solution in the treatment of corneal abrasions. 2000;35:131-7
- Szymanski TJ (see Stowers et al). 2000;35:17-25

T

- Takeyama Y (see Mori et al). 2000;35:S8 (8th ICEM Abstracts)
- Takun K (see Gerbeaux et al). 2000;35:S27 (8th ICEM Abstracts)
- Talan DA, Moran GJ. Use of pulsed-field gel electrophoresis for investigation of a cluster of invasive group A streptococcal illness. 2000;35:309-10
- Tam MK, Lam P, Ho HF, Cocks RA, Cheung WL. Observer variability in injury coding and its effect on subsequent trauma outcome analysis. 2000;35:S9 (8th ICEM Abstracts)
- Tanen DA, LoVecchio F, Curry SC. Failure of intravenous N-acetylcysteine to reduce methemoglobin produced by sodium nitrite in human volunteers: a randomized controlled trial. 2000;35:369-73
- Tannenbaum RD, Arnold JL, Filho ADN, Spadoni VS, Borges LA. Emergency medicine in Southern Brazil. 2000;35:S57 (8th ICEM Abstracts)
- Tannenbaum RD (see Borges et al). 2000;35:S57 (8th ICEM Abstracts)
- Tanus Santos JE, Moreno H. Small-dose inhaled nitric oxide and pulmonary embolism. 2000;35:511-2 (Letter)
- Taylor RR, Hitchcock T, Fatovich DM, Thomas C, Curtis R. A randomized controlled trial of leixipafant, a platelet-activating factor (PAF) antagonist, on streptokinase-induced hypotension in acute myocardial infarction (AMI). 2000;35:S7 (8th ICEM Abstracts)
- Teele W (see Sullivan et al). 2000;35:S60 (8th ICEM Abstracts)
- Tenenbein M (see Grierson et al). 2000;35:435-9
- Terregino CA, Lopez BL, Karras DJ, Killian AJ, Arnold GK. Endogenous mediators in emergency department patients with presumed sepsis: are levels associated with progression to severe sepsis and death? 2000;35:26-34
- Thackeray J (see Colombo et al). 2000;35:S45 (8th ICEM Abstracts)
- Thakora SB (see Graham et al). 2000;35:S22 (8th ICEM Abstracts)
- Tham KY, Seow E, Wong HP. Pattern of injuries in helmeted motorcyclists in Singapore. 2000;35:S64 (8th ICEM Abstracts)
- Thibodeau LG, Chan L, Reilly KM, Reyes VM. Improving telephone contact rates of patients discharged from the emergency department. 2000;35:564-7
- Thiercelin D (see Fournier et al). 2000;35:S47-S48 (8th ICEM Abstracts)
- Thode HC (see Henry et al). 2000;35:277-82
- Thomas C (see Taylor et al). 2000;35:S7 (8th ICEM Abstracts)
- Thompson P, Glucksman E. Can we learn from ultrasound practice around the globe? 2000;35:S26 (8th ICEM Abstracts)
- Thompson P (see Somers et al). 2000;35:S25 (8th ICEM Abstracts)
- Thomson TW (see Sayah et al). 2000;35:S46 (8th ICEM Abstracts)
- Thomson C (see Tomaszewski et al). 2000;35:S69 (8th ICEM Abstracts)
- Timberlake C (see Choyce et al). 2000;35:S22 (8th ICEM Abstracts)
- Tinkoff GH, O'Connor RE, Jasani NB, Kahn S, Fulda GJ. Use of a protocol for the clinical clearance of cervical spine injury reduces the incidence of delayed diagnosis. 2000;35:S43 (8th ICEM Abstracts)

Tintinalli J. Analysis of insurance payment denials using the prudent layperson standard. 2000;35:291-4

Tiru M, Hiong GS, Yong LB. Use of percussion as a screening tool in the diagnosis of occult hip fractures. 2000;35:S28 (8th ICEM Abstracts)

Todd KH, Deaton C, D'Adamo AP, Goe L. Ethnicity and analgesic practice. 2000;35:11-6

Todd KH (see Richman et al). 2000;35:S49 (8th ICEM Abstracts)

Tomaszewski C, Gilmer B, Thomson C, Watts J. The neuroprotective effects of dimethyl sulfoxide on memory following acute carbon monoxide poisoning in mice. 2000;35:S69 (8th ICEM Abstracts)

Tompkins M (see Colombo et al). 2000;35:S45 (8th ICEM Abstracts)

Toncich G (see Macken et al). 2000;35:S13-S14 (8th ICEM Abstracts)

Toncich G (see Virtue et al). 2000;35:S42 (8th ICEM Abstracts)

Tong HK (see Leung et al). 2000;35:S38 (8th ICEM Abstracts)

Tong HK (see Tsui et al). 2000;35:S38 (8th ICEM Abstracts)

Tong WL, Ching WM, Ng P, Kam CW. A retrospective study on the management of spousal battery patients in the emergency department. 2000;35:S20 (8th ICEM Abstracts)

Torro D (see Gerbeaux et al). 2000;35:S27 (8th ICEM Abstracts)

Travers D (see Wuerz et al). 2000;35:S49-S50 (8th ICEM Abstracts)

Tricarico VJ (see Schreck et al). 2000;35:S62 (8th ICEM Abstracts)

Trieu L (see Browne et al). 2000;35:S6 (8th ICEM Abstracts)

Truesdale M, Buchanan M. Thrombolysis for acute myocardial infarction: those missed and why. Strive for the ideal. 2000;35:S8 (8th ICEM Abstracts)

Trutt J, Oster NS. Hazardous materials events at a New York City trauma center. 2000;35:S40-S41 (8th ICEM Abstracts)

Tsai LM (see Chi et al). 2000;35:S13 (8th ICEM Abstracts)

Tsai MC (see Chi et al). 2000;35:S13 (8th ICEM Abstracts)

Tsang W (see McRae et al). 2000;35:S35-S36 (8th ICEM Abstracts)

Tsarouhas N (see Shrier et al). 2000;35:100 (Letter)

Tse ML, Lau FL. Traditional Chinese medicine: an epidemiologic study of its usage in emergency department patients in Hong Kong. 2000;35:S40 (8th ICEM Abstracts)

Tselios C (see Afiliato et al). 2000;35:S12 (8th ICEM Abstracts)

Tselios C (see Lang et al). 2000;35:S11-S12 (8th ICEM Abstracts)

Tsui SH, Sham A, Tong HK, Chan-Yeung M. Assessment of asthma management before and after the introduction of guidelines in an accident and emergency department in Hong Kong. 2000;35:S38 (8th ICEM Abstracts)

Turpin G (see Mason et al). 2000;35:S4 (8th ICEM Abstracts)

V

Vaca F, Lew C, Fernandez M. Knowledge of child car seat safety in a tricultural southern California emergency department. 2000;35:S56-S57 (8th ICEM Abstracts)

Vadlamudi L (see Mitchell et al). 2000;35:300-3 (Case rep.)

Vaickus L (see Gumbhir-Shah et al). 2000;35:S30 (8th ICEM Abstracts)

Valentine CC (see Hoffner et al). 2000;35:S31 (8th ICEM Abstracts)

Valverde AJA, Cosano PI. Computerization of a mobile intensive care unit. An experience with emergency telemedicine. 2000;35:S71 (8th ICEM Abstracts)

Valverde JA (see Sanchez et al). 2000;35:S20 (8th ICEM Abstracts)

Van Asperen P (see Browne et al). 2000;35:S6 (8th ICEM Abstracts)

van Lente F (see Peacock et al). 2000;35:213-20

Vanier V, Stock L, Walter W. Kosovar EMS: a postwar assessment. 2000;35:S56 (8th ICEM Abstracts)

VanMeter KW, Swanson HT, Sheps SS, Barratt DM, Roycraft EL, Moises J, Killee J, Harch PG. Oxygen dose response in open-chest ACLS in swine after a 25-minute cardiopulmonary arrest. 2000;35:S34 (8th ICEM Abstracts)

VanRooyen M (see Wickramasinghe et al). 2000;35:S61-S62 (8th ICEM Abstracts)

Veendendaal M (see Rosenberg et al). 2000;35:S7 (8th ICEM Abstracts)

Verbeek PR (see Ali and Verbeek). 2000;35:S11 (8th ICEM Abstracts)

Veser F, Agrawal V, Bohnstedt J. The implementation of a forward-rotating template schedule and the effects on physician wellness. 2000;35:S50 (8th ICEM Abstracts)

Vinen J. Medical errors and adverse events in the emergency department. 2000;35:S18 (8th ICEM Abstracts)

Viner KM, Bellino M, Kirsch TD, Kivela P, Silvo JC. Managed care organization authorization denials: lack of patient knowledge and timely alternative ambulatory care. 2000;35:272-6

Virtue L, Toncich G, Cameron P, Bartlett J. Breakthrough in Australia. 2000;35:S42 (8th ICEM Abstracts)

Viscardi G (see Brady et al). 2000;35:S27-S28 (8th ICEM Abstracts)

Viscoto MS (see Schreck et al). 2000;35:S62 (8th ICEM Abstracts)

Visser RJ (see McHugh and Visser). 2000;35:S49 (8th ICEM Abstracts)

Vizmek KK, Bair MN, Berneike JA. International advanced resuscitation training in emergency medicine: the Guyana experience. 2000;35:S58 (8th ICEM Abstracts)

Voipio-Pulkki L-M (see Porela et al). 2000;35:413-20

Volans AP. The effects of prehospital nalbuphine on emergency department analgesia. 2000;35:S5-S6 (8th ICEM Abstracts)

Volans AP. The epidemiology of Weaver Fish sting. 2000;35:S26 (8th ICEM Abstracts)

Volturo G (see Crowley et al). 2000;35:S14-S15 (8th ICEM Abstracts)

Vukov LF (see Laudon et al). 2000;35:S32 (8th ICEM Abstracts)

Vuletic M (see Bonucci et al). 2000;35:S38 (8th ICEM Abstracts)

W

Wacker M (see Porela et al). 2000;35:413-20

Wackers FJT (see Stowers et al). 2000;35:17-25

Wadas RJ (see Dorfsman et al). 2000;35:S44-S45 (8th ICEM Abstracts)

Waechterle JF, Callahan ML. State of the journal. 2000;35:1-2

Waechterle JF (see Knopp et al). 2000;35:295-7 (Editorial)

Wagner GS (see Stowers et al). 2000;35:17-25

Wailoo A (see Hassan et al). 2000;35:S4 (8th ICEM Abstracts)

Waksman H (see Steinman et al). 2000;35:S67 (8th ICEM Abstracts)

Wali JP (see Aggarwal et al). 2000;35:S34-S35 (8th ICEM Abstracts)

Walls RM, Bernstein S, Sakles J, Pollack C. Confirmation of endotracheal tube placement: analysis of 2,392 emergency department intubations. 2000;35:S10 (8th ICEM Abstracts)

Walls RM, Bernstein S, Sakles J, Pollack C. 2,392 emergency department intubations: first report of the Ongoing National Emergency Airway Registry Study (NEAR 97). 2000;35:S10 (8th ICEM Abstracts)

Walls RM, Pollack CV. Successful cricothyrotomy after thrombolytic therapy for acute myocardial infarction: a report of two cases. 2000;35:188-91 (Case rep.)

Walls RM (see Filbin et al). 2000;35:S66 (8th ICEM Abstracts)

Walls RM (see Gurr et al). 2000;35:S33 (8th ICEM Abstracts)

Walls RM (see Kulkarni et al). 2000;35:S33 (8th ICEM Abstracts)

Walls RM (see Sivillotti et al). 2000;35:S52 (8th ICEM Abstracts)

Walls RM (see Worrall et al). 2000;35:S29 (8th ICEM Abstracts)

Walter W (see Vanier et al). 2000;35:S56 (8th ICEM Abstracts)

Wang DC (see Hung et al). 2000;35:S11 (8th ICEM Abstracts)

Wang LM (see Chen et al). 2000;35:S36-S37 (8th ICEM Abstracts)

Wang LM (see How et al). 2000;35:S36 (8th ICEM Abstracts); 2000;35:S36 (8th ICEM Abstracts)

Wang S (see Brookes and Wang). 2000;35:S21 (8th ICEM Abstracts)

Wang SM (see Chi et al). 2000;35:S13 (8th ICEM Abstracts)

Ward M (see Harbick et al). 2000;35:382-90

Wardrope J (see Mason et al). 2000;35:S4 (8th ICEM Abstracts)

Wardrope J (see Sakr et al). 2000;35:S25 (8th ICEM Abstracts)

Washington RA (see Craig et al). 2000;35:S33 (8th ICEM Abstracts)

Watine J. Carbon monoxide poisoning: how about more precise analytic and preanalytic techniques? 2000;35:629-30 (Letter)

Watson M (see Silverman et al). 2000;35:S39 (8th ICEM Abstracts)

Watts J (see Tomaszewski et al). 2000;35:S69 (8th ICEM Abstracts)

Wears RL (see Seaberg et al). 2000;35:267-71

Weaver AL (see High et al). 2000;35:S30 (8th ICEM Abstracts)

Weber JE (see Maio et al). 2000;35:252-7

Weg IL (see Silverman et al). 2000;35:S39 (8th ICEM Abstracts)

Weinberger T (see Gad et al). 2000;35:3-10

Weinrib D (see Sullivan et al). 2000;35:S60 (8th ICEM Abstracts)

Weinstein C (see MacDonald et al). 2000;35:S35 (8th ICEM Abstracts)

Weinstein G (see Reed et al). 2000;35:S32 (8th ICEM Abstracts)

Wells GA (see De Maio et al). 2000;35:138-46

Werdman M (see Graff et al). 2000;35:S31 (8th ICEM Abstracts)

Werdman M (see Cordone et al). 2000;35:S59 (8th ICEM Abstracts)

Werdman M (see Razzak et al). 2000;35:S59 (8th ICEM Abstracts)

Werdman M (see Sibley et al). 2000;35:S60 (8th ICEM Abstracts)

Westfall RE (see Pesola and Westfall). 2000;35:S61 (8th ICEM Abstracts)

White JD (see Knopp et al). 2000;35:295-7 (Editorial)

Whitney CL (see Brown et al). 2000;35:S39 (8th ICEM Abstracts)

Wholey R (see Dickson et al). 2000;35:S53 (8th ICEM Abstracts)

Wickramasinghe H, Fernando A, VanRooyen M. Emergency medical care in Sri Lanka. 2000;35:S61-S62 (8th ICEM Abstracts)

Wiederhold MS (see Fisher et al). 2000;35:S66-S67 (8th ICEM Abstracts)

Wig N (see Aggarwal et al). 2000;35:S34-S35 (8th ICEM Abstracts)

Wijetunge DB (see Gupta et al). 2000;35:S23 (8th ICEM Abstracts)

Wilkie SC (see McGuffie et al). 2000;35:S4-S5 (8th ICEM Abstracts)

Williams A (see Kelly et al). 2000;35:S8 (8th ICEM Abstracts)

Williams A (see Powell et al). 2000;35:S37-S38 (8th ICEM Abstracts)

Williams SR (see Mohler et al). 2000;35:239-44

Williamson D. Ultrasound imaging of forearm fractures in children. 2000;35:S6 (8th ICEM Abstracts)

Wilson C (see Ciancone et al). 2000;35:353-7

Winokur J (see Richmond et al). 2000;35:S41 (8th ICEM Abstracts)

Woitschlag C (see Herkner et al). 2000;35:126-30

Wolfe TR, Fosnocht DE, Linscott MS. Atomized lidocaine as topical anesthesia for nasogastric tube placement: a randomized, double-blind, placebo-controlled trial. 2000;35:421-5

Wolfe TR, Kimball EJ, Hartsell SC. Evaluation of a computerized esophageal detector device (CEDD) in patients with morbid obesity and severe pulmonary failure. 2000;35:S32 (8th ICEM Abstracts)

Wolsey BA, McKinney PE. Does transportation by ambulance decrease time to gastrointestinal decontamination after overdose? 2000;35:579-84

Wong EK (see Rainer et al). 2000;35:S15 (8th ICEM Abstracts)

Wong HP (see Tham et al). 2000;35:S64 (8th ICEM Abstracts)

Wong PKL (see Lit et al). 2000;35:S16-S17 (8th ICEM Abstracts)

Wong TW (see Chan et al). 2000;35:S55 (8th ICEM Abstracts)

Wong TW (see Ng et al). 2000;35:S55 (8th ICEM Abstracts), 2000;35:S70-S71 (8th ICEM Abstracts)

Wong TW (see Siu et al). 2000;35:S28 (8th ICEM Abstracts)

Wong TW (see Yung et al). 2000;35:S54-S55 (8th ICEM Abstracts)

Woo OF, Mueller PD, Olson KR, Anderson IB, Kim SY. Shorter duration of oral *N*-acetylcysteine therapy for acute acetaminophen overdose. 2000;35:363-8

Woolfrey K, Eisenhauer M, Murphy D, Roth J. Accuracy of day 4 bone scans and efficacy of clinical findings in the assessment of patients with clinical scaphoid fractures. 2000;35:S29 (8th ICEM Abstracts)

Worrall JC, Gurr DE, Walls RM, Pollack C. Asthma airway management: the prevalence of ketamine use as an induction agent for rapid sequence intubation. 2000;35:S29 (8th ICEM Abstracts)

Wright KD. Emergency department thoracotomy: "friend or foe." 2000;35:S26 (8th ICEM Abstracts)

Wuerz R, Yazhari R, Travers D, Gilboy N, Milne LW, Eitel DR. Implementation of five-level triage at two university hospitals. 2000;35:S49-S50 (8th ICEM Abstracts)

Wyatt JP (see Beale et al). 2000;35:S20 (8th ICEM Abstracts)

Y

Yaeger EP, Morris DL, Rosamond WD, Evenson KR. Use of the National Institutes of Health Stroke Scale in the emergency department setting. 2000;35:628-9 (Letter)

Yang HJ (see Park et al). 2000;35:S12-S13 (8th ICEM Abstracts)

Yang JH (see Oh et al). 2000;35:S14 (8th ICEM Abstracts)

Yang SH (see Huang and Yang). 2000;35:S44 (8th ICEM Abstracts)

Yaniv S (see Yotam et al). 2000;35:S30 (8th ICEM Abstracts)

Yarzebski J (see Aghababian et al). 2000;35:S54 (8th ICEM Abstracts)

Yates D (see Murali et al). 2000;35:S5 (8th ICEM Abstracts)

Yau HH (see Ng et al). 2000;35:S70 (8th ICEM Abstracts)

Yazhari R (see Wuerz et al). 2000;35:S49-S50 (8th ICEM Abstracts)

Yong LB (see Tiru et al). 2000;35:S28 (8th ICEM Abstracts)

Yosef E (see Emile et al). 2000;35:S26 (8th ICEM Abstracts)

Yotam L, Yaniv S, Emile H, Haim B, Menahem S. *Jatropha multifida* plant intoxication. 2000;35:S30 (8th ICEM Abstracts)

Younger JG (see Craig et al). 2000;35:S33 (8th ICEM Abstracts)

Yuan HX, Zhou S, Qian Y, Liang L. The hemodynamic study of

mechanical CPR with and without active decompression and interposed abdominal compression. 2000;35:S9 (8th ICEM Abstracts)

Yuen EHY (see Chan et al). 2000;35:S55 (8th ICEM Abstracts)

Yuen PC, Lau FL. Early analgesia for acute surgical abdomen: attitude of Hong Kong emergency physicians. 2000;35:S48 (8th ICEM Abstracts)

Yuen WC (see Siu et al). 2000;35:S57 (8th ICEM Abstracts)

Yung CT, Wong TW, Lau CC. Diagnostic ultrasound utilization in patients with upper abdominal pain: an audit of practice in emergency department. 2000;35:S54-S55 (8th ICEM Abstracts)

Z

Zalenski RJ, Selker HP, Cannon CP, Farin HM, Gibler WB, Goldberg RJ, Lambrew CT, Ornato JP, Rydman RJ, Steele P. National Heart Attack Alert Program position paper: chest pain centers and programs for the evaluation of acute cardiac ischemia. 2000;35:462-71 (Concepts)

Zhou S (see Yuan et al). 2000;35:S9 (8th ICEM Abstracts)

Zinsmeister AR (see High et al). 2000;35:S30 (8th ICEM Abstracts)

Zu A (see Mills et al). 2000;35:S31-S32 (8th ICEM Abstracts)

Zun L. Inpatient and outpatient hospital costs of young victims of interpersonal violence. 2000;35:S34 (8th ICEM Abstracts)

Zun L, Rosen J. Psychosocial needs of young persons who are victims of interpersonal violence. 2000;35:S29 (8th ICEM Abstracts)

Zun L (see Gossman et al). 2000;35:S35 (8th ICEM Abstracts)

